二零零七年首次被呈報及曾被呈報吸毒者的特徵 Characteristics of Newly and Previously Reported Drug Abusers in 2007

4.1 在二零零七年所有被呈報的 13591名吸毒者中,4179人或 30.7% 是首次被呈報,餘下 9412人(69.3%) 則曾經被呈報。在被呈報的二十一歲 以下年青吸毒者當中,首次被呈報者 的百分比為 72.8%,遠高於在被呈報 的二十一歲及以上成年吸毒者的 18.8%。現於下文比較首次被呈報及 曾被呈報吸毒者的特徵。

被呈報吸毒者的資料來源

- 4.2 在二零零七年,首次被呈報吸毒者的資料主要來自執法部門及非政府機構的青少年外展隊,分別佔首次被呈報吸毒者的 56%和 27%。
- 4.3 同年,曾被呈報吸毒者的三大主要資料來源是執法部門、美沙酮診所及非政府機構的戒毒治療和康復服務中心/濫用精神藥物者輔導中心,分別佔有關吸毒者 54%、43%和23%。

4.1 Of all 13 591 drug abusers reported in 2007, 4 179 or 30.7% were reported for the first time in the year (or newly reported) and the remaining 9 412 (69.3%) were previously reported. The proportion of newly reported drug abusers among young drug abusers under 21 was much higher, at 72.8%, as compared against 18.8% among reported adult abusers aged 21 and over. A comparison of the characteristics between newly and previously reported drug abusers is given in the ensuing paragraphs.

Sources of Reported Drug Abusers

- 4.2 For newly reported drug abusers, enforcement departments and youth outreaching teams of NGOs were the two major sources of reporting in 2007, taking up 56% and 27% respectively of the concerned drug abusers.
- 4.3 For those previously reported drug abusers, enforcement departments, methadone clinics and residential treatment and rehabilitation centres / counselling centres for psychotropic substance abusers of NGOs were the top three more common sources of reporting in 2007, taking up 54%, 43% and 23% respectively of the concerned drug abusers.

圖 4.1 二零零七年首次/曾被呈報吸毒者按呈報機構類別的分布

Chart 4.1 Newly/previously reported drug abusers in 2007 by type of reporting agency

呈報機構 Reporting agency	首次被呈報人士 Newly reported		曾被呈報人士 Previously reported	
	人數 No.	%	人數 No.	%
所有年齡 All ages				
執法部門 Enforcement departments (1)	2 339	56.0	5 047	53.6
美沙酮診所 Methadone clinics	211	5.0	4 058	43.1
非政府機構的戒毒治療和康復服務中心/濫用精神藥物者輔 導機構	546	13.1	2 168	23.0
Residential treatment and rehabilitation centres / Counselling Centres for Psychotropic Substance Abusers of NGOs				
非政府機構的青少年外展隊 Youth outreaching teams of NGOs	1130	27.0	579	6.2
醫院管理局轄下的物質誤用診所/醫院/診所	145	3.5	305	3.2
Substance Abuse Clinics under Hospital Authority, and other				
hospitals / clinics				
二十一歲以下 Aged under 21				
執法部門 Enforcement departments (1)	892	40.8	189	23.2
美沙酮診所 Methadone clinics	16	0.7	11	1.3
非政府機構的戒毒治療和康復服務中心/濫用精神藥物者輔	343	15.7	139	17.1
導機構				
Residential treatment and rehabilitation centres / Counselling				
Centres for Psychotropic Substance Abusers of NGOs				
非政府機構的青少年外展隊 Youth outreaching teams of NGOs	1008	46.2	509	62.5
醫院管理局轄下的物質誤用診所/醫院/診所	38	1.7	11	1.3
Substance Abuse Clinics under Hospital Authority, and other				
hospitals / clinics				

註釋: 個別吸毒者在某年內可能同時被多於一個呈報機構呈報。

Notes: An individual drug abuser may be reported by more than one agency in a given year.

(1) 數字包括香港警務處、懲教署和社會福利署轄下的感化辦事處。 Figures include Hong Kong Police Force, Correctional Services Department and Probation Office under Social Welfare Department.

年齡和性別 (表 2a)


4.4 首次被呈報吸毒者和曾被呈報 吸毒者的年龄分布頗為不同,前者接 近有四分之三(69.8%)的年龄介乎 16 至 30 歲,後者則有約四分之三(70.9%)的年龄介乎 21 至 50 歲。首次被呈報吸毒者的平均年龄為 23 歲,相對於平均年齡為 38 歲的曾被呈報 吸毒者較為年輕。

Age and Sex (Table 2a)

4.4 The age distribution of newly reported drug abusers was quite different from that of previously reported ones. Nearly three quarters (69.8%) of the former were aged 16-30, whereas about three quarters (70.9%) of the latter were aged 21-50. Newly reported drug abusers, with an average age of 23, were in general much younger than their previously reported counterparts (with an average age of 38).

圖 4.2 二零零七年首次/曾被呈報吸毒者的年齡分布

Chart 4.2 Newly/previously reported drug abusers in 2007 by specific age group



註釋: * 百分比是1%。 Note: Percentage is 1%.

4.5 在性別分布方面,女性佔首次被 呈報吸毒者 27.5%,但在曾被呈報吸毒 者中所佔的百分比則較低,為 14.0%。

首次吸食毒品的年龄 (表 2d)

4.6 曾被呈報的吸毒者較早開始吸毒,平均在 17 歲開始,而首次被呈報者則較遲開始吸毒,平均在 20 歲開始。

被吸食的毒品種類 (表 2b)

4.7 在二零零七年首次被呈報吸毒者中,最常被吸食的毒品種類為"K仔"(64.4%),其次為"搖頭丸"(14.9%)及海洛英(12.6%)。

4.5 Regarding the sex distribution, 27.5% of newly reported drug abusers were female, while the respective proportion among previously reported abusers was lower, at 14.0%.

Age of First Abuse (Table 2d)

4.6 Previously reported drug abusers on average started to abuse drugs at an earlier age, at 17, while those newly reported persons later, at 20.


Type of Drugs Abused (*Table 2b*)

4.7 Among newly reported drug abusers in 2007, the most commonly abused type of drugs was ketamine (64.4%), followed by ecstasy (14.9%) and heroin (12.6%).

- 4.8 在曾被呈報的吸毒者中,最常被吸食的毒品種類是海洛英(73.7%),其次為"白瓜子"/"藍精靈"(18.4%)及"K仔"(14.8%)。
- 4.8 Among previously reported drug abusers, heroin was the dominant type of drugs abused (73.7%), followed by triazolam/midazolam/zopiclone (18.4%) and ketamine (14.8%).

圖 4.3 二零零七年首次/曾被呈報吸毒者常吸食的毒品種類

Chart 4.3 Common type of drugs abused by newly/previously reported drug abusers in 2007



現時吸食毒品原因 (表 2c)

Reason for Current Drug Abuse (Table 2c)

- 4.9 首次被呈報吸毒者現時吸食毒品的三個最常見原因,分別是"受到同輩朋友影響"(49.7%)、"出於好奇"(46.5%)和"解悶"(37.2%)。
- 4.10 至於曾被呈報吸毒者,現時吸食毒品的三個最常見原因,分別是"受到同輩朋友影響"(46.0%)、"避免因沒有吸食毒品而感到不適"(44.8%)和"解悶"(42.2%)。
- 4.9 For newly reported drug abusers, the three most common reasons for current drug use were "peer influence" (49.7%), "curiosity" (46.5%) and "relief of boredom" (37.2%).
- 4.10 As for previously reported persons, the three most common reasons for current drug use were "peer influence" (46.0%), "avoid discomfort of its absence" (44.8%) and "relief of boredom" (42.2%).

經濟活動狀況 (表 2e)

4.11 在首次被呈報的吸毒者中,有38.5%是全職工作人士,33.6%是失業人士,16.7%是學生,7.3%是散工/兼職工作人士。在曾被呈報吸毒者中,失業人士的比例高很多,達55.4%,另29.9%是全職工作人士,8.4%是散工/兼職工作人士。

教育水平 (表 2f)

4.12 在首次被呈報吸毒者當中,具有較高教育水平的比例較大,有59.6%曾接受初中教育,28.2%高中教育,1.7%專上教育及10.0%小學教育,只有0.6%從沒接受教育或只有幼稚園的教育水平。

4.13 至於曾被呈報吸毒者,有 30.7% 曾接受小學教育,52.6%初中教育,14.2%高中教育,0.7%專上教育及1.8%從沒接受教育或只有幼稚園教育水平。

婚姻狀況 (表 2g)

4.14 在首次被呈報的吸毒者中,有 85.6%從未結婚,而曾被呈報吸毒者 中則有較少比例從未結婚,為 50.4%。已婚和與人同居者一共分別 佔前者的 11.8%和後者的 36.0%,而喪 偶、已離婚或分居者則合共分別佔前 者的 2.5%和後者的 13.6%。

Economic Activity Status (Table 2e)

4.11 Of all newly reported drug abusers, 38.5% were full-time workers, 33.6% unemployed, 16.7% students and 7.3% casual/part-time workers. Among previously reported persons, the proportion of the unemployed was much higher, at 55.4%. Some 29.9% were full-time workers and 8.4% casual/part-time workers.

Educational Attainment (Table 2f)

4.12 A greater proportion of newly reported drug abusers attained higher educational level, with 59.6% being lower secondary, 28.2% upper secondary, 1.7% tertiary education and 10.0% primary education. Only 0.6% had no schooling or at kindergarten level.

4.13 For previously reported persons, 30.7% had primary education, 52.6% lower secondary, 14.2% upper secondary, 0.7% tertiary education and 1.8% no schooling or kindergarten.

Marital Status (Table 2g)

4.14 Some 85.6% of newly reported drug abusers were never married while the respective proportion among previously reported persons was lower, at 50.4%. Married and cohabiting persons took up 11.8% of the former group and 36.0% of the latter group, while the widowed, divorced or separated altogether took up 2.5% of the former group and 13.6% of the latter group.

4.15 在巴婚或與人同居的首次被 呈報者,有 18.7%報稱其伴侶亦吸 毒,與曾被呈報者情況大致類似,後 者相應的比例為 11.7%。在首次被呈 報和曾被呈報的男性吸毒者中,有吸 毒伴侶的比例相若(分別為 8.1%及 7.5%);而首次被呈報女性吸毒者相 應的比例(33.3%) 則較曾被呈報者的 為低(41.2%)。 4.15 Of those married or cohabiting newly reported persons, 18.7% reported that their partners also abused drugs, which was broadly similar to 11.7% for the previously reported counterparts. Among males, the respective proportions among both newly reported and previously reported drug abusers were similar (at 8.1% and 7.5% respectively). For females, the respective proportion was lower among newly reported persons (at 33.3%) than that among the previously reported ones (at 41.2%).