

統計圖表 List of tables and charts

頁數 Page

統計表

Tables

| | | |
|-------------------------------------|---|----|
| 1. 按下列變量/分類劃分的 2003 至 2012 年被呈報吸毒者： | 1. Reported drug abusers for 2003-2012 by : | |
| a. 性別及年齡 | a. sex by age | 49 |
| b. 首次/曾被呈報、性別及年齡 | b. newly/previously reported by sex by age | 52 |
| c. 常被吸食毒品種類/吸食超過一種毒品種類人士 | c. common type of drugs abused/abusers taking more than one type of drugs | 54 |
| d. 年齡組別及吸食毒品種類 | d. age group by type of drugs abused | 55 |
| e. 吸食毒品方法 | e. method of taking drugs | 58 |
| f. 吸食毒品地方(2011 及 12 年數字) | f. place of abusing drugs (for 2011 and 2012) | 59 |
| g. 年齡組別及吸食毒品地點(2006 及 12 年數字) | g. age group by locality of abusing drugs (for 2006 and 2012) | 60 |
| h. 年齡組別及現時吸食毒品原因 | h. age group by reason for current drug use | 62 |
| i. 性別及首次吸食毒品年齡 | i. sex by age of first abuse | 64 |
| j. 年齡組別及經濟活動狀況 | j. age group by economic activity status | 65 |
| k. 年齡組別及教育水平 | k. age group by educational attainment | 67 |
| l. 種族 | l. ethnicity | 68 |
| m. 性別、婚姻狀況及伴侶有否吸毒 | m. sex by marital status by whether partner took drugs | 69 |
| n. 年齡組別及居住地區 | n. age group by district of residence | 70 |
| o. 屋宇單位類型 | o. type of quarters | 73 |
| p. 年齡組別及曾否有犯罪紀錄 | p. age group by whether previously convicted | 74 |
| 2. 按下列變量/分類劃分的 2012 年首次/曾被呈報吸毒者： | 2. Newly/previously reported drug abusers in 2012 by : | |
| a. 性別及年齡 | a. sex by age | 75 |
| b. 年齡組別及吸食毒品種類 | b. age group by type of drugs abused | 76 |
| c. 現時吸食毒品原因 | c. reason for current drug use | 79 |
| d. 首次吸食毒品年齡 | d. age of first abuse | 79 |
| e. 經濟活動狀況 | e. economic activity status | 80 |
| f. 教育水平 | f. educational attainment | 80 |
| g. 性別、婚姻狀況及伴侶有否吸毒 | g. sex by marital status by whether partner took drugs | 81 |

| | <i>頁數 Page</i> |
|--|--|
| 3. 按下列變量/分類劃分的 2012 年被呈報吸食常見毒品者： | 3. Reported abusers of common drug types in 2012 by : |
| a. 性別及年齡 | a. sex by age 82 |
| b. 居住地區 | b. district of residence 83 |
| c. 首次吸食毒品年齡 | c. age of first abuse 84 |
| d. 吸食毒品方法 | d. method of taking drugs 85 |
| e. 經濟活動狀況 | e. economic activity status 86 |
| f. 吸食毒品地點 | f. locality of abusing drugs 87 |
| 4. 按下列變量/分類劃分的 2012 年被呈報吸食海洛英及危害精神毒品者： | 4. Reported heroin and psychotropic substance abusers in 2012 by : |
| a. 性別及年齡 | a. sex by age 88 |
| b. 居住地區 | b. district of residence 89 |
| c. 現時吸食毒品原因 | c. reason for current drug use 90 |

統計圖**Charts**

| | | |
|--|--|----|
| 2.1 按年齡組別劃分的被呈報吸毒者 | 2.1 Reported drug abusers by age group | 7 |
| 2.2 被呈報吸食危害精神毒品及鴉片類毒品者 | 2.2 Reported drug abusers of psychotropic substances and opiates | 8 |
| 2.3 21 歲以下被呈報吸毒青少年按指定年齡組別分布 | 2.3 Reported young drug abusers aged under 21 by specific age group | 9 |
| 2.4 21 歲以下被呈報吸毒青少年現時吸食毒品原因 | 2.4 Reason for current drug use of reported young drug abusers aged under 21 | 10 |
| 2.5 被呈報吸食各種主要危害精神毒品者 | 2.5 Reported drug abusers of major types of psychotropic substances | 11 |
| 2.6 被呈報吸毒者按經濟狀況分布 | 2.6 Reported drug abusers by activity status | 14 |
| 2.7 按年齡組別劃分的首次被呈報吸毒者的吸毒歷史 | 2.7 Abusing history of newly reported drug abusers by age group | 15 |
| 2.8 被呈報吸毒者按年齡組別及呈報機構類別分布 | 2.8 Reported drug abusers by age group by type of reporting agency | 17 |
| 3.1 按年齡組別劃分的 2011 及 12 年首次/曾被呈報吸毒者 | 3.1 Newly/previously reported drug abusers in 2011 and 2012 by age group | 19 |
| 3.2 按性別劃分的 2012 年被呈報吸毒者的年齡分布 | 3.2 Age distribution of reported drug abusers in 2012 by sex | 20 |
| 3.3 2012 年被呈報吸毒者佔人口比例 | 3.3 Ratio of reported drug abusers to population in 2012 | 21 |
| 3.4 按年齡組別及性別劃分的 2012 年被呈報吸毒者的常吸食毒品種類 | 3.4 Common type of drugs abused of reported drug abusers in 2012 by age group by sex | 23 |
| 3.5 按年齡組別劃分的 2011 及 12 年被呈報吸毒者的吸食毒品地點分布 | 3.5 Locality of abusing drugs of reported drug abusers in 2011 and 2012 by age group | 25 |
| 3.6 2011 及 12 年被呈報吸毒者的現時吸食毒品原因 | 3.6 Reason for current drug use of reported drug abusers in 2011 and 2012 | 27 |
| 4.1 按呈報機構類別劃分的 2012 年首次/曾被呈報吸毒者 | 4.1 Newly/previously reported drug abusers in 2012 by type of reporting agency | 31 |
| 4.2 2012 年首次/曾被呈報吸毒者的指定年齡組別分布 | 4.2 Newly/previously reported drug abusers in 2012 by specific age group | 32 |
| 4.3 2012 年首次/曾被呈報吸毒者常吸食的毒品種類 | 4.3 Common type of drugs abused by newly/previously reported drug abusers in 2012 | 33 |
| 5.1 按常被吸食毒品種類劃分的 2012 年被呈報吸毒者的性別/年齡組別分布 | 5.1 Age/sex distribution of reported drug abusers in 2012 by common type of drugs abused | 38 |
| 5.2 按常被吸食毒品種類劃分的 2010 至 2012 年的每月吸毒次數中位數 | 5.2 Median monthly frequency of abusing drugs for 2010-2012 by common type of drugs abused | 41 |

| | | 頁數 <i>Page</i> |
|--|--|----------------|
| 5.3 按常被吸食毒品種類劃分的 2010 至 2012 年的每月吸毒開支中位數 | 5.3 Median monthly expenditure of abusing drugs for 2010-2012 by common type of drugs abused | 42 |

表 1a 按性別及年齡劃分的2003至2012年被呈報吸毒者
Table 1a Reported drug abusers for 2003-2012 by sex by age

| | 人數 No. of persons | | | | | | | | | |
|----------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|--------------------------|--------------------------|
| 性別 / 年齡 Sex / age | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
| 男 Male | | | | | | | | | | |
| < 12 | @ (@) | - (-) | - (-) | - (-) | @ (@) | @ (@) | @ (@) | @ (@) | - (-) | - (-) |
| 12 - 15 | 251 (1.9) | 190 (1.6) | 207 (1.8) | 251 (2.3) | 387 (3.5) | 404 (3.6) | 359 (3.2) | 224 (2.2) | 165 (1.8) | 107 (1.2) |
| 16 - 17 | 500 (3.8) | 481 (3.9) | 576 (5.0) | 588 (5.5) | 681 (6.1) | 785 (6.9) | 705 (6.3) | 541 (5.4) | 417 (4.4) | 315 (3.5) |
| 18 - 20 | 835 (6.3) | 833 (6.8) | 765 (6.7) | 926 (8.6) | 1 064 (9.6) | 1 209 (10.7) | 1 160 (10.3) | 1 094 (10.9) | 839 (8.9) | 698 (7.8) |
| < 21 小計 Sub-total | 1 587 (12.0) | 1 504 (12.3) | 1 548 (13.5) | 1 765 (16.5) | 2 134 (19.2) | 2 402 (21.2) | 2 228 (19.9) | 1 860 (18.6) | 1 421 (15.1) | 1 120 (12.6) |
| 21 - 30 | 4 076 (30.7) | 3 459 (28.4) | 2 843 (24.8) | 2 574 (24.0) | 2 769 (24.9) | 2 752 (24.3) | 2 799 (24.9) | 2 440 (24.4) | 2 247 (23.9) | 2 044 (22.9) |
| 31 - 40 | 3 011 (22.7) | 2 805 (23.0) | 2 573 (22.5) | 2 416 (22.6) | 2 446 (22.0) | 2 393 (21.1) | 2 425 (21.6) | 2 288 (22.9) | 2 310 (24.5) | 2 298 (25.8) |
| 41 - 50 | 2 685 (20.2) | 2 518 (20.6) | 2 415 (21.1) | 2 096 (19.6) | 1 897 (17.0) | 1 806 (15.9) | 1 815 (16.2) | 1 560 (15.6) | 1 545 (16.4) | 1 569 (17.6) |
| ≥ 51 | 1 913 (14.4) | 1 914 (15.7) | 2 070 (18.1) | 1 855 (17.3) | 1 881 (16.9) | 1 981 (17.5) | 1 954 (17.4) | 1 860 (18.6) | 1 890 (20.1) | 1 876 (21.1) |
| ≥ 21 小計 Sub-total | 11 685 (88.0) | 10 696 (87.7) | 9 901 (86.5) | 8 941 (83.5) | 8 993 (80.8) | 8 932 (78.8) | 8 993 (80.1) | 8 148 (81.4) | 7 992 (84.9) | 7 787 (87.4) |
| 小計 Sub-total | 13 272 (100.0) | 12 200 (100.0) | 11 449 (100.0) | 10 706 (100.0) | 11 127 (100.0) | 11 334 (100.0) | 11 221 (100.0) | 10 008 (100.0) | 9 413 (100.0) | 8 907 (100.0) |
| 平均年齡 Mean age | 36 | 36 | 37 | 36 | 35 | 35 | 35 | 35 | 36 | 38 |

表 1a [續]
Table 1a (Cont'd)

按性別及年齡劃分的2003至2012年被呈報吸毒者
Reported drug abusers for 2003-2012 by sex by age

| | 人數 No. of persons | | | | | | | | | |
|----------------------|-------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| 性別 / 年齡 Sex / age | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
| 女 Female | | | | | | | | | | |
| < 12 | - (-) | - (-) | - (-) | - (-) | @ (@) | @ (@) | @ (@) | - (-) | - (-) | - (-) |
| 12 - 15 | 164 (6.5) | 147 (5.5) | 171 (6.4) | 211 (8.3) | 274 (11.1) | 326 (11.2) | 405 (14.6) | 267 (10.6) | 167 (7.8) | 93 (4.6) |
| 16 - 17 | 161 (6.4) | 190 (7.2) | 223 (8.4) | 275 (10.8) | 294 (11.9) | 329 (11.3) | 346 (12.5) | 312 (12.3) | 171 (8.0) | 159 (7.8) |
| 18 - 20 | 295 (11.7) | 345 (13.0) | 336 (12.6) | 327 (12.8) | 295 (12.0) | 416 (14.3) | 407 (14.7) | 372 (14.7) | 265 (12.4) | 219 (10.8) |
| < 21 小計 Sub-total | 620 (24.6) | 682 (25.7) | 730 (27.4) | 813 (31.9) | 865 (35.1) | 1 072 (36.9) | 1 160 (41.9) | 951 (37.6) | 603 (28.2) | 471 (23.2) |
| 21 - 30 | 1 008 (40.0) | 1 112 (41.9) | 1 015 (38.1) | 910 (35.7) | 716 (29.0) | 865 (29.8) | 682 (24.6) | 659 (26.0) | 626 (29.2) | 669 (32.9) |
| 31 - 40 | 563 (22.4) | 521 (19.6) | 582 (21.8) | 531 (20.9) | 565 (22.9) | 625 (21.5) | 580 (20.9) | 588 (23.2) | 553 (25.8) | 560 (27.6) |
| 41 - 50 | 260 (10.3) | 262 (9.9) | 255 (9.6) | 202 (7.9) | 226 (9.2) | 233 (8.0) | 239 (8.6) | 220 (8.7) | 248 (11.6) | 216 (10.6) |
| ≥ 51 | 67 (2.7) | 77 (2.9) | 84 (3.2) | 90 (3.5) | 94 (3.8) | 112 (3.9) | 108 (3.9) | 112 (4.4) | 111 (5.2) | 116 (5.7) |
| ≥ 21 小計 Sub-total | 1 898 (75.4) | 1 972 (74.3) | 1 936 (72.6) | 1 733 (68.1) | 1 601 (64.9) | 1 835 (63.1) | 1 609 (58.1) | 1 579 (62.4) | 1 538 (71.8) | 1 561 (76.8) |
| 小計 Sub-total | 2 518 (100.0) | 2 654 (100.0) | 2 666 (100.0) | 2 546 (100.0) | 2 466 (100.0) | 2 907 (100.0) | 2 769 (100.0) | 2 530 (100.0) | 2 141 (100.0) | 2 032 (100.0) |
| 平均年齡 Mean age | 28 | 28 | 28 | 27 | 28 | 27 | 26 | 27 | 29 | 30 |

表 1a [續]
Table 1a (Cont'd)

按性別及年齡劃分的2003至2012年被呈報吸毒者
Reported drug abusers for 2003-2012 by sex by age

| | 人數 No. of persons | | | | | | | | | |
|---|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| 性別 / 年齡 Sex / age | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
| 男女合計 Both sexes | | | | | | | | | | |
| < 12 | @ (@) | - (-) | - (-) | - (-) | @ (@) | @ (@) | 6 (*) | @ (@) | - (-) | - (-) |
| 12 - 15 | 415 (2.6) | 337 (2.3) | 378 (2.7) | 462 (3.5) | 661 (4.9) | 730 (5.1) | 764 (5.5) | 491 (3.9) | 332 (2.9) | 200 (1.8) |
| 16 - 17 | 661 (4.2) | 671 (4.5) | 799 (5.7) | 863 (6.5) | 975 (7.2) | 1 114 (7.8) | 1 051 (7.5) | 853 (6.8) | 588 (5.1) | 474 (4.3) |
| 18 - 20 | 1 130 (7.2) | 1 178 (7.9) | 1 101 (7.8) | 1 253 (9.5) | 1 359 (10.0) | 1 625 (11.4) | 1 567 (11.2) | 1 466 (11.7) | 1 104 (9.6) | 917 (8.4) |
| < 21 小計 Sub-total | 2 207 (14.0) | 2 186 (14.7) | 2 278 (16.1) | 2 578 (19.5) | 2 999 (22.1) | 3 474 (24.4) | 3 388 (24.2) | 2 811 (22.4) | 2 024 (17.5) | 1 591 (14.5) |
| 21 - 30 | 5 084 (32.2) | 4 571 (30.8) | 3 858 (27.3) | 3 484 (26.3) | 3 485 (25.6) | 3 617 (25.4) | 3 481 (24.9) | 3 099 (24.7) | 2 873 (24.9) | 2 713 (24.8) |
| 31 - 40 | 3 574 (22.6) | 3 326 (22.4) | 3 155 (22.4) | 2 947 (22.2) | 3 011 (22.2) | 3 018 (21.2) | 3 005 (21.5) | 2 876 (22.9) | 2 863 (24.8) | 2 858 (26.1) |
| 41 - 50 | 2 945 (18.7) | 2 780 (18.7) | 2 670 (18.9) | 2 298 (17.3) | 2 123 (15.6) | 2 039 (14.3) | 2 054 (14.7) | 1 780 (14.2) | 1 793 (15.5) | 1 785 (16.3) |
| ≥ 51 | 1 980 (12.5) | 1 991 (13.4) | 2 154 (15.3) | 1 945 (14.7) | 1 975 (14.5) | 2 093 (14.7) | 2 062 (14.7) | 1 972 (15.7) | 2 001 (17.3) | 1 992 (18.2) |
| ≥ 21 小計 Sub-total | 13 583 (86.0) | 12 668 (85.3) | 11 837 (83.9) | 10 674 (80.5) | 10 594 (77.9) | 10 767 (75.6) | 10 602 (75.8) | 9 727 (77.6) | 9 530 (82.5) | 9 348 (85.5) |
| 總計 Total | 15 790 (100.0) | 14 854 (100.0) | 14 115 (100.0) | 13 252 (100.0) | 13 593 (100.0) | 14 241 (100.0) | 13 990 (100.0) | 12 538 (100.0) | 11 554 (100.0) | 10 939 (100.0) |
| 平均年齡 Mean age | | | | | | | | | | |
| 所有被呈報吸毒者 All reported drug abusers | 34 | 35 | 35 | 34 | 34 | 33 | 33 | 34 | 35 | 36 |
| 21歲以下被呈報吸毒者 Reported drug abusers under 21 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 18 | 18 |

註釋：括弧內的數字顯示佔各相關性別組別內被呈報吸毒者的百分比。

Note: Figures in brackets refer to the proportions of reported drug abusers in the respective sex groups.

表 1b 按首次/曾被呈報、性別及年齡劃分的2003至2012年被呈報吸毒者
Table 1b Reported drug abusers for 2003-2012 by newly/previously reported by sex by age

| 人數 No. of persons | | | | | | | | | | |
|-----------------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| 性別 / 年齡 Sex / age | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
| 首次被呈報 Newly reported | | | | | | | | | | |
| 男 Male | | | | | | | | | | |
| < 16 | 213 | 152 | 186 | 198 | 346 | 337 | 296 | 183 | 152 | 98 |
| 16 - 20 | 993 | 885 | 1 078 | 1 022 | 1 217 | 1 316 | 1 143 | 962 | 689 | 587 |
| < 21 小計 Sub-total | 1 206 | 1 037 | 1 264 | 1 220 | 1 563 | 1 653 | 1 439 | 1 145 | 841 | 685 |
| 21 - 30 | 1 294 | 975 | 729 | 741 | 983 | 1 066 | 1 100 | 970 | 920 | 748 |
| 31 - 40 | 629 | 463 | 339 | 316 | 350 | 310 | 385 | 371 | 394 | 419 |
| 41 - 50 | 167 | 98 | 92 | 98 | 94 | 96 | 171 | 126 | 135 | 147 |
| ≥ 51 | 58 | 51 | 45 | 25 | 40 | 27 | 42 | 40 | 64 | 35 |
| ≥ 21 小計 Sub-total | 2 148 | 1 587 | 1 205 | 1 180 | 1 467 | 1 499 | 1 698 | 1 507 | 1 513 | 1 349 |
| 小計 Sub-total | 3 354 | 2 624 | 2 469 | 2 400 | 3 030 | 3 152 | 3 137 | 2 652 | 2 354 | 2 034 |
| 平均年齡 Mean age | 26 | 25 | 24 | 23 | 23 | 23 | 24 | 24 | 26 | 27 |
| 女 Female | | | | | | | | | | |
| < 16 | 140 | 109 | 153 | 174 | 231 | 262 | 347 | 216 | 140 | 83 |
| 16 - 20 | 350 | 383 | 441 | 379 | 390 | 524 | 467 | 449 | 264 | 225 |
| < 21 小計 Sub-total | 490 | 492 | 594 | 553 | 621 | 786 | 814 | 665 | 404 | 308 |
| 21 - 30 | 381 | 495 | 483 | 385 | 328 | 449 | 321 | 298 | 305 | 336 |
| 31 - 40 | 159 | 113 | 128 | 127 | 146 | 173 | 130 | 126 | 120 | 118 |
| 41 - 50 | 45 | 28 | 40 | 36 | 41 | 48 | 46 | 46 | 46 | 39 |
| ≥ 51 | 15 | 8 | 11 | 16 | 14 | 17 | 12 | 24 | 28 | 14 |
| ≥ 21 小計 Sub-total | 600 | 644 | 662 | 564 | 529 | 687 | 509 | 494 | 499 | 507 |
| 小計 Sub-total | 1 090 | 1 136 | 1 256 | 1 117 | 1 150 | 1 473 | 1 323 | 1 159 | 903 | 815 |
| 平均年齡 Mean age | 24 | 23 | 23 | 23 | 23 | 23 | 21 | 22 | 25 | 25 |
| 男女合計 Both sexes | | | | | | | | | | |
| < 16 | 353 | 261 | 339 | 372 | 577 | 599 | 643 | 399 | 292 | 181 |
| 16 - 20 | 1 343 | 1 268 | 1 519 | 1 401 | 1 607 | 1 840 | 1 610 | 1 411 | 953 | 812 |
| < 21 小計 Sub-total | 1 696 | 1 529 | 1 858 | 1 773 | 2 184 | 2 439 | 2 253 | 1 810 | 1 245 | 993 |
| 21 - 30 | 1 675 | 1 470 | 1 212 | 1 126 | 1 311 | 1 515 | 1 421 | 1 268 | 1 225 | 1 084 |
| 31 - 40 | 788 | 576 | 467 | 443 | 496 | 483 | 515 | 497 | 514 | 537 |
| 41 - 50 | 212 | 126 | 132 | 134 | 135 | 144 | 217 | 172 | 181 | 186 |
| ≥ 51 | 73 | 59 | 56 | 41 | 54 | 44 | 54 | 64 | 92 | 49 |
| ≥ 21 小計 Sub-total | 2 748 | 2 231 | 1 867 | 1 744 | 1 996 | 2 186 | 2 207 | 2 001 | 2 012 | 1 856 |
| 總計 Total | 4 444 | 3 760 | 3 725 | 3 517 | 4 180 | 4 625 | 4 460 | 3 811 | 3 257 | 2 849 |
| 平均年齡 Mean age | 25 | 24 | 23 | 23 | 23 | 23 | 23 | 24 | 25 | 26 |

表 1b [續]

按首次/曾被呈報、性別及年齡劃分的2003至2012年
被呈報吸毒者

Table 1b (Cont'd)

Reported drug abusers for 2003-2012 by newly/previously
reported by sex by age

| | 人數 No. of persons | | | | | | | | | |
|---------------------------------|-------------------|---------------|---------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| 性別 / 年齡 Sex / age | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
| 曾被呈報 Previously reported | | | | | | | | | | |
| 男 Male | | | | | | | | | | |
| < 16 | 39 | 38 | 21 | 53 | 43 | 71 | 67 | 42 | 13 | 9 |
| 16 - 20 | 342 | 429 | 263 | 492 | 528 | 678 | 722 | 673 | 567 | 426 |
| < 21 小計 Sub-total | 381 | 467 | 284 | 545 | 571 | 749 | 789 | 715 | 580 | 435 |
| 21 - 30 | 2 782 | 2 484 | 2 114 | 1 833 | 1 786 | 1 686 | 1 699 | 1 470 | 1 327 | 1 296 |
| 31 - 40 | 2 382 | 2 342 | 2 234 | 2 100 | 2 096 | 2 083 | 2 040 | 1 917 | 1 916 | 1 879 |
| 41 - 50 | 2 518 | 2 420 | 2 323 | 1 998 | 1 803 | 1 710 | 1 644 | 1 434 | 1 410 | 1 422 |
| ≥ 51 | 1 855 | 1 863 | 2 025 | 1 830 | 1 841 | 1 954 | 1 912 | 1 820 | 1 826 | 1 841 |
| ≥ 21 小計 Sub-total | 9 537 | 9 109 | 8 696 | 7 761 | 7 526 | 7 433 | 7 295 | 6 641 | 6 479 | 6 438 |
| 小計 Sub-total | 9 918 | 9 576 | 8 980 | 8 306 | 8 097 | 8 182 | 8 084 | 7 356 | 7 059 | 6 873 |
| 平均年齡 Mean age | 39 | 39 | 40 | 39 | 39 | 39 | 39 | 39 | 40 | 41 |
| 女 Female | | | | | | | | | | |
| < 16 | 24 | 38 | 18 | 37 | 45 | 65 | 60 | 51 | 27 | 10 |
| 16 - 20 | 106 | 152 | 118 | 223 | 199 | 221 | 286 | 235 | 172 | 153 |
| < 21 小計 Sub-total | 130 | 190 | 136 | 260 | 244 | 286 | 346 | 286 | 199 | 163 |
| 21 - 30 | 627 | 617 | 532 | 525 | 388 | 416 | 361 | 361 | 321 | 333 |
| 31 - 40 | 404 | 408 | 454 | 404 | 419 | 452 | 450 | 462 | 433 | 442 |
| 41 - 50 | 215 | 234 | 215 | 166 | 185 | 185 | 193 | 174 | 202 | 177 |
| ≥ 51 | 52 | 69 | 73 | 74 | 80 | 95 | 96 | 88 | 83 | 102 |
| ≥ 21 小計 Sub-total | 1 298 | 1 328 | 1 274 | 1 169 | 1 072 | 1 148 | 1 100 | 1 085 | 1 039 | 1 054 |
| 小計 Sub-total | 1 428 | 1 518 | 1 410 | 1 429 | 1 316 | 1 434 | 1 446 | 1 371 | 1 238 | 1 217 |
| 平均年齡 Mean age | 31 | 32 | 33 | 31 | 32 | 31 | 31 | 31 | 33 | 33 |
| 男女合計 Both sexes | | | | | | | | | | |
| < 16 | 63 | 76 | 39 | 90 | 88 | 136 | 127 | 93 | 40 | 19 |
| 16 - 20 | 448 | 581 | 381 | 715 | 727 | 899 | 1 008 | 908 | 739 | 579 |
| < 21 小計 Sub-total | 511 | 657 | 420 | 805 | 815 | 1 035 | 1 135 | 1 001 | 779 | 598 |
| 21 - 30 | 3 409 | 3 101 | 2 646 | 2 358 | 2 174 | 2 102 | 2 060 | 1 831 | 1 648 | 1 629 |
| 31 - 40 | 2 786 | 2 750 | 2 688 | 2 504 | 2 515 | 2 535 | 2 490 | 2 379 | 2 349 | 2 321 |
| 41 - 50 | 2 733 | 2 654 | 2 538 | 2 164 | 1 988 | 1 895 | 1 837 | 1 608 | 1 612 | 1 599 |
| ≥ 51 | 1 907 | 1 932 | 2 098 | 1 904 | 1 921 | 2 049 | 2 008 | 1 908 | 1 909 | 1 943 |
| ≥ 21 小計 Sub-total | 10 835 | 10 437 | 9 970 | 8 930 | 8 598 | 8 581 | 8 395 | 7 726 | 7 518 | 7 492 |
| 總計 Total | 11 346 | 11 094 | 10 390 | 9 735 | 9 413 | 9 616 | 9 530 | 8 727 | 8 297 | 8 090 |
| 平均年齡 Mean age | 38 | 38 | 39 | 38 | 38 | 38 | 38 | 38 | 39 | 40 |

表 1c 按常被吸食毒品種類/吸食超過一種毒品種類人士劃分的2003至2012年被呈報吸毒者

Table 1c Reported drug abusers for 2003-2012 by common type of drugs abused/abusers taking more than one type of drugs

| | 人數 No. of persons | | | | | | | | | |
|--|-------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
| 常被吸食毒品種類 Common types of drugs abused | | | | | | | | | | |
| 海洛英 Heroin | 10 357 | 10 147 | 9 757 | 8 118 | 7 420 | 7 248 | 6 903 | 6 200 | 5 940 | 5 829 |
| 危害精神毒品 Psychotropic substances | 5 219 | 6 196 | 6 335 | 7 402 | 7 909 | 8 383 | 8 505 | 7 670 | 6 890 | 6 482 |
| 氯胺酮 Ketamine | 1 954 | 2 584 | 2 100 | 3 080 | 4 059 | 5 099 | 5 280 | 4 556 | 3 634 | 3 192 |
| 甲基安非他明 Methamphetamine | 567 | 642 | 753 | 856 | 1 112 | 1 374 | 1 402 | 1 600 | 1 546 | 1 656 |
| 三唑侖 / 咪達唑侖 / 佐匹克隆 Triazolam / Midazolam / Zopiclone | 1 567 | 1 752 | 2 034 | 2 227 | 1 835 | 1 360 | 1 397 | 1 247 | 1 218 | 1 250 |
| 可卡因 Cocaine | 56 | 95 | 193 | 358 | 716 | 700 | 521 | 776 | 867 | 809 |
| 咳藥 Cough medicine | 547 | 658 | 706 | 755 | 601 | 567 | 675 | 525 | 527 | 471 |
| 大麻 Cannabis | 1 050 | 1 119 | 1 136 | 976 | 788 | 763 | 620 | 519 | 399 | 335 |
| 亞甲二氧基甲基安非他明 MDMA | 971 | 1 275 | 1 694 | 1 529 | 916 | 801 | 518 | 253 | 117 | 59 |
| 吸食超過一種毒品種類人士 Abusers taking more than one type of drugs | 2 943 | 3 510 | 4 054 | 4 202 | 3 565 | 3 274 | 3 043 | 2 818 | 2 473 | 2 405 |
| 佔所有被呈報吸毒者的百分比 % of all reported drug abusers | 21.1 | 24.2 | 29.1 | 31.9 | 26.4 | 23.0 | 21.8 | 22.6 | 21.5 | 22.1 |

表 1d 按年齡組別及吸食毒品種類劃分的2003至2012年被呈報吸毒者
Table 1d Reported drug abusers for 2003-2012 by age group by type of drugs abused

| | 人數 No. of persons | | | | | | | | | |
|---|-------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| 年齡組別 / 吸食毒品種類 Age group / type of drugs abused | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
| 21歲以下 Aged under 21 | | | | | | | | | | |
| 鴉片類毒品 | 137 | 112 | 87 | 53 | 62 | 62 | 79 | 79 | 74 | 76 |
| Opiates | (7.5) | (5.3) | (3.9) | (2.1) | (2.1) | (1.8) | (2.3) | (2.8) | (3.7) | (4.9) |
| 海洛英 | 137 | 112 | 85 | 51 | 62 | 62 | 78 | 77 | 74 | 76 |
| Heroin | (7.5) | (5.3) | (3.8) | (2.0) | (2.1) | (1.8) | (2.3) | (2.8) | (3.7) | (4.9) |
| 菲仕通 / 美沙酮 | - | @ | - | - | - | @ | @ | - | - | - |
| Physeptone / Methadone | (-) | (@) | (-) | (-) | (-) | (@) | (@) | (-) | (-) | (-) |
| 鴉片 | - | - | - | - | - | - | - | - | - | - |
| Opium | (-) | (-) | (-) | (-) | (-) | (-) | (-) | (-) | (-) | (-) |
| 嗎啡 | - | - | - | @ | - | - | - | - | - | - |
| Morphine | (-) | (-) | (-) | (@) | (-) | (-) | (-) | (-) | (-) | (-) |
| 危害精神毒品 | 1 722 | 2 052 | 2 185 | 2 525 | 2 948 | 3 424 | 3 326 | 2 752 | 1 949 | 1 508 |
| Psychotropic substances | (94.0) | (96.5) | (97.5) | (99.0) | (99.0) | (98.8) | (98.9) | (98.3) | (97.5) | (96.5) |
| 氯胺酮 | 1 153 | 1 480 | 1 368 | 1 876 | 2 392 | 2 962 | 2 834 | 2 241 | 1 409 | 952 |
| Ketamine | (62.9) | (69.6) | (61.1) | (73.5) | (80.3) | (85.5) | (84.3) | (80.1) | (70.5) | (60.9) |
| 安非他明 | 722 | 907 | 1 325 | 1 261 | 955 | 963 | 903 | 726 | 563 | 489 |
| Amphetamines | (39.4) | (42.6) | (59.2) | (49.4) | (32.1) | (27.8) | (26.9) | (25.9) | (28.2) | (31.3) |
| 甲基安非他明 | 124 | 143 | 180 | 264 | 407 | 516 | 563 | 613 | 534 | 471 |
| Methamphetamine | (6.8) | (6.7) | (8.0) | (10.3) | (13.7) | (14.9) | (16.7) | (21.9) | (26.7) | (30.2) |
| 亞甲二氧基甲基安非他明 | 635 | 814 | 1 194 | 1 088 | 631 | 540 | 401 | 161 | 58 | 28 |
| MDMA | (34.7) | (38.3) | (53.3) | (42.6) | (21.2) | (15.6) | (11.9) | (5.8) | (2.9) | (1.8) |
| 三唑侖 / 咪達唑侖 / 佐匹克隆 | 92 | 92 | 82 | 67 | 52 | 36 | 43 | 23 | 13 | 21 |
| Triazolam / Midazolam / Zopiclone | (5.0) | (4.3) | (3.7) | (2.6) | (1.7) | (1.0) | (1.3) | (0.8) | (0.7) | (1.3) |
| 可卡因 | 10 | 20 | 58 | 170 | 356 | 326 | 221 | 429 | 401 | 366 |
| Cocaine | (0.5) | (0.9) | (2.6) | (6.7) | (12.0) | (9.4) | (6.6) | (15.3) | (20.1) | (23.4) |
| 咳藥 | 142 | 205 | 216 | 178 | 132 | 107 | 126 | 76 | 79 | 62 |
| Cough medicine | (7.8) | (9.6) | (9.6) | (7.0) | (4.4) | (3.1) | (3.7) | (2.7) | (4.0) | (4.0) |
| 大麻 | 524 | 543 | 572 | 475 | 363 | 312 | 250 | 224 | 144 | 136 |
| Cannabis | (28.6) | (25.5) | (25.5) | (18.6) | (12.2) | (9.0) | (7.4) | (8.0) | (7.2) | (8.7) |
| 硝甲西洋 | 31 | 120 | 152 | 343 | 273 | 227 | 184 | 145 | 60 | 38 |
| Nimetazepam | (1.7) | (5.6) | (6.8) | (13.4) | (9.2) | (6.6) | (5.5) | (5.2) | (3.0) | (2.4) |
| 安定 | 17 | 12 | 8 | @ | 7 | 10 | @ | @ | - | - |
| Diazepam | (0.9) | (0.6) | (0.4) | (@) | (0.2) | (0.3) | (@) | (@) | (-) | (-) |
| 甲喹酮 | 12 | 17 | 25 | 24 | 13 | 23 | 12 | @ | @ | - |
| Methaqualone | (0.7) | (0.8) | (1.1) | (0.9) | (0.4) | (0.7) | (0.4) | (@) | (@) | (-) |
| 有機溶劑 | 52 | 29 | 27 | 12 | 10 | - | @ | @ | @ | - |
| Organic solvents | (2.8) | (1.4) | (1.2) | (0.5) | (0.3) | (-) | (@) | (@) | (@) | (-) |
| 小計 | 1 832 | 2 127 | 2 240 | 2 551 | 2 979 | 3 464 | 3 362 | 2 799 | 1 998 | 1 562 |
| Sub-total | | | | | | | | | | |

表 1d [續]
Table 1d (Cont'd)

按年齡組別及吸食毒品種類劃分的2003至2012年被呈報吸毒者
Reported drug abusers for 2003-2012 by age group by type of drugs abused

| | 人數 No. of persons | | | | | | | | | |
|--|-------------------|------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| 年齡組別 / 吸食毒品種類 Age group / type of drugs abused | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
| 21歲及以上 Aged 21 & over | | | | | | | | | | |
| 鴉片類毒品 Opiates | 10 272 (84.7) | 10 116 (81.6) | 9 745 (83.4) | 8 090 (76.2) | 7 366 (70.0) | 7 203 (67.0) | 6 840 (64.7) | 6 132 (63.3) | 5 871 (61.9) | 5 759 (61.7) |
| 海洛英 Heroin | 10 220 (84.3) | 10 035 (80.9) | 9 672 (82.7) | 8 067 (75.9) | 7 358 (69.9) | 7 186 (66.9) | 6 825 (64.6) | 6 123 (63.2) | 5 866 (61.8) | 5 753 (61.6) |
| 菲仕通 / 美沙酮 Physeptone / Methadone | 60 (0.5) | 135 (1.1) | 200 (1.7) | 52 (0.5) | 41 (0.4) | 46 (0.4) | 46 (0.4) | 34 (0.4) | 19 (0.2) | - (-) |
| 鴉片 Opium | 27 (0.2) | 47 (0.4) | 25 (0.2) | 14 (0.1) | 6 (0.1) | 8 (0.1) | @ (@) | @ (@) | @ (@) | @ (@) |
| 嗎啡 Morphine | @ (@) | @ (@) | - (-) | @ (@) | @ (@) | @ (@) | - (-) | @ (@) | - (-) | @ (@) |
| 危害精神毒品 Psychotropic substances | 3 497 (28.8) | 4 144 (33.4) | 4 150 (35.5) | 4 877 (45.9) | 4 961 (47.1) | 4 959 (46.1) | 5 179 (49.0) | 4 918 (50.8) | 4 941 (52.1) | 4 974 (53.3) |
| 氯胺酮 Ketamine | 801 (6.6) | 1 104 (8.9) | 732 (6.3) | 1 204 (11.3) | 1 667 (15.8) | 2 137 (19.9) | 2 446 (23.1) | 2 315 (23.9) | 2 225 (23.5) | 2 240 (24.0) |
| 安非他明 Amphetamines | 746 (6.2) | 936 (7.5) | 1 042 (8.9) | 1 006 (9.5) | 971 (9.2) | 1 074 (10.0) | 935 (8.8) | 1 053 (10.9) | 1 056 (11.1) | 1 207 (12.9) |
| 甲基安非他明 Methamphetamine | 443 (3.7) | 499 (4.0) | 573 (4.9) | 592 (5.6) | 705 (6.7) | 858 (8.0) | 839 (7.9) | 987 (10.2) | 1 012 (10.7) | 1 185 (12.7) |
| 亞甲二氧基甲基安非他明 MDMA | 336 (2.8) | 461 (3.7) | 500 (4.3) | 441 (4.2) | 285 (2.7) | 261 (2.4) | 117 (1.1) | 92 (0.9) | 59 (0.6) | 31 (0.3) |
| 三唑侖 / 咪達唑侖 / 佐匹克隆 Triazolam / Midazolam / Zopiclone | 1 475 (12.2) | 1 660 (13.4) | 1 952 (16.7) | 2 160 (20.3) | 1 783 (16.9) | 1 324 (12.3) | 1 354 (12.8) | 1 224 (12.6) | 1 205 (12.7) | 1 229 (13.2) |
| 可卡因 Cocaine | 46 (0.4) | 75 (0.6) | 135 (1.2) | 188 (1.8) | 360 (3.4) | 374 (3.5) | 300 (2.8) | 347 (3.6) | 466 (4.9) | 443 (4.7) |
| 咳藥 Cough medicine | 405 (3.3) | 453 (3.7) | 490 (4.2) | 577 (5.4) | 469 (4.5) | 460 (4.3) | 549 (5.2) | 449 (4.6) | 448 (4.7) | 409 (4.4) |
| 大麻 Cannabis | 526 (4.3) | 576 (4.6) | 564 (4.8) | 501 (4.7) | 425 (4.0) | 451 (4.2) | 370 (3.5) | 295 (3.0) | 255 (2.7) | 199 (2.1) |
| 硝甲西洋 Nimetazepam | 49 (0.4) | 105 (0.8) | 75 (0.6) | 116 (1.1) | 108 (1.0) | 83 (0.8) | 88 (0.8) | 101 (1.0) | 50 (0.5) | 46 (0.5) |
| 安定 Diazepam | 46 (0.4) | 44 (0.4) | 21 (0.2) | 27 (0.3) | 17 (0.2) | 24 (0.2) | 12 (0.1) | 11 (0.1) | 8 (0.1) | 6 (0.1) |
| 甲喹酮 Methaqualone | 10 (0.1) | @ (@) | @ (@) | 6 (0.1) | @ (@) | @ (@) | @ (@) | @ (@) | @ (@) | @ (@) |
| 有機溶劑 Organic solvents | 11 (0.1) | 16 (0.1) | 9 (0.1) | 15 (0.1) | 7 (0.1) | @ (@) | @ (@) | @ (@) | @ (@) | @ (@) |
| 小計 Sub-total | 12 128 | 12 400 | 11 691 | 10 623 | 10 527 | 10 749 | 10 569 | 9 689 | 9 486 | 9 335 |

表 1d [續]
Table 1d (Cont'd)

按年齡組別及吸食毒品種類劃分的2003至2012年被呈報吸毒者
Reported drug abusers for 2003-2012 by age group by type of drugs abused

| | 人數 No. of persons | | | | | | | | | |
|--|-------------------|------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| 年齡組別 / 吸食毒品種類 Age group / type of drugs abused | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
| 所有年齡 All ages | | | | | | | | | | |
| 鴉片類毒品 Opiates | 10 409 (74.6) | 10 228 (70.4) | 9 832 (70.6) | 8 143 (61.8) | 7 428 (55.0) | 7 265 (51.1) | 6 919 (49.7) | 6 211 (49.7) | 5 945 (51.8) | 5 835 (53.5) |
| 海洛英 Heroin | 10 357 (74.2) | 10 147 (69.8) | 9 757 (70.0) | 8 118 (61.6) | 7 420 (54.9) | 7 248 (51.0) | 6 903 (49.6) | 6 200 (49.6) | 5 940 (51.7) | 5 829 (53.5) |
| 菲仕通 / 美沙酮 Physeptone / Methadone | 60 (0.4) | 136 (0.9) | 200 (1.4) | 52 (0.4) | 41 (0.3) | 47 (0.3) | 47 (0.3) | 34 (0.3) | 19 (0.2) | - (-) |
| 鴉片 Opium | 27 (0.2) | 47 (0.3) | 25 (0.2) | 14 (0.1) | 6 (*) | 8 (0.1) | @ (@) | @ (@) | @ (@) | @ (@) |
| 嗎啡 Morphine | @ (@) | @ (@) | - (-) | @ (@) | @ (@) | @ (@) | - (-) | @ (@) | - (-) | @ (@) |
| 危害精神毒品 Psychotropic substances | 5 219 (37.4) | 6 196 (42.7) | 6 335 (45.5) | 7 402 (56.2) | 7 909 (58.6) | 8 383 (59.0) | 8 505 (61.1) | 7 670 (61.4) | 6 890 (60.0) | 6 482 (59.5) |
| 氯胺酮 Ketamine | 1 954 (14.0) | 2 584 (17.8) | 2 100 (15.1) | 3 080 (23.4) | 4 059 (30.1) | 5 099 (35.9) | 5 280 (37.9) | 4 556 (36.5) | 3 634 (31.6) | 3 192 (29.3) |
| 安非他明 Amphetamines | 1 468 (10.5) | 1 843 (12.7) | 2 367 (17.0) | 2 267 (17.2) | 1 926 (14.3) | 2 037 (14.3) | 1 838 (13.2) | 1 779 (14.2) | 1 619 (14.1) | 1 696 (15.6) |
| 甲基安非他明 Methamphetamine | 567 (4.1) | 642 (4.4) | 753 (5.4) | 856 (6.5) | 1 112 (8.2) | 1 374 (9.7) | 1 402 (10.1) | 1 600 (12.8) | 1 546 (13.5) | 1 656 (15.2) |
| 亞甲二氧基甲基安非他明 MDMA | 971 (7.0) | 1 275 (8.8) | 1 694 (12.2) | 1 529 (11.6) | 916 (6.8) | 801 (5.6) | 518 (3.7) | 253 (2.0) | 117 (1.0) | 59 (0.5) |
| 三唑侖 / 咪達唑侖 / 佐匹克隆 Triazolam / Midazolam / Zopiclone | 1 567 (11.2) | 1 752 (12.1) | 2 034 (14.6) | 2 227 (16.9) | 1 835 (13.6) | 1 360 (9.6) | 1 397 (10.0) | 1 247 (10.0) | 1 218 (10.6) | 1 250 (11.5) |
| 可卡因 Cocaine | 56 (0.4) | 95 (0.7) | 193 (1.4) | 358 (2.7) | 716 (5.3) | 700 (4.9) | 521 (3.7) | 776 (6.2) | 867 (7.5) | 809 (7.4) |
| 咳藥 Cough medicine | 547 (3.9) | 658 (4.5) | 706 (5.1) | 755 (5.7) | 601 (4.4) | 567 (4.0) | 675 (4.8) | 525 (4.2) | 527 (4.6) | 471 (4.3) |
| 大麻 Cannabis | 1 050 (7.5) | 1 119 (7.7) | 1 136 (8.2) | 976 (7.4) | 788 (5.8) | 763 (5.4) | 620 (4.5) | 519 (4.2) | 399 (3.5) | 335 (3.1) |
| 硝甲西洋 Nimetazepam | 80 (0.6) | 225 (1.5) | 227 (1.6) | 459 (3.5) | 381 (2.8) | 310 (2.2) | 272 (2.0) | 246 (2.0) | 110 (1.0) | 84 (0.8) |
| 安定 Diazepam | 63 (0.5) | 56 (0.4) | 29 (0.2) | 30 (0.2) | 24 (0.2) | 34 (0.2) | 16 (0.1) | 13 (0.1) | 8 (0.1) | 6 (0.1) |
| 甲喹酮 Methaqualone | 22 (0.2) | 21 (0.1) | 28 (0.2) | 30 (0.2) | 14 (0.1) | 28 (0.2) | 14 (0.1) | @ (@) | 7 (0.1) | @ (@) |
| 有機溶劑 Organic solvents | 63 (0.5) | 45 (0.3) | 36 (0.3) | 27 (0.2) | 17 (0.1) | @ (@) | 7 (0.1) | @ (@) | @ (@) | @ (@) |
| 總計 Total | 13 960 | 14 527 | 13 931 | 13 174 | 13 506 | 14 213 | 13 931 | 12 488 | 11 484 | 10 897 |

註釋：(1) 個別被呈報吸毒者在某年內可被呈報吸食多於一種毒品種類。

Notes: More than one type of drugs abused may be reported for each individual drug abuser in a given year.

(2) 括弧內的數字顯示佔各年齡組別內所有被呈報吸食某種毒品的吸毒者的百分比。

Figures in brackets refer to the proportions of all reported drug abusers with known drugs abused in the respective age groups.

表 1e 按吸食毒品方法劃分的2003至2012年被呈報吸毒者
Table 1e Reported drug abusers for 2003-2012 by method of taking drugs

| | %* | | | | | | | | | |
|----------------------------------|------|------|------|------|------|------|------|------|------|------|
| 吸食毒品方法 Method of taking drugs | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
| 注射 Injection | 42.1 | 38.7 | 38.8 | 37.1 | 32.8 | 27.2 | 24.7 | 23.7 | 23.3 | 22.7 |
| 吸入煙霧 Fume inhaling | 33.7 | 33.0 | 33.5 | 29.8 | 31.5 | 33.7 | 36.2 | 39.8 | 41.0 | 43.5 |
| 以香煙或煙管吸食 Smoking | 23.2 | 25.5 | 22.8 | 21.8 | 19.3 | 15.0 | 16.5 | 15.8 | 18.5 | 19.1 |
| 鼻吸 Sniffing | 9.0 | 10.6 | 12.4 | 19.7 | 26.6 | 34.9 | 36.5 | 36.8 | 32.7 | 31.3 |
| 口服 Oral ingestion | 15.5 | 18.8 | 23.9 | 25.9 | 19.4 | 18.1 | 16.5 | 13.9 | 12.7 | 11.4 |

註釋：個別被呈報吸毒者在某年內可被呈報多於一種吸食毒品的的方法。

Notes: More than one kind of method of taking drugs may be reported for each individual drug abuser in a given year.

* 佔所有被呈報使用某種吸毒方法的吸毒者百分比。

As a proportion of all reported reported abusers with known method of taking drugs.

表 1f 按年齡組別及吸食毒品地方劃分的2011及12年被呈報吸毒者
Table 1f Reported drug abusers for 2011 and 2012 by age group by place of abusing drugs

| 年齡組別 / 吸食毒品地方 Age group / place of abusing drugs | 2011 | | 2012 | |
|---|--------|------|--------|------|
| | 人數 No. | %* | 人數 No. | %* |
| 21歲以下 Aged under 21 | | | | |
| 香港特別行政區 Hong Kong SAR | 1 893 | 98.0 | 1 505 | 98.7 |
| 中國內地 Mainland of China | 102 | 5.3 | 63 | 4.1 |
| 其他地方 Other countries | 13 | 0.7 | @ | 0.3 |
| 21歲及以上 Aged 21 & over | | | | |
| 香港特別行政區 Hong Kong SAR | 9 026 | 96.1 | 9 043 | 98.0 |
| 中國內地 Mainland of China | 765 | 8.1 | 549 | 6.0 |
| 其他地方 Other countries | 76 | 0.8 | 69 | 0.7 |
| 所有年齡 All ages | | | | |
| 香港特別行政區 Hong Kong SAR | 10 919 | 96.4 | 10 548 | 98.1 |
| 中國內地 Mainland of China | 867 | 7.7 | 612 | 5.7 |
| 其他地方 Other countries | 89 | 0.8 | 74 | 0.7 |

註釋：(1) 有關吸食毒品地方數字只在2006年起才編製。

Notes: Statistics on place of abusing drugs were compiled only as from 2006.

(2) 個別被呈報吸毒者在某年內可被呈報多於一個吸食毒品地方。

More than one place of abusing drugs may be reported for each individual drug abuser in a given year.

* 佔所有被呈報在某地方吸毒的吸毒者百分比。

As a proportion of all reported drug abusers with known place of abusing drugs.

表 1g 按年齡組別及吸食毒品地點劃分的2006至2012年被呈報吸毒者
Table 1g Reported drug abusers for 2006-2012 by age group by locality of abusing drugs

| | % | | | | | | |
|---|------|------|------|------|------|------|------|
| 年齡組別 / 吸食毒品地點 Age group / locality of abusing drugs | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
| 21歲以下 Aged under 21 | | | | | | | |
| 只在家 / 朋友的家 Home/Friend's home only | 13.2 | 21.2 | 25.5 | 27.0 | 36.0 | 41.6 | 45.4 |
| 在家 / 朋友的家及其他地點 Home/Friend's home and other localities | 32.1 | 38.6 | 42.2 | 44.0 | 39.1 | 33.0 | 31.4 |
| 只在其他地點 Other localities only | 54.7 | 40.2 | 32.2 | 29.0 | 24.9 | 25.4 | 23.2 |
| <i>其他地點 Other localities</i> | | | | | | | |
| 公眾地方如休憩地方 / 公園/公廁 Public area like recreation area/ public garden/ public toilet | 26.5 | 38.8 | 41.3 | 43.3 | 36.2 | 33.7 | 31.9 |
| 的士高 / 卡拉OK Disco/Karaoke | 63.8 | 40.8 | 33.5 | 29.2 | 23.3 | 15.5 | 13.6 |
| 會所 / 大廈 / 酒店 / 酒吧內舉行的非派對場合 Non-party gathering in club house/building/hotel/bar | 5.8 | 6.2 | 6.7 | 9.6 | 8.1 | 7.3 | 8.7 |
| 會所 / 大廈 / 酒店 / 酒吧內舉行的派對場合 Party gathering in club house/building/hotel/bar | 6.0 | 7.4 | 7.0 | 7.6 | 9.4 | 8.2 | 8.2 |
| 咖啡店 / 網吧 Coffee shop/Internet café | 6.6 | 4.8 | 5.3 | 6.3 | 6.4 | 6.6 | 5.9 |
| 電子遊戲機中心 Electronic game centre | 9.2 | 9.1 | 8.0 | 6.7 | 5.3 | 6.7 | 6.4 |
| 出租屋 / 渡假屋 / 出租地方 Apartment/bungalow/rental area | 2.4 | 3.8 | 2.5 | 4.6 | 3.6 | 2.6 | 3.1 |
| 學校(包括學校宿舍) School (include school hostel) | 1.1 | 2.1 | 1.5 | 2.0 | 1.4 | 1.3 | 0.6 |
| 21歲及以上 Aged 21 & over | | | | | | | |
| 只在家 / 朋友的家 Home/Friend's home only | 43.6 | 45.9 | 48.4 | 46.4 | 48.1 | 50.4 | 51.9 |
| 在家 / 朋友的家及其他地點 Home/Friend's home and other localities | 31.5 | 30.8 | 31.1 | 32.0 | 32.9 | 30.7 | 29.9 |
| 只在其他地點 Other localities only | 24.9 | 23.4 | 20.4 | 21.5 | 19.0 | 19.0 | 18.1 |
| <i>其他地點 Other localities</i> | | | | | | | |
| 公眾地方如休憩地方 / 公園/公廁 Public area like recreation area/ public garden/ public toilet | 39.7 | 36.3 | 34.8 | 37.5 | 38.5 | 36.9 | 36.3 |
| 的士高 / 卡拉OK Disco/Karaoke | 8.8 | 11.4 | 11.6 | 13.4 | 10.9 | 7.8 | 6.1 |
| 會所 / 大廈 / 酒店 / 酒吧內舉行的非派對場合 Non-party gathering in club house/building/hotel/bar | 3.7 | 3.5 | 2.8 | 2.5 | 3.6 | 3.5 | 4.3 |
| 會所 / 大廈 / 酒店 / 酒吧內舉行的派對場合 Party gathering in club house/building/hotel/bar | 5.6 | 5.2 | 3.5 | 4.8 | 3.2 | 3.5 | 3.4 |
| 咖啡店 / 網吧 Coffee shop/Internet café | 0.8 | 1.5 | 2.1 | 2.5 | 3.0 | 2.6 | 2.8 |
| 電子遊戲機中心 Electronic game centre | 2.8 | 2.8 | 2.8 | 2.8 | 3.3 | 2.4 | 1.6 |
| 出租屋 / 渡假屋 / 出租地方 Apartment/bungalow/rental area | 2.7 | 3.3 | 2.3 | 2.0 | 2.3 | 2.5 | 1.9 |

表 1g [續] 按年齡組別及吸食毒品地點劃分的2006至2012年被呈報吸毒者
Table 1g (Cont'd) Reported drug abusers for 2006-2012 by age group by locality of abusing drugs

| | % | | | | | | |
|--|------|------|------|------|------|------|------|
| 年齡組別 / 吸食毒品地點 Age group / locality of abusing drugs | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
| 所有年齡 All ages | | | | | | | |
| 只在家 / 朋友的家 Home/Friend's home only | 38.2 | 40.5 | 42.9 | 41.8 | 45.3 | 48.9 | 51.0 |
| 在家 / 朋友的家及其他地點 Home/Friend's home and other localities | 31.6 | 32.5 | 33.8 | 34.9 | 34.3 | 31.1 | 30.1 |
| 只在其他地點 Other localities only | 30.2 | 27.0 | 23.3 | 23.3 | 20.4 | 20.1 | 18.8 |
| <i>其他地點 Other localities</i> | | | | | | | |
| 公眾地方如休憩地方/ 公園/公廁 Public area like recreation area/ public garden/ public toilet | 37.3 | 36.8 | 36.4 | 38.9 | 38.0 | 36.3 | 35.7 |
| 的士高 / 卡拉OK Disco/Karaoke | 18.6 | 17.8 | 17.0 | 17.2 | 13.7 | 9.1 | 7.2 |
| 會所 / 大廈 / 酒店 / 酒吧內舉行的非派對場合 Non-party gathering in club house/building/hotel/bar | 4.1 | 4.1 | 3.7 | 4.2 | 4.6 | 4.2 | 4.9 |
| 會所 / 大廈 / 酒店 / 酒吧內舉行的派對場合 Party gathering in club house/building/hotel/bar | 5.7 | 5.7 | 4.4 | 5.5 | 4.6 | 4.3 | 4.1 |
| 咖啡店 / 網吧 Coffee shop/Internet café | 1.9 | 2.2 | 2.9 | 3.4 | 3.8 | 3.3 | 3.2 |
| 電子遊戲機中心 Electronic game centre | 4.0 | 4.1 | 4.1 | 3.7 | 3.7 | 3.1 | 2.3 |
| 出租屋 / 渡假屋 / 出租地方 Apartment/bungalow/rental area | 2.7 | 3.4 | 2.3 | 2.6 | 2.6 | 2.5 | 2.1 |
| 學校(包括學校宿舍) School (include school hostel) | 0.2 | 0.5 | 0.4 | 0.5 | 0.3 | 0.2 | 0.1 |

註釋：(1) 有關吸食毒品地點數字只在2006年起才編製。

Notes: Statistics on locality of abusing drugs were compiled only as from 2006.

(2) 個別被呈報吸毒者在某年內可被呈報多於一個吸食毒品地點。

More than one locality of abusing drugs may be reported for each individual reported drug abuser in a given year.

表 1h 按年齡組別及現時吸食毒品原因劃分的2003至2012年被呈報吸毒者
Table 1h Reported drug abusers for 2003-2012 by age group by reason for current drug use

| | %* | | | | | | | | | |
|--|------|------|------|------|------|------|------|------|------|------|
| 年齡組別 / 現時吸食毒品原因 Age group / reason for current drug use | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
| 21歲以下 Aged under 21 | | | | | | | | | | |
| 受到同輩朋友影響 / 想和同輩朋友打成一片 Peer influence/To identify with peers | 57.9 | 60.0 | 68.4 | 64.9 | 58.8 | 64.2 | 68.0 | 62.4 | 59.1 | 56.9 |
| 解悶 / 情緒低落 / 壓力 Relief of boredom/depression/stress | 28.7 | 31.4 | 40.4 | 41.3 | 41.3 | 44.2 | 51.2 | 48.7 | 44.4 | 46.0 |
| 避免因沒有吸食毒品而感到不適 To avoid discomfort of its absence | 6.6 | 6.6 | 7.3 | 8.9 | 12.7 | 16.3 | 15.3 | 16.4 | 18.6 | 24.0 |
| 出於好奇 Curiosity | 38.2 | 41.0 | 35.8 | 41.1 | 42.7 | 45.1 | 43.0 | 38.6 | 36.3 | 38.2 |
| 尋求快感或官能上的滿足 To seek euphoria or sensory satisfaction | 32.7 | 34.6 | 43.4 | 42.4 | 37.4 | 33.9 | 33.6 | 29.5 | 27.7 | 24.7 |
| 自行治理疾病 For self-medication | 1.6 | 0.8 | 1.3 | 1.3 | 1.2 | 1.6 | 2.0 | 1.8 | 2.0 | 2.6 |
| 受到伴侶影響 Under influence of the partner | 2.4 | 1.6 | 3.7 | 4.6 | 4.2 | 5.4 | 5.6 | 4.8 | 4.9 | 4.6 |
| 其他原因 Other reasons | 0.5 | 0.3 | 0.8 | 1.1 | 0.7 | 0.3 | 0.1 | 0.1 | 0.2 | - |
| 21歲及以上 Aged 21 & over | | | | | | | | | | |
| 受到同輩朋友影響 / 想和同輩朋友打成一片 Peer influence/To identify with peers | 44.7 | 43.6 | 44.5 | 44.0 | 43.7 | 45.7 | 48.8 | 49.0 | 46.8 | 46.1 |
| 解悶 / 情緒低落 / 壓力 Relief of boredom/depression/stress | 24.9 | 27.4 | 34.6 | 39.7 | 40.5 | 44.4 | 48.1 | 47.5 | 49.6 | 50.0 |
| 避免因沒有吸食毒品而感到不適 To avoid discomfort of its absence | 58.1 | 54.6 | 48.5 | 43.3 | 41.6 | 40.9 | 42.1 | 46.9 | 45.1 | 44.6 |
| 出於好奇 Curiosity | 23.8 | 22.8 | 29.2 | 32.7 | 33.9 | 31.3 | 27.5 | 23.4 | 21.2 | 21.0 |
| 尋求快感或官能上的滿足 To seek euphoria or sensory satisfaction | 10.1 | 9.3 | 14.7 | 17.6 | 21.5 | 22.0 | 23.1 | 21.1 | 20.1 | 22.4 |
| 自行治理疾病 For self-medication | 4.5 | 4.7 | 5.2 | 5.7 | 5.3 | 4.8 | 5.8 | 5.7 | 6.9 | 6.4 |
| 受到伴侶影響 Under influence of the partner | 1.1 | 1.2 | 2.3 | 2.1 | 2.6 | 2.9 | 2.3 | 2.5 | 2.6 | 2.5 |
| 其他原因 Other reasons | 0.4 | 0.3 | 0.4 | 0.3 | 0.4 | 0.2 | * | 0.1 | 0.1 | 0.1 |

表 1h [續]

按年齡組別及現時吸食毒品原因劃分的2003至2012年
被呈報吸毒者Table 1h (Cont'd) Reported drug abusers for 2003-2012 by age group by reason
for current drug use

| | %* | | | | | | | | | |
|--|------|------|------|------|------|------|------|------|------|------|
| 年齡組別 / 現時吸食毒品原因 Age group / reason for current drug use | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
| 所有年齡 All ages | | | | | | | | | | |
| 受到同輩朋友影響 / 想和同輩朋友打成一片 Peer influence/To identify with peers | 46.4 | 46.0 | 48.4 | 48.0 | 47.1 | 50.3 | 53.4 | 52.0 | 48.9 | 47.6 |
| 解悶 / 情緒低落 / 壓力 Relief of boredom/depression/stress | 25.4 | 28.0 | 35.5 | 40.0 | 40.7 | 44.3 | 48.8 | 47.7 | 48.7 | 49.4 |
| 避免因沒有吸食毒品而感到不適 To avoid discomfort of its absence | 51.5 | 47.6 | 41.8 | 36.6 | 35.1 | 34.9 | 35.6 | 40.1 | 40.5 | 41.6 |
| 出於好奇 Curiosity | 25.7 | 25.5 | 30.3 | 34.4 | 35.9 | 34.7 | 31.2 | 26.8 | 23.8 | 23.4 |
| 尋求快感或官能上的滿足 To seek euphoria or sensory satisfaction | 13.0 | 13.1 | 19.4 | 22.4 | 25.1 | 25.0 | 25.7 | 23.0 | 21.4 | 22.7 |
| 自行治理疾病 For self-medication | 4.1 | 4.1 | 4.6 | 4.8 | 4.4 | 4.0 | 4.9 | 4.8 | 6.1 | 5.8 |
| 受到伴侶影響 Under influence of the partner | 1.2 | 1.3 | 2.5 | 2.6 | 2.9 | 3.6 | 3.1 | 3.0 | 3.0 | 2.8 |
| 其他原因 Other reasons | 0.4 | 0.3 | 0.5 | 0.4 | 0.5 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 |

註釋：個別被呈報吸毒者在某年內可被呈報多於一種現時吸食毒品原因。

Notes: More than one reason for current drug use may be reported for each individual reported drug abuser in a given year.

* 佔各相關年齡組別內所有被呈報由於某些現時吸食毒品原因吸毒者的百分比。

As a proportion of all reported drug abusers with known reason for current drug use in the respective age groups.

表 1i 按性別及首次吸食毒品年齡劃分的2003至2012年被呈報吸毒者
Table 1i Reported drug abusers for 2003-2012 by sex by age of first abuse

| | % | | | | | | | | | |
|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 性別 / 首次吸食毒品年齡 Sex / age of first abuse | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
| 男 Male | | | | | | | | | | |
| < 12 | 2.5 | 3.3 | 3.4 | 3.4 | 3.0 | 3.0 | 3.0 | 3.0 | 3.1 | 3.1 |
| 12 - 15 | 30.5 | 30.9 | 32.3 | 33.7 | 33.6 | 35.0 | 35.9 | 37.3 | 36.6 | 36.5 |
| 16 - 17 | 19.7 | 19.9 | 20.4 | 20.6 | 20.0 | 21.3 | 20.1 | 20.0 | 20.4 | 18.9 |
| 18 - 20 | 22.5 | 23.0 | 22.7 | 22.1 | 23.3 | 22.3 | 22.5 | 22.1 | 21.5 | 22.8 |
| 21 - 25 | 13.6 | 12.6 | 12.0 | 11.8 | 11.8 | 10.9 | 10.9 | 10.1 | 10.0 | 9.8 |
| 26 - 30 | 6.8 | 6.5 | 5.7 | 4.9 | 4.9 | 4.6 | 4.5 | 4.5 | 4.8 | 5.0 |
| ≥ 31 | 4.5 | 3.8 | 3.4 | 3.5 | 3.4 | 2.9 | 3.1 | 3.0 | 3.6 | 3.9 |
| 小計 Sub-total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 首次吸食毒品平均年齡 Mean age of first abuse | 19 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| 女 Female | | | | | | | | | | |
| < 12 | 1.7 | 1.6 | 1.8 | 1.6 | 2.0 | 1.7 | 2.2 | 2.7 | 2.3 | 2.1 |
| 12 - 15 | 30.7 | 28.6 | 29.9 | 33.1 | 36.4 | 37.6 | 40.4 | 40.7 | 38.4 | 38.3 |
| 16 - 17 | 19.4 | 18.6 | 17.2 | 16.6 | 16.2 | 16.5 | 17.2 | 19.2 | 18.2 | 18.5 |
| 18 - 20 | 22.1 | 23.4 | 20.6 | 21.3 | 20.8 | 19.4 | 18.0 | 17.7 | 18.5 | 18.1 |
| 21 - 25 | 14.2 | 16.6 | 17.6 | 13.4 | 11.7 | 12.7 | 11.1 | 10.0 | 10.9 | 10.4 |
| 26 - 30 | 6.6 | 7.2 | 8.0 | 9.0 | 7.8 | 7.2 | 5.5 | 4.9 | 5.7 | 6.9 |
| ≥ 31 | 5.2 | 4.0 | 4.8 | 5.0 | 5.1 | 4.9 | 5.6 | 4.8 | 6.1 | 5.7 |
| 小計 Sub-total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 首次吸食毒品平均年齡 Mean age of first abuse | 19 | 19 | 19 | 19 | 19 | 19 | 18 | 18 | 18 | 18 |
| 男女合計 Both sexes | | | | | | | | | | |
| < 12 | 2.4 | 3.0 | 3.2 | 3.1 | 2.9 | 2.8 | 2.9 | 2.9 | 2.9 | 3.0 |
| 12 - 15 | 30.5 | 30.5 | 31.9 | 33.6 | 34.0 | 35.5 | 36.8 | 38.0 | 36.9 | 36.8 |
| 16 - 17 | 19.6 | 19.6 | 19.9 | 19.9 | 19.4 | 20.4 | 19.5 | 19.9 | 20.0 | 18.8 |
| 18 - 20 | 22.4 | 23.1 | 22.3 | 22.0 | 22.9 | 21.8 | 21.7 | 21.3 | 21.0 | 22.0 |
| 21 - 25 | 13.7 | 13.2 | 13.0 | 12.1 | 11.8 | 11.2 | 10.9 | 10.1 | 10.1 | 9.9 |
| 26 - 30 | 6.8 | 6.6 | 6.1 | 5.6 | 5.4 | 5.1 | 4.7 | 4.5 | 5.0 | 5.4 |
| ≥ 31 | 4.6 | 3.8 | 3.7 | 3.7 | 3.7 | 3.2 | 3.6 | 3.3 | 4.1 | 4.2 |
| 總計 Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 首次吸食毒品平均年齡 Mean age of first abuse | | | | | | | | | | |
| 所有被呈報吸毒者 All reported drug abusers | 19 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| 21歲以下被呈報吸毒者 Reported drug abusers under 21 | 16 | 16 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 |

表 1j 按年齡組別及經濟活動狀況劃分的2003至2012年被呈報吸毒者
Table 1j Reported drug abusers for 2003-2012 by age group by economic activity status

| | % | | | | | | | | | |
|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 年齡組別 / 經濟活動狀況 Age group / economic activity status | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
| 21歲以下 Aged under 21 | | | | | | | | | | |
| 全職工作人士 Full-time worker | 29.8 | 31.5 | 29.6 | 30.3 | 30.8 | 31.4 | 25.8 | 27.0 | 26.1 | 25.5 |
| 散工 / 兼職工作人士 Casual/Part-time worker | 6.7 | 8.0 | 10.6 | 9.8 | 9.8 | 10.1 | 10.1 | 13.4 | 13.1 | 15.5 |
| 失業人士 Unemployed | 37.2 | 37.2 | 31.1 | 32.5 | 28.0 | 28.3 | 30.7 | 32.2 | 35.5 | 35.1 |
| 料理家務人士 Home-maker | 0.3 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 | 0.2 | 0.1 | 0.1 |
| 學生 Student | 25.0 | 21.9 | 26.4 | 23.7 | 26.5 | 26.5 | 30.8 | 24.4 | 22.4 | 20.1 |
| 其他 Others | 1.0 | 1.1 | 2.0 | 3.5 | 4.7 | 3.6 | 2.3 | 2.8 | 2.9 | 3.7 |
| 小計 Sub-total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 21歲及以上 Aged 21 & over | | | | | | | | | | |
| 全職工作人士 Full-time worker | 31.1 | 27.3 | 29.5 | 31.2 | 32.9 | 32.4 | 33.2 | 34.4 | 34.6 | 34.6 |
| 散工 / 兼職工作人士 Casual/Part-time worker | 6.0 | 6.4 | 7.0 | 7.0 | 7.5 | 9.8 | 11.1 | 11.6 | 11.4 | 12.0 |
| 失業人士 Unemployed | 58.6 | 61.8 | 58.5 | 57.0 | 54.8 | 51.4 | 49.1 | 47.6 | 48.6 | 47.7 |
| 料理家務人士 Home-maker | 1.8 | 1.8 | 1.7 | 1.8 | 1.6 | 1.9 | 1.9 | 2.2 | 2.1 | 1.8 |
| 學生 Student | 0.2 | 0.2 | 0.1 | 0.2 | 0.2 | 0.3 | 0.2 | 0.3 | 0.3 | 0.3 |
| 退休人士 Retired person | 1.9 | 2.2 | 2.4 | 1.8 | 1.9 | 2.2 | 2.4 | 2.8 | 2.4 | 3.1 |
| 其他 Others | 0.5 | 0.3 | 0.8 | 0.9 | 1.1 | 2.0 | 2.1 | 1.1 | 0.6 | 0.5 |
| 小計 Sub-total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

表 1j [續]
Table 1j (Cont'd)

按年齡組別及經濟活動狀況劃分的2003至2012年被呈報吸毒者
Reported drug abusers for 2003-2012 by age group by
economic activity status

| | % | | | | | | | | | |
|---|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| 年齡組別 / 經濟活動狀況 Age group / economic activity status | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
| 所有年齡 All ages | | | | | | | | | | |
| 全職工作人士 Full-time worker | 30.9 | 27.9 | 29.5 | 31.1 | 32.4 | 32.2 | 31.5 | 32.8 | 33.1 | 33.3 |
| 散工 / 兼職工作人士 Casual/Part-time worker | 6.1 | 6.6 | 7.5 | 7.6 | 8.0 | 9.9 | 10.9 | 12.0 | 11.7 | 12.5 |
| 失業人士 Unemployed | 55.6 | 58.1 | 54.1 | 52.2 | 48.9 | 45.7 | 44.7 | 44.2 | 46.4 | 45.9 |
| 料理家務人士 Home-maker | 1.6 | 1.6 | 1.5 | 1.4 | 1.3 | 1.5 | 1.5 | 1.8 | 1.8 | 1.6 |
| 學生 Student | 3.6 | 3.5 | 4.4 | 4.8 | 6.0 | 6.7 | 7.5 | 5.6 | 4.1 | 3.1 |
| 退休人士 Retired person | 1.6 | 1.8 | 2.0 | 1.5 | 1.5 | 1.7 | 1.8 | 2.2 | 2.0 | 2.7 |
| 其他 Others | 0.6 | 0.4 | 1.0 | 1.4 | 1.9 | 2.4 | 2.1 | 1.5 | 1.0 | 1.0 |
| <i>總計 Total</i> | <i>100.0</i> | <i>100.0</i> | <i>100.0</i> | <i>100.0</i> | <i>100.0</i> | <i>100.0</i> | <i>100.0</i> | <i>100.0</i> | <i>100.0</i> | <i>100.0</i> |

表 1k 按年齡組別及教育水平劃分的2003至2012年被呈報吸毒者
Table 1k Reported drug abusers for 2003-2012 by age group by educational attainment

| | % | | | | | | | | | |
|--|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 年齡組別 / 教育水平 Age group / educational attainment | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
| 21歲以下 Aged under 21 | | | | | | | | | | |
| 無受過教育 / 幼稚園程度 No schooling/kindergarten | 0.1 | 0.1 | - | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 | 0.1 |
| 小學程度 Primary | 2.4 | 2.1 | 1.4 | 1.4 | 1.7 | 1.3 | 1.4 | 1.4 | 1.7 | 1.7 |
| 初中程度 (中一至中三) Lower secondary (Forms 1 to 3) | 67.1 | 66.8 | 68.2 | 66.7 | 69.3 | 66.7 | 66.4 | 68.4 | 68.6 | 68.8 |
| 高中程度 (中四至中七) Upper secondary (Forms 4 to 7) | 29.9 | 29.7 | 29.8 | 31.4 | 28.4 | 31.1 | 31.6 | 29.2 | 28.5 | 28.4 |
| 專上教育程度 Tertiary | 0.5 | 1.2 | 0.6 | 0.5 | 0.5 | 0.7 | 0.5 | 0.9 | 1.1 | 1.0 |
| 小計 Sub-total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 21歲及以上 Aged 21 & over | | | | | | | | | | |
| 無受過教育 / 幼稚園程度 No schooling/kindergarten | 2.3 | 2.3 | 2.4 | 2.1 | 1.8 | 2.0 | 1.9 | 1.5 | 1.3 | 1.3 |
| 小學程度 Primary | 33.3 | 34.9 | 35.2 | 33.3 | 31.1 | 29.7 | 27.4 | 26.5 | 25.9 | 24.7 |
| 初中程度 (中一至中三) Lower secondary (Forms 1 to 3) | 46.7 | 46.6 | 47.0 | 47.9 | 50.4 | 50.6 | 51.7 | 50.7 | 50.7 | 51.8 |
| 高中程度 (中四至中七) Upper secondary (Forms 4 to 7) | 16.2 | 15.2 | 14.4 | 15.5 | 15.5 | 16.5 | 17.8 | 19.7 | 20.2 | 20.1 |
| 專上教育程度 Tertiary | 1.5 | 1.0 | 1.0 | 1.2 | 1.1 | 1.2 | 1.2 | 1.5 | 1.9 | 2.1 |
| 小計 Sub-total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 所有年齡 All ages | | | | | | | | | | |
| 無受過教育 / 幼稚園程度 No schooling/kindergarten | 2.0 | 2.0 | 2.0 | 1.7 | 1.4 | 1.5 | 1.4 | 1.2 | 1.1 | 1.2 |
| 小學程度 Primary | 29.0 | 30.0 | 29.8 | 27.0 | 24.6 | 22.8 | 21.2 | 21.0 | 21.7 | 21.4 |
| 初中程度 (中一至中三) Lower secondary (Forms 1 to 3) | 49.5 | 49.6 | 50.3 | 51.6 | 54.6 | 54.5 | 55.2 | 54.6 | 53.8 | 54.2 |
| 高中程度 (中四至中七) Upper secondary (Forms 4 to 7) | 18.1 | 17.3 | 16.9 | 18.6 | 18.4 | 20.1 | 21.1 | 21.8 | 21.6 | 21.3 |
| 專上教育程度 Tertiary | 1.4 | 1.0 | 0.9 | 1.0 | 1.0 | 1.1 | 1.0 | 1.4 | 1.8 | 1.9 |
| 總計 Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

表 1/ 按種族劃分的2003至2012年被呈報吸毒者
Table 1/ Reported drug abusers for 2003-2012 by ethnicity

| | % | | | | | | | | | |
|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 種族 Ethnicity | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
| 華人 Chinese | 95.1 | 95.7 | 95.0 | 95.0 | 94.7 | 94.6 | 94.8 | 94.6 | 93.5 | 93.2 |
| 非華人 Non-chinese | | | | | | | | | | |
| 尼泊爾人 Nepalese | 1.6 | 1.7 | 1.4 | 1.4 | 1.4 | 1.4 | 1.7 | 2.1 | 2.7 | 2.9 |
| 越南人 Vietnamese | 1.8 | 1.6 | 2.1 | 2.0 | 2.1 | 2.3 | 2.0 | 1.7 | 1.8 | 1.9 |
| 印度人／巴基斯坦人／ 孟加拉人／斯里蘭卡人 Indian/ Pakistani/ Bangladeshi/ Sri Lankan | 0.5 | 0.3 | 0.4 | 0.5 | 0.5 | 0.6 | 0.6 | 0.7 | 1.0 | 1.1 |
| 菲律賓人 Filipino | 0.2 | 0.1 | 0.2 | 0.3 | 0.4 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 印尼人 Indonesian | 0.1 | * | * | 0.1 | 0.2 | 0.1 | 0.1 | 0.1 | * | * |
| 泰國人 Thai | 0.2 | 0.1 | 0.2 | 0.3 | 0.2 | 0.2 | 0.2 | 0.1 | 0.1 | 0.1 |
| 英國人 British | 0.2 | 0.1 | 0.2 | 0.2 | 0.1 | 0.1 | * | * | 0.1 | 0.1 |
| 其他 Others | 0.4 | 0.3 | 0.4 | 0.4 | 0.4 | 0.7 | 0.6 | 0.5 | 0.7 | 0.6 |
| 總計 Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

表 1m 按性別、婚姻狀況及伴侶有否吸毒劃分的2003至2012年被呈報吸毒者
Table 1m Reported drug abusers for 2003-2012 by sex by marital status by whether partner took drugs

| | % | | | | | | | | | |
|---|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| 性別 / 婚姻狀況 / 伴侶有否吸毒 Sex / marital status / whether partner took drugs | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
| 男 Male | | | | | | | | | | |
| 未婚 Never married | 59.3 | 58.3 | 56.0 | 58.9 | 59.9 | 59.9 | 59.9 | 57.9 | 54.2 | 51.4 |
| 已婚同居 Married/Cohabiting | 30.1 | 30.1 | 32.9 | 30.7 | 30.1 | 30.3 | 30.2 | 31.4 | 33.0 | 34.6 |
| <i>伴侶有吸毒 Partner took drugs</i> | <i>6.6</i> | <i>7.5</i> | <i>7.0</i> | <i>8.0</i> | <i>7.5</i> | <i>8.7</i> | <i>9.9</i> | <i>11.2</i> | <i>10.4</i> | <i>11.9</i> |
| <i>伴侶沒有吸毒 Partner did not take drugs</i> | <i>93.4</i> | <i>92.5</i> | <i>93.0</i> | <i>92.0</i> | <i>92.5</i> | <i>91.3</i> | <i>90.1</i> | <i>88.8</i> | <i>89.6</i> | <i>88.1</i> |
| 鰥寡 Widowed | 0.9 | 1.0 | 0.8 | 1.1 | 0.7 | 0.6 | 0.5 | 0.5 | 0.7 | 0.7 |
| 離婚/分居 Divorced/Separated | 9.7 | 10.5 | 10.3 | 9.3 | 9.3 | 9.2 | 9.4 | 10.1 | 12.0 | 13.2 |
| 小計 Sub-total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 女 Female | | | | | | | | | | |
| 未婚 Never married | 55.3 | 61.5 | 61.7 | 67.1 | 65.7 | 64.3 | 62.7 | 60.2 | 57.3 | 57.4 |
| 已婚同居 Married/Cohabiting | 28.8 | 25.0 | 26.3 | 21.5 | 22.5 | 24.7 | 27.5 | 28.7 | 27.2 | 27.5 |
| <i>伴侶有吸毒 Partner took drugs</i> | <i>42.5</i> | <i>42.8</i> | <i>40.1</i> | <i>38.2</i> | <i>39.2</i> | <i>44.7</i> | <i>62.5</i> | <i>53.4</i> | <i>44.3</i> | <i>42.7</i> |
| <i>伴侶沒有吸毒 Partner did not take drugs</i> | <i>57.5</i> | <i>57.2</i> | <i>59.9</i> | <i>61.8</i> | <i>60.8</i> | <i>55.3</i> | <i>37.5</i> | <i>46.6</i> | <i>55.7</i> | <i>57.3</i> |
| 鰥寡 Widowed | 2.2 | 1.9 | 1.4 | 3.0 | 1.5 | 1.1 | 1.0 | 1.3 | 2.0 | 1.6 |
| 離婚/分居 Divorced/Separated | 13.7 | 11.6 | 10.6 | 8.4 | 10.3 | 10.0 | 8.8 | 9.8 | 13.5 | 13.5 |
| 小計 Sub-total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 男女合計 Both sexes | | | | | | | | | | |
| 未婚 Never married | 58.7 | 58.8 | 57.0 | 60.4 | 60.9 | 60.7 | 60.4 | 58.4 | 54.8 | 52.5 |
| 已婚同居 Married/Cohabiting | 29.9 | 29.3 | 31.8 | 29.1 | 28.8 | 29.2 | 29.7 | 30.9 | 31.9 | 33.3 |
| <i>伴侶有吸毒 Partner took drugs</i> | <i>12.8</i> | <i>13.7</i> | <i>12.5</i> | <i>12.6</i> | <i>12.5</i> | <i>16.0</i> | <i>22.8</i> | <i>21.2</i> | <i>17.3</i> | <i>17.5</i> |
| <i>伴侶沒有吸毒 Partner did not take drugs</i> | <i>87.2</i> | <i>86.3</i> | <i>87.5</i> | <i>87.4</i> | <i>87.5</i> | <i>84.0</i> | <i>77.2</i> | <i>78.8</i> | <i>82.7</i> | <i>82.5</i> |
| 鰥寡 Widowed | 1.1 | 1.2 | 0.9 | 1.4 | 0.8 | 0.7 | 0.6 | 0.7 | 0.9 | 0.9 |
| 離婚/分居 Divorced/Separated | 10.3 | 10.7 | 10.3 | 9.1 | 9.4 | 9.4 | 9.3 | 10.1 | 12.3 | 13.3 |
| 總計 Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

註釋：斜體數字是指在相關性別組別中佔已婚／同居的被呈報吸毒者的百分比。

Note: Figures in italics refer to the proportions of the married/cohabiting reported drug abusers in the respective sex groups.

表 1n 按年齡組別及居住地區劃分的2003至2012年被呈報吸毒者
Table 1n Reported drug abusers for 2003-2012 by age group by district of residence

| | % | | | | | | | | | |
|--|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 年齡組別 / 居住地區 Age group / district of residence | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
| 21歲以下 Aged under 21 | | | | | | | | | | |
| 中西區 Central & Western | 2.1 | 1.4 | 2.2 | 1.3 | 1.4 | 1.0 | 0.8 | 1.0 | 1.0 | 0.7 |
| 灣仔 Wan Chai | 1.1 | 1.1 | 1.1 | 0.7 | 0.8 | 0.4 | 0.5 | 0.7 | 0.9 | 1.0 |
| 東區 Eastern | 5.1 | 4.0 | 5.7 | 5.1 | 5.0 | 5.2 | 5.5 | 4.7 | 7.0 | 3.8 |
| 南區 Southern | 10.1 | 9.3 | 8.8 | 7.9 | 7.7 | 5.2 | 5.2 | 7.3 | 6.9 | 6.9 |
| 油尖旺 Yau Tsim Mong | 4.9 | 5.4 | 5.3 | 4.8 | 4.3 | 4.0 | 3.6 | 3.9 | 3.6 | 3.7 |
| 深水埗 Sham Shui Po | 3.5 | 3.5 | 3.5 | 4.4 | 3.7 | 7.0 | 5.0 | 5.3 | 4.8 | 6.3 |
| 九龍城 Kowloon City | 2.2 | 2.5 | 1.9 | 2.1 | 1.7 | 2.2 | 1.5 | 1.6 | 1.3 | 2.2 |
| 黃大仙 Wong Tai Sin | 6.8 | 7.2 | 5.3 | 4.0 | 7.4 | 6.6 | 4.5 | 3.5 | 3.3 | 4.1 |
| 觀塘 Kwun Tong | 6.9 | 6.2 | 6.3 | 7.1 | 8.2 | 7.8 | 7.8 | 7.1 | 6.0 | 7.3 |
| 葵青 Kwai Tsing | 7.6 | 8.1 | 7.9 | 8.1 | 6.9 | 8.8 | 9.7 | 9.6 | 9.8 | 7.5 |
| 荃灣 Tsuen Wan | 4.6 | 4.2 | 1.6 | 2.2 | 2.4 | 2.2 | 2.7 | 2.5 | 2.9 | 2.8 |
| 屯門 Tuen Mun | 6.8 | 6.5 | 9.0 | 9.2 | 7.0 | 7.3 | 6.9 | 7.1 | 6.7 | 6.4 |
| 元朗 Yuen Long | 8.3 | 8.8 | 6.9 | 8.3 | 13.0 | 11.8 | 12.8 | 12.0 | 12.6 | 16.1 |
| 北區 North | 11.4 | 11.7 | 13.3 | 11.4 | 10.1 | 11.3 | 10.5 | 11.8 | 14.0 | 12.7 |
| 大埔 Tai Po | 3.5 | 5.2 | 6.0 | 6.9 | 5.0 | 6.4 | 8.4 | 7.6 | 6.6 | 5.0 |
| 沙田 Sha Tin | 6.2 | 5.2 | 6.6 | 9.6 | 6.9 | 5.4 | 6.3 | 7.3 | 5.8 | 6.7 |
| 西貢 Sai Kung | 4.4 | 4.8 | 4.2 | 3.3 | 3.4 | 2.7 | 3.3 | 2.5 | 2.0 | 2.9 |
| 離島 Islands | 4.4 | 5.0 | 4.4 | 3.8 | 5.3 | 4.6 | 4.9 | 4.3 | 4.9 | 3.8 |
| 小計 Sub-total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

表 1n (續) 按年齡組別及居住地區劃分的2003至2012年被呈報吸毒者
Table 1n (Cont'd) Reported drug abusers for 2003-2012 by age group by district of residence

| | % | | | | | | | | | |
|--|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 年齡組別 / 居住地區 Age group / district of residence | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
| 21歲及以上 Aged 21 & over | | | | | | | | | | |
| 中西區 Central & Western | 2.1 | 1.8 | 2.1 | 1.8 | 2.2 | 1.6 | 1.7 | 1.7 | 1.8 | 1.9 |
| 灣仔 Wan Chai | 2.7 | 2.5 | 2.2 | 2.3 | 2.3 | 2.3 | 1.9 | 1.7 | 1.5 | 1.4 |
| 東區 Eastern | 5.5 | 4.8 | 4.8 | 5.3 | 4.9 | 4.6 | 5.0 | 4.5 | 5.0 | 4.5 |
| 南區 Southern | 3.0 | 3.3 | 3.4 | 3.5 | 3.4 | 3.5 | 2.5 | 2.5 | 2.6 | 2.7 |
| 油尖旺 Yau Tsim Mong | 10.9 | 12.2 | 10.5 | 10.5 | 10.5 | 10.9 | 10.6 | 9.6 | 8.9 | 10.1 |
| 深水埗 Sham Shui Po | 11.6 | 11.5 | 11.2 | 11.9 | 11.7 | 12.4 | 12.0 | 12.1 | 12.2 | 11.9 |
| 九龍城 Kowloon City | 4.6 | 4.2 | 4.3 | 4.0 | 4.4 | 4.0 | 3.4 | 4.2 | 3.8 | 4.1 |
| 黃大仙 Wong Tai Sin | 7.8 | 6.9 | 7.9 | 7.9 | 7.3 | 7.3 | 6.5 | 6.4 | 6.3 | 6.3 |
| 觀塘 Kwun Tong | 10.0 | 9.4 | 10.5 | 10.5 | 9.2 | 9.7 | 8.5 | 9.4 | 9.7 | 10.2 |
| 葵青 Kwai Tsing | 5.5 | 5.9 | 5.4 | 5.8 | 6.4 | 6.0 | 6.9 | 7.0 | 7.2 | 7.5 |
| 荃灣 Tsuen Wan | 4.7 | 5.2 | 5.1 | 4.5 | 4.3 | 3.7 | 4.0 | 3.5 | 3.6 | 3.5 |
| 屯門 Tuen Mun | 8.2 | 8.3 | 8.4 | 8.1 | 8.1 | 8.0 | 8.1 | 8.5 | 7.7 | 7.5 |
| 元朗 Yuen Long | 7.2 | 7.8 | 7.7 | 7.1 | 8.0 | 8.3 | 8.8 | 10.0 | 9.6 | 9.1 |
| 北區 North | 3.6 | 3.7 | 3.9 | 3.5 | 3.8 | 4.2 | 4.7 | 3.8 | 4.3 | 4.3 |
| 大埔 Tai Po | 3.7 | 3.5 | 3.7 | 4.0 | 3.1 | 3.3 | 4.1 | 4.5 | 4.4 | 4.1 |
| 沙田 Sha Tin | 5.2 | 5.2 | 5.4 | 5.4 | 5.7 | 5.4 | 6.0 | 5.8 | 5.6 | 5.7 |
| 西貢 Sai Kung | 2.8 | 2.5 | 2.1 | 2.6 | 2.7 | 3.0 | 3.0 | 3.2 | 3.2 | 2.9 |
| 離島 Islands | 1.0 | 1.4 | 1.4 | 1.5 | 1.9 | 1.8 | 2.1 | 2.0 | 2.6 | 2.4 |
| 小計 Sub-total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

表 1n (續) 按年齡組別及居住地區劃分的2003至2012年被呈報吸毒者
Table 1n (Cont'd) Reported drug abusers for 2003-2012 by age group by district of residence

| | % | | | | | | | | | |
|--|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| 年齡組別 / 居住地區 Age group / district of residence | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
| 所有年齡 All ages | | | | | | | | | | |
| 中西區 Central & Western | 2.1 | 1.7 | 2.1 | 1.7 | 2.0 | 1.5 | 1.5 | 1.5 | 1.6 | 1.7 |
| 灣仔 Wan Chai | 2.5 | 2.3 | 2.0 | 1.9 | 1.9 | 1.8 | 1.6 | 1.4 | 1.4 | 1.3 |
| 東區 Eastern | 5.4 | 4.7 | 4.9 | 5.2 | 4.9 | 4.7 | 5.1 | 4.5 | 5.3 | 4.4 |
| 南區 Southern | 4.0 | 4.2 | 4.3 | 4.4 | 4.4 | 3.9 | 3.2 | 3.6 | 3.4 | 3.4 |
| 油尖旺 Yau Tsim Mong | 10.1 | 11.2 | 9.7 | 9.3 | 9.1 | 9.2 | 8.9 | 8.3 | 8.0 | 9.2 |
| 深水埗 Sham Shui Po | 10.4 | 10.3 | 10.0 | 10.4 | 9.8 | 11.0 | 10.2 | 10.5 | 10.8 | 11.0 |
| 九龍城 Kowloon City | 4.2 | 3.9 | 3.9 | 3.6 | 3.8 | 3.6 | 3.0 | 3.6 | 3.3 | 3.8 |
| 黃大仙 Wong Tai Sin | 7.7 | 7.0 | 7.5 | 7.1 | 7.3 | 7.1 | 6.0 | 5.7 | 5.7 | 6.0 |
| 觀塘 Kwun Tong | 9.5 | 8.9 | 9.8 | 9.8 | 9.0 | 9.2 | 8.3 | 8.9 | 9.0 | 9.7 |
| 葵青 Kwai Tsing | 5.8 | 6.2 | 5.8 | 6.2 | 6.5 | 6.7 | 7.6 | 7.6 | 7.6 | 7.5 |
| 荃灣 Tsuen Wan | 4.7 | 5.1 | 4.5 | 4.0 | 3.9 | 3.3 | 3.7 | 3.3 | 3.5 | 3.4 |
| 屯門 Tuen Mun | 8.0 | 8.0 | 8.5 | 8.3 | 7.8 | 7.8 | 7.8 | 8.1 | 7.5 | 7.3 |
| 元朗 Yuen Long | 7.4 | 8.0 | 7.6 | 7.3 | 9.2 | 9.1 | 9.8 | 10.5 | 10.2 | 10.2 |
| 北區 North | 4.7 | 4.9 | 5.4 | 5.1 | 5.3 | 6.0 | 6.1 | 5.6 | 6.0 | 5.5 |
| 大埔 Tai Po | 3.7 | 3.8 | 4.1 | 4.6 | 3.6 | 4.1 | 5.1 | 5.2 | 4.8 | 4.3 |
| 沙田 Sha Tin | 5.4 | 5.2 | 5.6 | 6.2 | 6.0 | 5.4 | 6.1 | 6.1 | 5.6 | 5.8 |
| 西貢 Sai Kung | 3.0 | 2.8 | 2.4 | 2.7 | 2.8 | 2.9 | 3.1 | 3.1 | 3.0 | 2.9 |
| 離島 Islands | 1.5 | 1.9 | 1.9 | 1.9 | 2.7 | 2.5 | 2.8 | 2.5 | 3.0 | 2.6 |
| 總計 Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

表 1o 按屋宇單位類型劃分的2003至2012年被呈報吸毒者
Table 1o Reported drug abusers for 2003-2012 by type of quarters

| | % | | | | | | | | | |
|-------------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 屋宇單位類型 Type of quarters | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
| 公營租住單位 Public rental flats | 53.1 | 53.0 | 56.6 | 57.7 | 58.1 | 57.6 | 58.4 | 58.9 | 57.6 | 57.8 |
| 資助出售單位 subsidized sale flats | 3.5 | 3.5 | 2.7 | 2.8 | 2.9 | 2.9 | 2.8 | 2.8 | 2.6 | 2.3 |
| 私人住宇單位 Private residential flats | 36.6 | 36.8 | 38.5 | 37.6 | 37.3 | 38.1 | 37.0 | 36.5 | 37.9 | 38.1 |
| 其他房屋 Others | 6.7 | 6.7 | 2.2 | 1.8 | 1.7 | 1.3 | 1.8 | 1.7 | 1.9 | 1.8 |
| 總計 <i>Total</i> | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

表 1p 按年齡組別及曾否有犯罪紀錄劃分的2003至2012年被呈報吸毒者
Table 1p Reported drug abusers for 2003-2012 by age group by whether previously convicted

| | % | | | | | | | | | |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| 年齡組別 / 曾否有犯罪紀錄 Age group / whether previously convicted | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
| 21歲以下 Aged under 21 | | | | | | | | | | |
| 曾有犯罪紀錄 Previously convicted | 38.1 | 40.6 | 38.7 | 39.4 | 41.4 | 40.0 | 42.9 | 49.6 | 46.3 | 48.8 |
| 只與毒品有關 only drug-related offences | 8.0 | 11.3 | 8.1 | 8.3 | 9.4 | 11.5 | 16.9 | 20.6 | 18.2 | 18.7 |
| 只有其他罪行 only other offences | 16.2 | 16.8 | 23.9 | 27.0 | 27.5 | 23.5 | 20.5 | 20.3 | 18.5 | 21.7 |
| 與毒品有關和其他罪行 both drug-related and other offences | 13.2 | 11.9 | 5.1 | 3.1 | 4.0 | 4.5 | 4.9 | 7.6 | 8.4 | 7.5 |
| 罪行不詳 offences unknown | 0.7 | 0.7 | 1.6 | 1.0 | 0.6 | 0.6 | 0.7 | 1.1 | 1.1 | 0.9 |
| 未曾有犯罪紀錄 Not previously convicted | 61.9 | 59.4 | 61.3 | 60.6 | 58.6 | 60.0 | 57.1 | 50.4 | 53.7 | 51.2 |
| 小計 Sub-total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 21歲及以上 Aged 21 & over | | | | | | | | | | |
| 曾有犯罪紀錄 Previously convicted | 81.2 | 84.8 | 86.7 | 86.3 | 85.1 | 83.5 | 82.5 | 82.2 | 79.8 | 79.0 |
| 只與毒品有關 only drug-related offences | 18.1 | 21.5 | 29.3 | 36.4 | 33.8 | 19.8 | 29.6 | 38.0 | 37.1 | 36.5 |
| 只有其他罪行 only other offences | 6.3 | 6.7 | 8.7 | 10.8 | 11.4 | 11.8 | 8.3 | 8.9 | 8.6 | 8.2 |
| 與毒品有關和其他罪行 both drug-related and other offences | 56.6 | 56.4 | 48.4 | 39.0 | 39.8 | 50.9 | 44.2 | 34.9 | 33.7 | 34.0 |
| 罪行不詳 offences unknown | 0.2 | 0.2 | 0.4 | 0.1 | 0.2 | 1.0 | 0.3 | 0.3 | 0.4 | 0.4 |
| 未曾有犯罪紀錄 Not previously convicted | 18.8 | 15.2 | 13.3 | 13.7 | 14.9 | 16.5 | 17.5 | 17.8 | 20.2 | 21.0 |
| 小計 Sub-total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 所有年齡 All ages | | | | | | | | | | |
| 曾有犯罪紀錄 Previously convicted | 75.6 | 78.7 | 79.6 | 77.6 | 75.7 | 73.2 | 73.3 | 75.1 | 74.2 | 74.8 |
| 只與毒品有關 only drug-related offences | 16.8 | 20.1 | 26.1 | 31.2 | 28.5 | 17.8 | 26.6 | 34.3 | 33.9 | 34.0 |
| 只有其他罪行 only other offences | 7.6 | 8.1 | 10.9 | 13.8 | 14.9 | 14.6 | 11.1 | 11.3 | 10.3 | 10.1 |
| 與毒品有關和其他罪行 both drug-related and other offences | 50.9 | 50.3 | 42.0 | 32.4 | 32.1 | 39.9 | 35.1 | 29.0 | 29.5 | 30.3 |
| 罪行不詳 offences unknown | 0.3 | 0.3 | 0.6 | 0.3 | 0.2 | 0.9 | 0.4 | 0.5 | 0.5 | 0.4 |
| 未曾有犯罪紀錄 Not previously convicted | 24.4 | 21.3 | 20.4 | 22.4 | 24.3 | 26.8 | 26.7 | 24.9 | 25.8 | 25.2 |
| 總計 Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

表 2a 按性別及年齡劃分的2012年首次/曾被呈報吸毒者
Table 2a Newly/previously reported drug abusers in 2012 by sex by age

| 性別 / 年齡 Sex / age | 首次被呈報者 Newly reported persons | | 曾被呈報者 Previously reported persons | |
|------------------------|----------------------------------|--------------|--------------------------------------|--------------|
| | 人數 No. | %* | 人數 No. | %* |
| 男 Male | | | | |
| < 12 | | - | - | - |
| 12 - 15 | 98 | 3.4 | 9 | 0.1 |
| 16 - 17 | 232 | 8.1 | 83 | 1.0 |
| 18 - 20 | 355 | 12.5 | 343 | 4.2 |
| < 21 小計 Sub-total | 685 | 24.0 | 435 | 5.4 |
| 21 - 30 | 748 | 26.3 | 1 296 | 16.0 |
| 31 - 40 | 419 | 14.7 | 1 879 | 23.2 |
| 41 - 50 | 147 | 5.2 | 1 422 | 17.6 |
| ≥ 51 | 35 | 1.2 | 1 841 | 22.8 |
| ≥ 21 小計 Sub-total | 1 349 | 47.3 | 6 438 | 79.6 |
| 小計 Sub-total | 2 034 | 71.4 | 6 873 | 85.0 |
| 平均年齡 Mean age | | 27 | | 41 |
| 女 Female | | | | |
| < 12 | | - | - | - |
| 12 - 15 | 83 | 2.9 | 10 | 0.1 |
| 16 - 17 | 109 | 3.8 | 50 | 0.6 |
| 18 - 20 | 116 | 4.1 | 103 | 1.3 |
| < 21 小計 Sub-total | 308 | 10.8 | 163 | 2.0 |
| 21 - 30 | 336 | 11.8 | 333 | 4.1 |
| 31 - 40 | 118 | 4.1 | 442 | 5.5 |
| 41 - 50 | 39 | 1.4 | 177 | 2.2 |
| ≥ 51 | 14 | 0.5 | 102 | 1.3 |
| ≥ 21 小計 Sub-total | 507 | 17.8 | 1 054 | 13.0 |
| 小計 Sub-total | 815 | 28.6 | 1 217 | 15.0 |
| 平均年齡 Mean age | | 25 | | 33 |
| 男女合計 Both sexes | | | | |
| < 12 | | - | - | - |
| 12 - 15 | 181 | 6.4 | 19 | 0.2 |
| 16 - 17 | 341 | 12.0 | 133 | 1.6 |
| 18 - 20 | 471 | 16.5 | 446 | 5.5 |
| < 21 小計 Sub-total | 993 | 34.9 | 598 | 7.4 |
| 21 - 30 | 1 084 | 38.0 | 1 629 | 20.1 |
| 31 - 40 | 537 | 18.8 | 2 321 | 28.7 |
| 41 - 50 | 186 | 6.5 | 1 599 | 19.8 |
| ≥ 51 | 49 | 1.7 | 1 943 | 24.0 |
| ≥ 21 小計 Sub-total | 1 856 | 65.1 | 7 492 | 92.6 |
| 總計 Total | 2 849 | 100.0 | 8 090 | 100.0 |
| 平均年齡 Mean age | | 26 | | 40 |

註釋：* 佔在相關首次/曾被呈報組別內所有被呈報吸毒者的百分比。

Note: As a percentage of all reported drug abusers in the respective newly/previously reported groups.

表 2b 按年齡組別及吸食毒品種類劃分的2012年首次/曾被呈報吸毒者
Table 2b Newly/previously reported drug abusers in 2012 by age group by type of drugs abused

| 年齡組別 / 吸食毒品種類 Age group / type of drugs abused | 首次被呈報者 <u>Newly reported persons</u> | | 曾被呈報者 <u>Previously reported persons</u> | |
|--|---|------|---|------|
| | 人數 No. | %* | 人數 No. | %* |
| 21歲以下 Aged under 21 | | | | |
| 海洛英 Heroin | 54 | 5.6 | 22 | 3.7 |
| 危害精神毒品 Psychotropic substances | 925 | 95.8 | 583 | 97.8 |
| 氯胺酮 Ketamine | 542 | 56.1 | 410 | 68.8 |
| 三唑侖 / 咪達唑侖 / 佐匹克隆 Triazolam / Midazolam / Zopiclone | 10 | 1.0 | 11 | 1.8 |
| 安非他明 Amphetamines | 309 | 32.0 | 180 | 30.2 |
| 亞甲二氧基甲基安非他明 MDMA | 11 | 1.1 | 17 | 2.9 |
| 甲基安非他明 Methamphetamine | 300 | 31.1 | 171 | 28.7 |
| 咳藥 Cough medicine | 33 | 3.4 | 29 | 4.9 |
| 大麻 Cannabis | 98 | 10.1 | 38 | 6.4 |
| 可卡因 Cocaine | 225 | 23.3 | 141 | 23.7 |
| 硝甲西洋 Nimetazepam | 19 | 2.0 | 19 | 3.2 |
| 有機溶劑 Organic solvents | - | - | - | - |
| 小計 Sub-total | 966 | | 596 | |

表 2b [續]

按年齡組別及吸食毒品種類劃分的2012年首次/曾被呈報
吸毒者Table 2b (Cont'd) Newly/previously reported drug abusers in 2012 by age group
by type of drugs abused

| 年齡組別 / 吸食毒品種類 Age group / type of drugs abused | 首次被呈報者 Newly reported persons | | 曾被呈報者 Previously reported persons | |
|--|----------------------------------|------|--------------------------------------|------|
| | 人數 No. | %* | 人數 No. | %* |
| 21歲及以上 Aged 21 & over | | | | |
| 海洛英 Heroin | 404 | 21.8 | 5 349 | 71.5 |
| 危害精神毒品 Psychotropic substances | 1 482 | 80.1 | 3 492 | 46.7 |
| 氯胺酮 Ketamine | 885 | 47.8 | 1 355 | 18.1 |
| 三唑侖 / 咪達唑侖 / 佐匹克隆 Triazolam / Midazolam / Zopiclone | 83 | 4.5 | 1 146 | 15.3 |
| 安非他明 Amphetamines | 303 | 16.4 | 904 | 12.1 |
| 亞甲二氧基甲基安非他明 MDMA | 9 | 0.5 | 22 | 0.3 |
| 甲基安非他明 Methamphetamine | 296 | 16.0 | 889 | 11.9 |
| 咳藥 Cough medicine | 135 | 7.3 | 274 | 3.7 |
| 大麻 Cannabis | 72 | 3.9 | 127 | 1.7 |
| 可卡因 Cocaine | 153 | 8.3 | 290 | 3.9 |
| 硝甲西洋 Nimetazepam | 18 | 1.0 | 28 | 0.4 |
| 有機溶劑 Organic solvents | - | - | @ | @ |
| 小計 Sub-total | 1 851 | | 7 484 | |

表 2b [續]

按年齡組別及吸食毒品種類劃分的2012年首次/曾被呈報
吸毒者Table 2b (Cont'd) Newly/previously reported drug abusers in 2012 by age group
by type of drugs abused

| 年齡組別 / 吸食毒品種類 Age group / type of drugs abused | 首次被呈報者 Newly reported persons | | 曾被呈報者 Previously reported persons | |
|--|----------------------------------|------|--------------------------------------|------|
| | 人數 No. | %* | 人數 No. | %* |
| 所有年齡 All ages | | | | |
| 海洛英 Heroin | 458 | 16.3 | 5 371 | 66.5 |
| 危害精神毒品 Psychotropic substances | 2 407 | 85.4 | 4 075 | 50.4 |
| 氯胺酮 Ketamine | 1 427 | 50.7 | 1 765 | 21.8 |
| 三唑侖 / 咪達唑侖 / 佐匹克隆 Triazolam / Midazolam / Zopiclone | 93 | 3.3 | 1 157 | 14.3 |
| 安非他明 Amphetamines | 612 | 21.7 | 1 084 | 13.4 |
| 亞甲二氧基甲基安非他明 MDMA | 20 | 0.7 | 39 | 0.5 |
| 甲基安非他明 Methamphetamine | 596 | 21.2 | 1 060 | 13.1 |
| 咳藥 Cough medicine | 168 | 6.0 | 303 | 3.8 |
| 大麻 Cannabis | 170 | 6.0 | 165 | 2.0 |
| 可卡因 Cocaine | 378 | 13.4 | 431 | 5.3 |
| 硝甲西洋 Nimetazepam | 37 | 1.3 | 47 | 0.6 |
| 有機溶劑 Organic solvents | - | - | @ | @ |
| 總計 Total | 2 817 | | 8 080 | |

註釋： 個別被呈報吸毒者在某年內可被呈報吸食多於一種毒品種類。

Notes: More than one type of drugs abused may be reported for each individual reported drug abuser in a given year.

* 佔在相關年齡及首次/曾被呈報組別內所有被呈報吸毒者的百分比。

As a proportion of reported drug abusers in the respective age and newly/previously reported groups.

表 2c 按現時吸食毒品原因劃分的2012年首次/曾被呈報吸毒者
Table 2c Newly/previously reported drug abusers in 2012 by reason for current drug use

| 現時吸食毒品原因 Reason for current drug use | 首次被呈報者 Newly reported persons | | 曾被呈報者 Previously reported persons | |
|--|----------------------------------|------|--------------------------------------|------|
| | 人數 No. | %* | 人數 No. | %* |
| 避免因沒有吸食毒品而感到不適 To avoid discomfort of its absence | 807 | 29.6 | 3 614 | 45.8 |
| 受到同輩朋友影響 / 想和同輩朋友打成一片 Peer influence/To identify with peers | 1 255 | 46.0 | 3 800 | 48.2 |
| 解悶 / 情緒低落 / 壓力 Relief of boredom/depression/stress | 1 285 | 47.1 | 3 962 | 50.2 |
| 出於好奇 Curiosity | 744 | 27.3 | 1 744 | 22.1 |
| 尋求快感或官能上的滿足 To seek euphoria or sensory satisfaction | 568 | 20.8 | 1 843 | 23.4 |
| 總計 Total | 2 730 | | 7 885 | |

註釋： 個別被呈報吸毒者在某年內可被呈報多於一種現時吸毒原因。

Notes : More than one reason for current drug use may be reported for each individual reported drug abuser in a given year.

* 佔在相關首次/曾被呈報組別內所有被呈報吸毒者的百分比。

As a percentage of all reported drug abusers in the respective newly/previously reported groups.

表 2d 按首次吸食毒品年齡劃分的2012年首次/曾被呈報吸毒者
Table 2d Newly/previously reported drug abusers in 2012 by age of first abuse

| 首次吸食毒品年齡 Age of first abuse | 首次被呈報者 Newly reported persons | | 曾被呈報者 Previously reported persons | |
|---------------------------------------|----------------------------------|--------------|--------------------------------------|--------------|
| | 人數 No. | % | 人數 No. | % |
| < 12 | 15 | 0.6 | 290 | 3.7 |
| 12 - 15 | 651 | 26.8 | 3 151 | 39.8 |
| 16 - 17 | 446 | 18.4 | 1 499 | 19.0 |
| 18 - 20 | 466 | 19.2 | 1 805 | 22.8 |
| 21 - 25 | 340 | 14.0 | 685 | 8.7 |
| 26 - 30 | 250 | 10.3 | 304 | 3.8 |
| ≥ 31 | 257 | 10.6 | 176 | 2.2 |
| 總計 Total | 2 425 | 100.0 | 7 910 | 100.0 |
| 首次吸食毒品平均年齡 Mean age of first abuse | | 21 | | 17 |

表 2e 按經濟活動狀況劃分的2012年首次/曾被呈報吸毒者
Table 2e Newly/previously reported drug abusers in 2012 by economic activity status

| 經濟活動狀況 Economic activity status | 首次被呈報者 <u>Newly reported persons</u> | | 曾被呈報者 <u>Previously reported persons</u> | |
|--|---|--------------|---|--------------|
| | 人數 No. | % | 人數 No. | % |
| 全職工作人士 Full-time worker | 1 077 | 39.2 | 2 493 | 31.2 |
| 散工 / 兼職工作人士 Casual/Part-time worker | 361 | 13.1 | 978 | 12.3 |
| 失業人士 Unemployed | 949 | 34.5 | 3 973 | 49.8 |
| 料理家務人士 Home-maker | 63 | 2.3 | 109 | 1.4 |
| 學生 Student | 248 | 9.0 | 87 | 1.1 |
| 退休人士 Retired person | @ | @ | 283 | 3.5 |
| 其他 Others | 46 | 1.7 | 57 | 0.7 |
| 總計 Total | 2 748 | 100.0 | 7 980 | 100.0 |

表 2f 按教育水平劃分的2012年首次/曾被呈報吸毒者
Table 2f Newly/previously reported drug abusers in 2012 by educational attainment

| 教育水平 Educational attainment | 首次被呈報者 <u>Newly reported persons</u> | | 曾被呈報者 <u>Previously reported persons</u> | |
|--|---|--------------|---|--------------|
| | 人數 No. | % | 人數 No. | % |
| 無受過教育 / 幼稚園程度 No schooling/kindergarten | @ | @ | 122 | 1.5 |
| 小學程度 Primary | 190 | 6.9 | 2 108 | 26.4 |
| 初中程度 (中一至中三) Lower secondary (Forms 1 to 3) | 1 563 | 56.7 | 4 271 | 53.4 |
| 高中程度 (中四至中七) Upper secondary (Forms 4 to 7) | 891 | 32.3 | 1 399 | 17.5 |
| 專上教育程度 Tertiary | 111 | 4.0 | 96 | 1.2 |
| 總計 Total | 2 755 | 100.0 | 7 996 | 100.0 |

表 2g 按性別、婚姻狀況及伴侶有否吸毒劃分的2012年首次/曾被呈報
吸毒者

Table 2g Newly/previously reported drug abusers in 2012 by sex by marital status
by whether partner took drugs

| 性別 / 婚姻狀況 / 伴侶有否吸毒 Sex / marital status / whether partner took drugs | 首次被呈報者 <u>Newly reported persons</u> | | 曾被呈報者 <u>Previously reported persons</u> | |
|---|---|--------------|---|--------------|
| | 人數 No. | % | 人數 No. | % |
| 男 Male | | | | |
| 未婚 Never married | 1 468 | 74.2 | 3 034 | 44.8 |
| 已婚 / 同居 Married/Cohabiting | 422 | 21.3 | 2 611 | 38.5 |
| <i>伴侶有吸毒</i> <i>Partner took drugs</i> | 36 | 12.9 | 189 | 11.7 |
| <i>伴侶沒有吸毒</i> <i>Partner did not take drugs</i> | 244 | 87.1 | 1 420 | 88.3 |
| 鰥 / 寡 Widowed | @ | @ | 57 | 0.8 |
| 離婚 / 分居 Divorced/Separated | 83 | 4.2 | 1 076 | 15.9 |
| 小計 Sub-total | 1 978 | 100.0 | 6 778 | 100.0 |
| 女 Female | | | | |
| 未婚 Never married | 533 | 70.7 | 582 | 49.0 |
| 已婚 / 同居 Married/Cohabiting | 147 | 19.5 | 386 | 32.5 |
| <i>伴侶有吸毒</i> <i>Partner took drugs</i> | 37 | 34.9 | 142 | 45.4 |
| <i>伴侶沒有吸毒</i> <i>Partner did not take drugs</i> | 69 | 65.1 | 171 | 54.6 |
| 鰥 / 寡 Widowed | 7 | 0.9 | 24 | 2.0 |
| 離婚 / 分居 Divorced/Separated | 67 | 8.9 | 195 | 16.4 |
| 小計 Sub-total | 754 | 100.0 | 1 187 | 100.0 |
| 男女合計 Both sexes | | | | |
| 未婚 Never married | 2 001 | 73.2 | 3 616 | 45.4 |
| 已婚 / 同居 Married/Cohabiting | 569 | 20.8 | 2 997 | 37.6 |
| <i>伴侶有吸毒</i> <i>Partner took drugs</i> | 73 | 18.9 | 331 | 17.2 |
| <i>伴侶沒有吸毒</i> <i>Partner did not take drugs</i> | 313 | 81.1 | 1 591 | 82.8 |
| 鰥 / 寡 Widowed | 12 | 0.4 | 81 | 1.0 |
| 離婚 / 分居 Divorced/Separated | 150 | 5.5 | 1 271 | 16.0 |
| 總計 Total | 2 732 | 100.0 | 7 965 | 100.0 |

註釋：斜體數字是指在相關性別組別中佔已婚／同居的被呈報吸毒者的百分比。

Note: Figures in italics refer to the proportions of the married/cohabiting reported drug abusers in the respective sex groups.

表 3a 按性別、年齡和常被吸食毒品種類劃分的2012年被呈報吸毒者
Table 3a Reported drug abusers in 2012 by sex by age by common type of drugs abused

| 性別 / 年齡 Sex / age | 海洛英 <u>Heroin</u> | | 氯胺酮 <u>Ketamine</u> | | 甲基安非他明 <u>Methamphetamine</u> | | 三唑侖/ 咪達唑侖/ 佐匹克隆 <u>Triazolam/ midazolam/ zopiclone</u> | | 可卡因 <u>Cocaine</u> | | 咳藥 <u>Cough medicine</u> | | 大麻 <u>Cannabis</u> | | 亞甲二氧基 甲基安非他明 <u>MDMA</u> | | 硝甲西泮 <u>Nimetazepam</u> | |
|------------------------|----------------------|--------------|------------------------|--------------|----------------------------------|--------------|---|--------------|-----------------------|--------------|---------------------------------|--------------|-----------------------|--------------|--------------------------------|--------------|----------------------------|--------------|
| | 人數 No. | % | 人數 No. | % | 人數 No. | % | 人數 No. | % | 人數 No. | % | 人數 No. | % | 人數 No. | % | 人數 No. | % | 人數 No. | % |
| 男 Male | | | | | | | | | | | | | | | | | | |
| < 16 | @ | @ | 76 | 2.4 | 21 | 1.3 | - | - | 25 | 3.1 | 7 | 1.5 | 18 | 5.4 | - | - | @ | @ |
| 16 - 20 | 66 | 1.1 | 609 | 19.1 | 264 | 15.9 | 10 | 0.8 | 277 | 34.2 | 52 | 11.0 | 96 | 28.7 | 25 | 29.8 | 17 | 28.8 |
| 21 - 30 | 304 | 5.2 | 1 315 | 41.2 | 313 | 18.9 | 55 | 4.4 | 259 | 32.0 | 138 | 29.3 | 85 | 25.4 | 21 | 25.0 | 19 | 32.2 |
| ≥ 31 | 4 744 | 81.4 | 369 | 11.6 | 599 | 36.2 | 978 | 78.2 | 100 | 12.4 | 238 | 50.5 | 101 | 30.1 | 13 | 15.5 | @ | @ |
| 小計 Sub-total | 5 116 | 87.8 | 2 369 | 74.2 | 1 197 | 72.3 | 1 043 | 83.4 | 661 | 81.7 | 435 | 92.4 | 300 | 89.6 | 59 | 70.2 | 42 | 71.2 |
| 女 Female | | | | | | | | | | | | | | | | | | |
| < 16 | - | - | 57 | 1.8 | 38 | 2.3 | @ | @ | 9 | 1.1 | @ | @ | 7 | 2.1 | @ | @ | - | - |
| 16 - 20 | 8 | 0.1 | 210 | 6.6 | 148 | 8.9 | 9 | 0.7 | 55 | 6.8 | @ | @ | 15 | 4.5 | 11 | 13.1 | 10 | 16.9 |
| 21 - 30 | 61 | 1.0 | 480 | 15.0 | 124 | 7.5 | 21 | 1.7 | 57 | 7.0 | 15 | 3.2 | 6 | 1.8 | 7 | 8.3 | 6 | 10.2 |
| ≥ 31 | 644 | 11.0 | 76 | 2.4 | 149 | 9.0 | 175 | 14.0 | 27 | 3.3 | 18 | 3.8 | 7 | 2.1 | @ | @ | @ | @ |
| 小計 Sub-total | 713 | 12.2 | 823 | 25.8 | 459 | 27.7 | 207 | 16.6 | 148 | 18.3 | 36 | 7.6 | 35 | 10.4 | 25 | 29.8 | 17 | 28.8 |
| 男女合計 Both sexes | | | | | | | | | | | | | | | | | | |
| < 16 | @ | @ | 133 | 4.2 | 59 | 3.6 | @ | @ | 34 | 4.2 | 8 | 1.7 | 25 | 7.5 | @ | @ | @ | @ |
| 16 - 20 | 74 | 1.3 | 819 | 25.7 | 412 | 24.9 | 19 | 1.5 | 332 | 41.0 | 54 | 11.5 | 111 | 33.1 | 36 | 42.9 | 27 | 45.8 |
| 21 - 30 | 365 | 6.3 | 1 795 | 56.2 | 437 | 26.4 | 76 | 6.1 | 316 | 39.1 | 153 | 32.5 | 91 | 27.2 | 28 | 33.3 | 25 | 42.4 |
| ≥ 31 | 5 388 | 92.4 | 445 | 13.9 | 748 | 45.2 | 1 153 | 92.2 | 127 | 15.7 | 256 | 54.4 | 108 | 32.2 | 18 | 21.4 | 6 | 10.2 |
| 總計 Total | 5 829 | 100.0 | 3 192 | 100.0 | 1 656 | 100.0 | 1 250 | 100.0 | 809 | 100.0 | 471 | 100.0 | 335 | 100.0 | 84 | 100.0 | 59 | 100.0 |
| 平均年齡 Mean age | 45 | | 24 | | 30 | | 42 | | 24 | | 31 | | 26 | | 25 | | 23 | |

註釋： 個別被呈報吸毒者在某年內可被呈報吸食多於一種毒品種類。

Note: More than one type of drugs abused may be reported for each individual reported drug abuser in a given year.

表 3b 按居住地區及常被吸食毒品種類劃分的2012年被呈報吸毒者
Table 3b Reported drug abusers in 2012 by district of residence by common type of drugs abused

| 居住地區 District of residence | 海洛英 Heroin | | 氯胺酮 Ketamine | | 甲基安非他明 Methamphetamine | | 三唑侖/ 咪達唑侖/ 佐匹克隆 Triazolam/ midazolam/ zopiclone | | 可卡因 Cocaine | | 咳藥 Cough medicine | | 大麻 Cannabis | | 亞甲二氧基 甲基安非他明 MDMA | | 硝甲西泮 Nimetazepam | |
|-------------------------------|---------------|--------------|-----------------|--------------|---------------------------|--------------|--|--------------|----------------|--------------|-------------------------|--------------|----------------|--------------|-------------------------|--------------|---------------------|--------------|
| | 人數 No. | % | 人數 No. | % | 人數 No. | % | 人數 No. | % | 人數 No. | % | 人數 No. | % | 人數 No. | % | 人數 No. | % | 人數 No. | % |
| 中西區 Central & Western | 113 | 2.0 | 29 | 0.9 | 32 | 2.0 | 27 | 2.2 | @ | @ | 13 | 2.8 | 8 | 2.4 | @ | @ | @ | @ |
| 灣仔 Wan Chai | 103 | 1.9 | 15 | 0.5 | 17 | 1.1 | 22 | 1.8 | @ | @ | 9 | 1.9 | @ | @ | @ | @ | - | - |
| 東區 Eastern | 249 | 4.5 | 115 | 3.6 | 61 | 3.8 | 85 | 6.9 | 33 | 4.1 | 32 | 6.9 | 18 | 5.5 | 6 | 7.2 | 6 | 10.3 |
| 南區 Southern | 93 | 1.7 | 153 | 4.8 | 89 | 5.5 | 36 | 2.9 | 15 | 1.9 | 17 | 3.7 | 25 | 7.6 | 7 | 8.4 | @ | @ |
| 油尖旺 Yau Tsim Mong | 729 | 13.1 | 114 | 3.6 | 138 | 8.6 | 97 | 7.9 | 34 | 4.2 | 34 | 7.3 | 38 | 11.6 | @ | @ | @ | @ |
| 深水埗 Sham Shui Po | 822 | 14.8 | 235 | 7.4 | 129 | 8.0 | 161 | 13.1 | 68 | 8.4 | 22 | 4.8 | 12 | 3.6 | 6 | 7.2 | @ | @ |
| 九龍城 Kowloon City | 224 | 4.0 | 92 | 2.9 | 61 | 3.8 | 39 | 3.2 | 32 | 4.0 | 18 | 3.9 | 15 | 4.6 | @ | @ | - | - |
| 黃大仙 Wong Tai Sin | 366 | 6.6 | 179 | 5.7 | 102 | 6.3 | 74 | 6.0 | 47 | 5.8 | 14 | 3.0 | 16 | 4.9 | @ | @ | @ | @ |
| 觀塘 Kwun Tong | 595 | 10.7 | 253 | 8.0 | 155 | 9.6 | 146 | 11.9 | 64 | 8.0 | 37 | 8.0 | 35 | 10.6 | 6 | 7.2 | @ | @ |
| 葵青 Kwai Tsing | 379 | 6.8 | 293 | 9.3 | 114 | 7.1 | 86 | 7.0 | 69 | 8.6 | 17 | 3.7 | 13 | 4.0 | 6 | 7.2 | 8 | 13.8 |
| 荃灣 Tsuen Wan | 209 | 3.8 | 81 | 2.6 | 54 | 3.3 | 46 | 3.7 | 29 | 3.6 | 14 | 3.0 | 8 | 2.4 | @ | @ | @ | @ |
| 屯門 Tuen Mun | 394 | 7.1 | 230 | 7.3 | 159 | 9.9 | 75 | 6.1 | 49 | 6.1 | 33 | 7.1 | 24 | 7.3 | @ | @ | 6 | 10.3 |
| 元朗 Yuen Long | 430 | 7.7 | 444 | 14.1 | 148 | 9.2 | 76 | 6.2 | 157 | 19.5 | 46 | 9.9 | 30 | 9.1 | 9 | 10.8 | @ | @ |
| 北區 North | 161 | 2.9 | 292 | 9.2 | 120 | 7.4 | 50 | 4.1 | 60 | 7.5 | 9 | 1.9 | 27 | 8.2 | @ | @ | 8 | 13.8 |
| 大埔 Tai Po | 196 | 3.5 | 152 | 4.8 | 77 | 4.8 | 74 | 6.0 | 25 | 3.1 | 59 | 12.7 | 12 | 3.6 | 7 | 8.4 | - | - |
| 沙田 Sha Tin | 295 | 5.3 | 211 | 6.7 | 72 | 4.5 | 81 | 6.6 | 69 | 8.6 | 31 | 6.7 | 21 | 6.4 | @ | @ | @ | @ |
| 西貢 Sai Kung | 133 | 2.4 | 111 | 3.5 | 51 | 3.2 | 33 | 2.7 | 34 | 4.2 | 9 | 1.9 | 9 | 2.7 | @ | @ | @ | @ |
| 離島 Islands | 73 | 1.3 | 158 | 5.0 | 34 | 2.1 | 19 | 1.5 | 11 | 1.4 | 49 | 10.6 | 14 | 4.3 | @ | @ | @ | @ |
| 總計 Total | 5 564 | 100.0 | 3 157 | 100.0 | 1 613 | 100.0 | 1 227 | 100.0 | 805 | 100.0 | 463 | 100.0 | 329 | 100.0 | 83 | 100.0 | 58 | 100.0 |

註釋： 個別被呈報吸毒者在某年內可被呈報吸食多於一種毒品種類。

Note: More than one type of drugs abused may be reported for each individual reported drug abuser in a given year.

表 3c
Table 3c

按首次吸食毒品年齡及常被吸食毒品種類劃分的2012年被呈報吸毒者
Reported drug abusers in 2012 by age of first abuse by common type of drugs abused

| 首次吸食毒品年齡 Age of first abuse | 海洛英 Heroin | | 氯胺酮 Ketamine | | 甲基安非他明 Methamphetamine | | 三唑侖/ 咪達唑侖/ 佐匹克隆 Triazolam/ midazolam/ zopiclone | | 可卡因 Cocaine | | 咳藥 Cough medicine | | 大麻 Cannabis | | 亞甲二氧基 甲基安非他明 MDMA | | 硝甲西泮 Nimetazepam | |
|---|---------------|--------------|-----------------|--------------|---------------------------|--------------|--|--------------|----------------|--------------|-------------------------|--------------|----------------|--------------|-------------------------|--------------|---------------------|--------------|
| | 人數 No. | % | 人數 No. | % | 人數 No. | % | 人數 No. | % | 人數 No. | % | 人數 No. | % | 人數 No. | % | 人數 No. | % | 人數 No. | % |
| < 12 | 190 | 3.3 | 27 | 1.0 | 10 | 0.7 | @ | @ | @ | @ | @ | @ | @ | @ | @ | @ | - | - |
| 12 - 15 | 1 759 | 30.4 | 1 098 | 39.2 | 352 | 23.9 | 137 | 11.4 | 162 | 23.0 | 130 | 30.0 | 102 | 38.5 | 15 | 21.1 | 22 | 53.7 |
| 16 - 17 | 1 020 | 17.6 | 596 | 21.3 | 236 | 16.0 | 98 | 8.1 | 189 | 26.8 | 84 | 19.4 | 59 | 22.3 | 16 | 22.5 | 9 | 22.0 |
| 18 - 20 | 1 531 | 26.4 | 571 | 20.4 | 311 | 21.1 | 258 | 21.4 | 155 | 22.0 | 100 | 23.1 | 51 | 19.2 | 16 | 22.5 | 6 | 14.6 |
| 21 - 25 | 662 | 11.4 | 301 | 10.8 | 195 | 13.2 | 207 | 17.2 | 102 | 14.5 | 47 | 10.9 | 30 | 11.3 | 10 | 14.1 | @ | @ |
| 26 - 30 | 353 | 6.1 | 132 | 4.7 | 140 | 9.5 | 164 | 13.6 | 45 | 6.4 | 44 | 10.2 | 7 | 2.6 | 6 | 8.5 | @ | @ |
| ≥ 31 | 275 | 4.7 | 75 | 2.7 | 230 | 15.6 | 335 | 27.8 | 50 | 7.1 | 23 | 5.3 | 14 | 5.3 | 7 | 9.9 | @ | @ |
| 總計 Total | 5 790 | 100.0 | 2 800 | 100.0 | 1 474 | 100.0 | 1 203 | 100.0 | 705 | 100.0 | 433 | 100.0 | 265 | 100.0 | 71 | 100.0 | 41 | 100.0 |
| 首次吸食相關個 別毒品平均年齡 Mean age of first abusing the respective type of drugs | 19 | | 18 | | 22 | | 26 | | 20 | | 19 | | 18 | | 20 | | 17 | |

註釋： 個別被呈報吸毒者在某年內可被呈報吸食多於一種毒品種類。

Note: More than one type of drugs abused may be reported for each individual reported drug abuser in a given year.

表 3d
Table 3d

按吸食毒品方法及常被吸食毒品種類劃分的2012年被呈報吸毒者
Reported drug abusers in 2012 by method of taking drugs by common type of drugs abused

| 吸食毒品方法 Method of taking drugs | 海洛英 Heroin | | 氯胺酮 Ketamine | | 甲基安 非他明 Methamp- hetamine | | 三唑侖/ 咪達唑侖/ 佐匹克隆 Triazolam/ zopiclone | | 可卡因 Cocaine | | 咳藥 Cough medicine | | 大麻 Cannabis | | 亞甲二氧基 甲基安 非他明 MDMA | | 硝甲西泮 Nimetazepam | |
|-------------------------------------|---------------|--------------|-----------------|--------------|------------------------------------|--------------|--|--------------|----------------|--------------|-------------------------|--------------|----------------|--------------|-----------------------------|--------------|---------------------|--------------|
| | 人數 No. | % | 人數 No. | % | 人數 No. | % | 人數 No. | % | 人數 No. | % | 人數 No. | % | 人數 No. | % | 人數 No. | % | 人數 No. | % |
| 注射 Injection | 2 401 | 41.8 | @ | @ | @ | @ | 656 | 52.9 | 8 | 1.0 | - | - | @ | @ | @ | @ | - | - |
| 吸入煙霧 Fume inhaling | 3 365 | 58.6 | 58 | 1.8 | 1 244 | 77.4 | 184 | 14.9 | 203 | 26.2 | @ | @ | 44 | 13.5 | - | - | @ | @ |
| 以香煙或煙管吸食 Smoking | 1 144 | 19.9 | 88 | 2.8 | 196 | 12.2 | 7 | 0.6 | 451 | 58.3 | - | - | 263 | 80.9 | @ | @ | @ | @ |
| 鼻吸 Sniffing | 102 | 1.8 | 3 028 | 96.0 | 179 | 11.1 | 31 | 2.5 | 129 | 16.7 | @ | @ | 14 | 4.3 | @ | @ | @ | @ |
| 口服 Oral ingestion | 50 | 0.9 | 66 | 2.1 | 93 | 5.8 | 466 | 37.6 | 21 | 2.7 | 464 | 98.9 | 12 | 3.7 | 74 | 93.7 | 43 | 87.8 |
| 總計 Total | 5 740 | 100.0 | 3 154 | 100.0 | 1 607 | 100.0 | 1 239 | 100.0 | 774 | 100.0 | 469 | 100.0 | 325 | 100.0 | 79 | 100.0 | 49 | 100.0 |

註釋： 個別被呈報吸毒者在某年內可被呈報吸食多於一種毒品種類。

Note: More than one type of drugs abused may be reported for each individual reported drug abuser in a given year.

表 3e 按經濟活動狀況及常被吸食毒品種類劃分的2012年被呈報吸毒者
Table 3e Reported drug abusers in 2012 by economic activity status by common type of drugs abused

| 經濟活動狀況 Economic activity status | 海洛英 Heroin | | 氯胺酮 Ketamine | | 甲基安非他明 Methamphetamine | | 三唑侖/ 咪達唑侖/ 佐匹克隆 Triazolam/ midazolam/ zopiclone | | 可卡因 Cocaine | | 咳藥 Cough medicine | | 大麻 Cannabis | | 亞甲二氧基 甲基安非他明 MDMA | | 硝甲西泮 Nimetazepam | |
|---|---------------|--------------|-----------------|--------------|---------------------------|--------------|--|--------------|----------------|--------------|-------------------------|--------------|----------------|--------------|-------------------------|--------------|---------------------|--------------|
| | 人數 No. | % | 人數 No. | % | 人數 No. | % | 人數 No. | % | 人數 No. | % | 人數 No. | % | 人數 No. | % | 人數 No. | % | 人數 No. | % |
| 全職工作人士 Full-time worker | 1 538 | 26.7 | 1 382 | 44.5 | 468 | 29.1 | 283 | 22.9 | 271 | 34.2 | 151 | 33.3 | 122 | 37.5 | 26 | 32.1 | 15 | 26.3 |
| 散工 / 兼職工作人士 Casual/Part-time worker | 595 | 10.3 | 466 | 15.0 | 247 | 15.4 | 133 | 10.8 | 136 | 17.2 | 101 | 22.2 | 48 | 14.8 | 20 | 24.7 | 11 | 19.3 |
| 失業人士 Unemployed | 3 236 | 56.1 | 952 | 30.7 | 766 | 47.7 | 757 | 61.2 | 269 | 34.0 | 176 | 38.8 | 106 | 32.6 | 29 | 35.8 | 23 | 40.4 |
| 料理家務人士 Home-maker | 102 | 1.8 | 31 | 1.0 | 19 | 1.2 | 33 | 2.7 | 9 | 1.1 | 7 | 1.5 | @ | @ | @ | @ | @ | @ |
| 學生 Student | @ | @ | 212 | 6.8 | 82 | 5.1 | 6 | 0.5 | 64 | 8.1 | 17 | 3.7 | 41 | 12.6 | @ | @ | @ | @ |
| 退休人士 Retired person | 281 | 4.9 | @ | @ | @ | @ | 22 | 1.8 | @ | @ | - | - | - | - | - | - | - | - |
| 其他 Others | 12 | 0.2 | 61 | 2.0 | 22 | 1.4 | @ | @ | 40 | 5.1 | @ | @ | 7 | 2.2 | @ | @ | @ | @ |
| 總計 Total | 5 767 | 100.0 | 3 105 | 100.0 | 1 606 | 100.0 | 1 236 | 100.0 | 792 | 100.0 | 454 | 100.0 | 325 | 100.0 | 81 | 100.0 | 57 | 100.0 |

註釋：個別被呈報吸毒者在某年內可被呈報吸食多於一種毒品種類。

Note: More than one type of drugs abused may be reported for each individual reported drug abuser in a given year.

表 3f 按吸食毒品地點及常被吸食毒品種類劃分的2012年被呈報吸毒者
Table 3f Reported drug abusers in 2012 by locality of abusing drugs by common type of drugs abused

| 吸食毒品地點 locality of abusing drugs | 海洛英 Heroin | | 氯胺酮 Ketamine | | 甲基安 非他明 Methamp- hetamine | | 三唑侖/ 咪達唑侖/ 佐匹克隆 Triazolam/ midazolam/ zopiclone | | 可卡因 Cocaine | | 咳藥 Cough medicine | | 大麻 Cannabis | | 亞甲二氧基 甲基安 非他明 MDMA | | 硝甲西泮 Nimetazepam | |
|---|---------------|--------------|-----------------|--------------|------------------------------------|--------------|--|--------------|----------------|--------------|-------------------------|--------------|----------------|--------------|-----------------------------|--------------|---------------------|--------------|
| | 人數 No. | % | 人數 No. | % | 人數 No. | % | 人數 No. | % | 人數 No. | % | 人數 No. | % | 人數 No. | % | 人數 No. | % | 人數 No. | % |
| 只在家 / 朋友的家 Home/Friend's home only | 3 011 | 52.4 | 1 287 | 41.7 | 958 | 59.7 | 623 | 50.3 | 290 | 37.0 | 169 | 37.6 | 123 | 38.8 | 29 | 36.3 | 10 | 18.5 |
| 在家 / 朋友的家及 其他地點 Home/Friend's home and other localities | 1 755 | 30.5 | 1 100 | 35.7 | 511 | 31.8 | 540 | 43.6 | 317 | 40.5 | 169 | 37.6 | 118 | 37.2 | 32 | 40.0 | 32 | 59.3 |
| 只在其他地點 Other localities only | 982 | 17.1 | 698 | 22.6 | 137 | 8.5 | 76 | 6.1 | 176 | 22.5 | 112 | 24.9 | 76 | 24.0 | 19 | 23.8 | 12 | 22.2 |
| <i>其他地點 Other localities</i> | | | | | | | | | | | | | | | | | | |
| 公眾地方如休憩地 方/ 公園/公廁 Public area like recreation area/ public garden/ public toilet | 2 569 | 44.7 | 966 | 31.3 | 358 | 22.3 | 562 | 45.4 | 226 | 28.9 | 130 | 28.9 | 125 | 39.4 | 21 | 26.3 | 17 | 31.5 |
| 的士高 / 卡拉OK Disco/Karaoke | 53 | 0.9 | 588 | 19.1 | 155 | 9.7 | 24 | 1.9 | 171 | 21.8 | 14 | 3.1 | 45 | 14.2 | 22 | 27.5 | 23 | 42.6 |
| 會所 / 大廈 / 酒店 / 酒吧內舉 行的派對場合 Party gathering in club house/ building/hotel/bar | 34 | 0.6 | 331 | 10.7 | 73 | 4.5 | 11 | 0.9 | 97 | 12.4 | 8 | 1.8 | 32 | 10.1 | 11 | 13.8 | @ | @ |
| 會所 / 大廈 / 酒店 / 酒吧內舉 行的非派對場合 Non-party gather-ing in club house/ building/hotel/bar | 96 | 1.7 | 332 | 10.8 | 66 | 4.1 | 20 | 1.6 | 107 | 13.7 | 27 | 6.0 | 26 | 8.2 | 10 | 12.5 | @ | @ |
| 電子遊戲機中心 Electronic game centre | 16 | 0.3 | 118 | 3.8 | 30 | 1.9 | 21 | 1.7 | 23 | 2.9 | 118 | 26.2 | 20 | 6.3 | 7 | 8.8 | 6 | 11.1 |
| 咖啡店 / 網吧 Coffee shop/Internet café | 31 | 0.5 | 241 | 7.8 | 83 | 5.2 | 10 | 0.8 | 97 | 12.4 | 20 | 4.4 | 20 | 6.3 | 15 | 18.8 | 14 | 25.9 |
| 出租屋 / 渡假屋 / 出租地方 Apartment/bungalow/rental area | 80 | 1.4 | 62 | 2.0 | 101 | 6.3 | 21 | 1.7 | 33 | 4.2 | 10 | 2.2 | 14 | 4.4 | @ | @ | @ | @ |
| 學校(包括 學校宿舍) School (include school hostel) | - | - | 8 | 0.3 | @ | @ | @ | @ | @ | @ | 0 | - | 0 | - | @ | @ | 0 | - |
| 總計 Total | 5748 | 100.0 | 3085 | 100.0 | 1606 | 100.0 | 1239 | 100.0 | 783 | 100.0 | 450 | 100.0 | 317 | 100.0 | 80 | 100.0 | 54 | 100.0 |

註釋： 個別被呈報吸毒者在某年內可被呈報吸食多於一種毒品種類及多於一個吸食毒品地點。

Note: More than one type of drugs abused and locality may be reported for each individual reported drug abuser in a given year.

表 4a 按性別及年齡劃分的2012年被呈報吸食海洛英及危害精神毒品者
Table 4a Reported heroin and psychotropic substance abusers in 2012 by sex by age

| 性別 / 年齡 Sex / age | 被呈報吸食海洛英者 <u>Reported heroin abusers</u> | | 被呈報吸食危害精神毒品者 <u>Reported psychotropic substance abusers</u> | |
|------------------------|---|--------------|--|--------------|
| | 人數 No. | % | 人數 No. | % |
| 男 Male | | | | |
| < 12 | - | - | - | - |
| 12 - 15 | @ | @ | 106 | 1.6 |
| 16 - 17 | 8 | 0.1 | 311 | 4.8 |
| 18 - 20 | 58 | 1.0 | 652 | 10.1 |
| 21 - 30 | 304 | 5.2 | 1 816 | 28.0 |
| 31 - 40 | 1 566 | 26.9 | 1 218 | 18.8 |
| 41 - 50 | 1 363 | 23.4 | 543 | 8.4 |
| ≥ 51 | 1 815 | 31.1 | 340 | 5.2 |
| 小計 Sub-total | 5 116 | 87.8 | 4 986 | 76.9 |
| 平均年齡 Mean age | | 46 | | 30 |
| 女 Female | | | | |
| < 12 | - | - | - | - |
| 12 - 15 | - | - | 88 | 1.4 |
| 16 - 17 | @ | @ | 150 | 2.3 |
| 18 - 20 | 7 | 0.1 | 201 | 3.1 |
| 21 - 30 | 61 | 1.0 | 631 | 9.7 |
| 31 - 40 | 392 | 6.7 | 282 | 4.4 |
| 41 - 50 | 163 | 2.8 | 97 | 1.5 |
| ≥ 51 | 89 | 1.5 | 47 | 0.7 |
| 小計 Sub-total | 713 | 12.2 | 1 496 | 23.1 |
| 平均年齡 Mean age | | 39 | | 27 |
| 男女合計 Both sexes | | | | |
| < 12 | - | - | - | - |
| 12 - 15 | @ | @ | 194 | 3.0 |
| 16 - 17 | 9 | 0.2 | 461 | 7.1 |
| 18 - 20 | 65 | 1.1 | 853 | 13.2 |
| 21 - 30 | 365 | 6.3 | 2 447 | 37.8 |
| 31 - 40 | 1 958 | 33.6 | 1 500 | 23.1 |
| 41 - 50 | 1 526 | 26.2 | 640 | 9.9 |
| ≥ 51 | 1 904 | 32.7 | 387 | 6.0 |
| 總計 Total | 5 829 | 100.0 | 6 482 | 100.0 |
| 平均年齡 Mean age | | 45 | | 30 |

註釋：個別被呈報吸毒者在某年內可被呈報吸食多於一種毒品種類。

Note: More than one type of drugs abused may be reported for each individual reported drug abuser in a given year.

表 4b 按居住地區劃分的2012年被呈報吸食海洛英及危害精神毒品者
Table 4b Reported heroin and psychotropic substance abusers in 2012 by district of residence

| 居住地區 District of residence | 被呈報吸食海洛英者 <u>Reported heroin abusers</u> | | 被呈報吸食危害精神毒品者 <u>Reported psychotropic substance abusers</u> | |
|-------------------------------|---|--------------|--|--------------|
| | 人數 No. | % | 人數 No. | % |
| 中西區 Central & Western | 113 | 2.0 | 94 | 1.5 |
| 灣仔 Wan Chai | 103 | 1.9 | 63 | 1.0 |
| 東區 Eastern | 249 | 4.5 | 292 | 4.6 |
| 南區 Southern | 93 | 1.7 | 276 | 4.3 |
| 油尖旺 Yau Tsim Mong | 729 | 13.1 | 395 | 6.2 |
| 深水埗 Sham Shui Po | 822 | 14.8 | 535 | 8.4 |
| 九龍城 Kowloon City | 224 | 4.0 | 227 | 3.6 |
| 黃大仙 Wong Tai Sin | 366 | 6.6 | 346 | 5.4 |
| 觀塘 Kwun Tong | 595 | 10.7 | 582 | 9.1 |
| 葵青 Kwai Tsing | 379 | 6.8 | 505 | 7.9 |
| 荃灣 Tsuen Wan | 209 | 3.8 | 196 | 3.1 |
| 屯門 Tuen Mun | 394 | 7.1 | 476 | 7.5 |
| 元朗 Yuen Long | 430 | 7.7 | 742 | 11.6 |
| 北區 North | 161 | 2.9 | 470 | 7.4 |
| 大埔 Tai Po | 196 | 3.5 | 341 | 5.4 |
| 沙田 Sha Tin | 295 | 5.3 | 400 | 6.3 |
| 西貢 Sai Kung | 133 | 2.4 | 211 | 3.3 |
| 離島 Islands | 73 | 1.3 | 222 | 3.5 |
| 總計 Total | 5 564 | 100.0 | 6 373 | 100.0 |

註釋： 個別被呈報吸毒者在某年內可被呈報吸食多於一種毒品種類。

Note: More than one type of drugs abused may be reported for each individual reported drug abuser in a given year.

表 4c 按現時吸食毒品原因劃分的2012年被呈報吸食海洛英及危害精神毒品者

Table 4c Reported heroin and psychotropic substance abusers in 2012 by reason

| 現時吸食毒品原因 Reason for current drug use | 被呈報吸食海洛英者 <u>Reported heroin abusers</u> | | 被呈報吸食危害精神毒品者 <u>Reported psychotropic substance abusers</u> | |
|--|---|------|--|------|
| | 人數 No. | %* | 人數 No. | %* |
| 避免因沒有吸食毒品而感到不適 To avoid discomfort of its absence | 2 952 | 51.8 | 2 337 | 37.0 |
| 受到同輩朋友影響 / 想和同輩朋友打成一片 Peer influence/To identify with peers | 2 859 | 50.1 | 3 006 | 47.6 |
| 解悶 / 情緒低落 / 壓力 Relief of boredom/depression/stress | 2 753 | 48.3 | 3 367 | 53.4 |
| 出於好奇 Curiosity | 921 | 16.2 | 1 935 | 30.7 |
| 尋求快感或官能上的滿足 To seek euphoria or sensory satisfaction | 1 168 | 20.5 | 1 689 | 26.8 |
| 總計 Total | 5 702 | | 6 311 | |

註釋： 個別被呈報吸毒者在某年內可被呈報多於一種現時吸食毒品原因。

Notes: More than one reason for current drug use may be reported for each individual reported drug abuser in a given year.

* 佔在相關吸食毒品種類內所有被呈報吸毒者的百分比。

As a proportion of all reported drug abusers belonging to the respective types of drugs.