

藥物濫用資料中央檔案室

第六十六號報告書

Central Registry of Drug Abuse

Sixty-sixth Report

2007-2016



中華人民共和國 香港特別行政區
保安局禁毒處
Narcotics Division, Security Bureau
Hong Kong Special Administrative Region
People's Republic of China

3145
65498
35 4123879
3879469837
1654987
2633123
72633045
6312345562
5678415677
563457897
81450780
4566403
67304415
612394698
903203165
6312024698
567112747
94
320
316549

5412
633045
3165498
354789
65498
78954
63123263

798
79
76
13
7897
2132
9818
8732

987321
923123
8156
5412
915664
34356498
64987327897854
153125623561234
12313656456456
645657931234568
213789981235649
1565465461233550
5498726330456579
141523564456579812
5678381235649873

845
363
717
89
12
54
4
9
49
12
73

藥物濫用資料中央檔案室

第六十六號報告書


Central Registry of Drug Abuse

Sixty-sixth Report

2007 - 2016

本報告書所載資料可隨意摘錄或轉載，但請註明出處，並把載有摘錄或轉載內容的刊物乙份，惠贈本檔案室為荷。

Material in this publication may be freely quoted or reprinted, but acknowledgement is requested, together with a copy of the publication containing the quotation or reprint.



背景

Background

藥物濫用資料中央檔案室的範圍

1. 這是藥物濫用資料中央檔案室(檔案室)報告書系列中的第六十六號，載列 2007 年至 2016 年間香港被呈報吸食毒品統計數字。

2. 檔案室的成立，是為了提供有關吸毒情況的統計數字，以監察吸毒趨勢和吸毒者特性的轉變。檔案室屬自願呈報系統，記錄曾與呈報機構接觸而又被這些機構呈報的吸毒者資料。呈報機構包括執法部門、戒毒治療及福利機構、專上院校、醫院和診所。基於其性質，檔案室不是計量本港在某一時間內吸毒者的確實人數，而其統計數字旨在顯示一段時間內的吸毒趨勢，以就本港最新的毒品情況提供有用的資料，並支援以實證為本的模式制訂禁毒政策和措施。

3. 在計算確實的吸毒人數方面，並沒有一個公認準確的方法，亦沒有任何一個方法本身足以全面地評估吸毒的各種問題。檔案室的被呈報吸毒數字應與其他系統所提供的定量和定性數據的資料一併應用。除檔案室外，當局亦會參考其他數據和資料，以評

Scope of the Central Registry of Drug Abuse

1. This is the sixty-sixth issue in a series of Central Registry of Drug Abuse (CRDA) Reports. It presents reported drug abuse statistics in Hong Kong for the period 2007 – 2016.

2. The CRDA is set up to provide relevant drug abuse statistics for monitoring changes in the drug abuse trends and characteristics of drug abusers. It is a voluntary reporting system recording the details of drug abusers who have come into contact with and have been reported by the reporting agencies including law enforcement agencies, treatment and welfare agencies, tertiary institutions, hospitals and clinics. By its nature, while the CRDA does not measure the exact size of the drug abusing population in Hong Kong at any particular time, statistics derived therefrom are indicators of the trends of drug abuse over time, providing useful information on the latest drug situation in Hong Kong, and supporting an evidence-based approach to the formulation of anti-drug policy and measures.

3. There is no universally accepted method to accurately measure the size of the drug abusing population. No single method by itself is sufficient to gauge all aspects of the drug abuse problem. CRDA statistics should be viewed as complementary to the quantitative and qualitative data obtained

估香港的吸毒情況，當中包括每三年進行一次的大規模學生服用藥物情況調查，個別的毒品研究項目，與毒品有關的數據如戒毒治療及復康服務機構提供的服務數字，以及與毒品有關的執法數字（如被捕人數、檢控、定罪和判刑的數字）。

4. 檔案室每年編製年內曾與呈報機構接觸的被呈報吸毒者的統計數字，以顯示吸毒的趨勢（吸毒者的定義請參閱附錄 2）。這些統計資料每季予以更新及在禁毒處的網頁 (www.nd.gov.hk/tc/drugstatistics.htm) 公布。

報告書的範圍

5. 報告書分別在五個不同章節展列多年來有關被呈報吸毒趨勢和被呈報吸毒人士特徵的分析。第 2 章旨在分析 2007 年至 2016 年十年間被呈報吸毒的主要趨勢。第 3 章載述 2016 年所有被呈報吸毒人士的主要特徵，並與 2015 年情況作比較。第 4 章就 2016 年首次被呈報及曾被呈報的吸毒人士的特徵作比較。而第 5 章則臚列及對比 2016 年各主要被呈報吸毒人士類別的統計數字。

from other sources. In addition to the CRDA, reference is also made to other sources of data and information to gauge the drug abuse situation in Hong Kong. They include the triennial large-scale surveys of drug use among students, ad hoc drug-related research studies, and relevant drug-related data such as the admission statistics of drug treatment and rehabilitation service agencies, as well as drug-related enforcement figures (e.g. on arrests, prosecutions, convictions and sentencing outcomes of drug offences).

4. Statistics on reported drug abusers who have come into contact with reporting agencies within a year are compiled annually to indicate the overall trend (for definition of drug abuser, please refer to Appendix 2). These statistics are updated and released on a quarterly basis on the Narcotics Division web page (www.nd.gov.hk/en/drugstatistics.htm).

Scope of Report

5. The Report presents the analysis of reported drug abuse trends and characteristics of reported drug abusers over the years in five separate chapters. Chapter 2 focuses on the major reported drug abuse trends for the decade from 2007 to 2016. Chapter 3 presents the major characteristics of all reported drug abusers in 2016, together with their comparison against 2015. Chapter 4 compares the characteristics of newly and previously reported drug abusers in 2016. Chapter 5 shows comparative statistics of major categories of drug abusers in 2016.

數字的進位

6. 由於進位原因，統計表及統計圖內個別項目數字的總和可能與總數略有出入。

代號

7. 統計表所採用的符號如下：

@ 為使個別人士所提供的資料得以保密，數據及其相關百分比不予公布。

* 百分比少於 0.05

- 無

n.a. 數字不詳

Rounding of Figures

6. There may be slight discrepancies between the sums of individual items and the totals as shown in the tables and charts due to rounding.

Symbols

7. The following symbols are adopted in the tables:

@ Value and its corresponding percentage not released in order to safeguard confidentiality of information provided by individuals.

* Percentage less than 0.05

- Nil

n.a. not available

目錄

CONTENTS

章節	CHAPTERS	頁數 Page
1. 摘要	1. Executive Summary	1
2. 2007 至 2016 年吸毒趨勢	2. Drug Abuse Trends for 2007 – 2016	7
3. 2016 年被呈報吸毒者的特徵	3. Characteristics of Reported Drug Abusers in 2016	17
4. 2016 年首次被呈報及曾被呈報吸毒者的特徵	4. Characteristics of Newly and Previously Reported Drug Abusers in 2016	30
5. 2016 年各主要類別被呈報吸毒者的特徵	5. Characteristics of Major Categories of Reported Drug Abusers in 2016	36
統計表	TABLES	45
附錄	APPENDICES	
1. 藥物濫用資料中央檔案室的運作機制	1. Operation Mechanism of the Central Registry of Drug Abuse	97
2. 用語定義	2. Definition of Terms	104
3. 《危險藥物條例》附表四的呈報機構	3. Reporting agencies in the Fourth Schedule to the Dangerous Drugs Ordinance	108
4. 檔案室紀錄表樣本	4. Specimen of CRDA Record Sheet	110

1 摘要 Executive Summary

摘要結果

1.1 整體被呈報的吸毒者總人數在 2008 年達 14 241 人的高位後穩步下降。在 2016 年，被呈報吸毒者總人數有 8 077 人，較 2015 年(8 767 人)減少 8%，並較 2008 年減少了 43%。(表 1a)

1.2 青少年吸毒人數近年的跌幅更為顯著。21 歲以下被呈報的青少年吸毒者在 2016 年有 502 人，較 2015 年(689 人)減少了 27%，並較 2008 年(3 474 人)減少了 86%。(表 1a)

1.3 首次被呈報吸毒人數在 2016 年錄得下跌(12%)；而首次被呈報吸毒人數在 2008 年後整體繼續呈下降趨勢。2016 年首次被呈報吸毒人數為 1 927 人，較 2008 年(4 625 人)下跌 58%。(表 1b)

1.4 首次被呈報吸毒者的毒齡(即由初次吸毒至被檔案室呈報機構呈報的時間)的中位數持續增加，由 2008 年的 1.9 年，上升至 2016 年的 4.6 年，顯示隱蔽吸毒的情況仍然值得關注。(圖 2.7)

1.5 在 2016 年，所有被呈報吸毒者及 21 歲以下吸毒者的平均首次吸毒年齡分別為 19 及 15 歲。(表 1i)

Summary Findings

1.1 The total number of reported drug abusers has been decreasing steadily after a peak of 14 241 in 2008. In 2016, the total number of reported drug abusers was 8 077, 8% lower than 2015 (at 8 767) and 43% lower than 2008. (Table 1a)

1.2 The recent trend of decline was more pronounced among young drug abusers. There were 502 reported abusers aged under 21 in 2016, representing a decrease of 27% over 2015 (at 689) and 86% over 2008 (at 3 474). (Table 1a)

1.3 A decrease of 12% was recorded in the number of newly reported drug abusers in 2016. The number of newly reported drug abusers continued to register a declining trend since 2008. In 2016, there were 1 927 newly reported drug abusers, representing a drop of 58% from 2008 (at 4 625). (Table 1b)

1.4 The median drug abuse history of newly reported abusers (i.e. the time for abusers to be reported to the CRDA by reporting agencies from their first drug abuse) increased from 1.9 years in 2008 to 4.6 years in 2016. This reflected that hidden drug abuse is still a concern. (Chart 2.7)

1.5 In 2016, the average age of first abuse of all reported drug abusers and young drug abusers aged under 21 were 19 and 15 years respectively. (Table 1i)

1.6 2016 年被呈報吸毒者中，4 036 人（佔 50%）被呈報吸食海洛英，而 5 145 人（佔 64%）被呈報吸食危害精神毒品。自 2007 年起，檔案室錄得被呈報吸食危害精神毒品的人數較吸食傳統或麻醉鎮痛劑（主要為海洛英）的人數為多。（表 1d）

1.7 在 2007 年至 2014 年間，氯胺酮為最常被吸食的危險精神毒品，但從 2015 年起，甲基安非他明（俗稱“冰毒”）超越氯胺酮，成為最常被吸食的危險精神毒品。在 2016 年，被呈報吸食氯胺酮、硝甲西洋、三唑倫／咪達唑倫／佐匹克隆及亞甲二氧基甲基安非他明的人數均見下降，而吸食可卡因、大麻、咳藥、及甲基安非他明的人數則上升。（表 1d）

1.8 被呈報的 21 歲以下青少年吸毒者中，甲基安非他明是最常被吸食的毒品（佔被呈報吸毒青少年的 44%），其次是可卡因（35%）、氯胺酮（24%）、大麻（18%）和海洛英（4%）。（表 1d）

1.9 在 2016 年，315 名被呈報吸毒者曾在中國內地（主要在深圳）吸毒，較 2015 年減少 20%。他們當中，6 人為 21 歲以下，較 2015 年（19 人）為低。（表 1f）

1.6 Among the reported drug abusers in 2016, 4 036, or 50%, were reported heroin abusers; and 5 145, or 64%, were reported psychotropic substance abusers. Starting from 2007, the number of reported abusers taking psychotropic substances had overtaken the number of those taking traditional drugs or narcotics analgesics (mainly heroin). (Table 1d)

1.7 Ketamine was the most commonly abused psychotropic substance during the period between 2007 and 2014, but methamphetamine (commonly known as “Ice”) surpassed ketamine to become the most popular psychotropic substance abused since 2015. The number of reported abusers taking ketamine, nimetazepam, triazolam/midazolam/zopiclone and MDMA observed a decline in 2016. Meanwhile, the number of those taking cocaine, cannabis, cough medicine and methamphetamine went up. (Table 1d)

1.8 Among reported young drug abusers aged under 21, methamphetamine was the most popular type of drug abused (44% of reported young drug abusers), followed by cocaine (35%), ketamine (24%), cannabis (18%) and heroin (4%). (Table 1d)

1.9 315 reported drug abusers had taken drugs in Mainland China (mainly Shenzhen) in 2016, being 20% lower than that in 2015. Among them, 6 were aged under 21, lower than that in 2015 (at 19). (Table 1f)

1.10 在吸毒地點方面，2016 年的數字顯示 53% 的吸毒者只在家／朋友的家吸毒，較 2007 年的 40% 大幅上升。而 21 歲以下吸毒者中，46% 只在家／朋友的家吸毒，同樣較 2007 年的 21% 大幅上升。情況與吸毒問題隱蔽的整體趨勢吻合。（表 1g）

1.11 在 2007 年至 2016 年間，約四分之三的被呈報吸毒人士曾有犯罪紀錄（2016 年為 75%）。曾有犯罪紀錄的 21 歲及以上的成年吸毒者的比重於 2016 年為 76%，而 21 歲以下的青少年吸毒者的相應比重則為 50%。（表 1p）

1.12 在 2016 年，被呈報吸毒者最普遍的吸毒原因為「避免因沒有吸食毒品而感到不適」。以此作為現時吸毒原因的比重，在 2007 年至 2015 年間一直維持在 45% 左右，但在 2016 年則上升至 48%。另一方面，被呈報的 21 歲以下青少年吸毒者在 2016 年最普遍的吸毒原因為「受到同輩朋友影響／想和同輩朋友打成一片」。以此作為現時吸毒原因的比重，由 2007 年的 59% 逐步上升至 2009 年的 68%，然後回落到 2015 年的 46%，但在 2016 年回升至 53%。（表 1h）

1.13 被呈報吸食海洛英及三唑侖／咪達唑侖／佐匹克隆人士的吸食毒品次數普遍較多；在 2016 年，兩者每月

1.10 Regarding the locality of drug abuse, the 2016 figures revealed that 53% of the abusers took drugs at home/friend's home only, which had increased substantially from 40% in 2007. As for drug abusers aged under 21, 46% were reported to have taken drugs at home/friend's home only, which had also increased substantially from 21% in 2007. This corroborated with the overall trend of hidden nature of drug abuse. (Table 1g)

1.11 From 2007 to 2016, about three quarters of the reported drug abusers had records of conviction (75% in 2016). Among adult drug abusers aged 21 and over, the proportion with conviction records was 76% in 2016, while the corresponding proportion for young drug abusers aged under 21 was 50%. (Table 1p)

1.12 In 2016, the most common reason for all drug abusers reported for taking drugs was "to avoid discomfort of its absence". The proportion of reported drug abusers citing it as a reason for current drug use was around 45% during 2007 to 2014, but increased to 48% in 2016. On the other hand, the most common reason for drug abuse for reported young drug abusers aged under 21 was "peer influence/to identify with peers" in 2016. This proportion increased gradually from 59% in 2007 to 68% in 2009, then dropped to 46% in 2015, but rebounded to 53% in 2016. (Table 1h)

1.13 Reported abusers of heroin and triazolam/midazolam/zopiclone had relatively higher frequencies of abusing

吸食次數中位數分別達 60 次及 45 次。吸食其他較普遍的危險精神毒品的人士的吸毒次數則低很多，例如吸食咳藥及亞甲二氧基甲基安非他明的人士的每月吸食次數中位數均為 30 次，而吸食甲基安非他明及氯胺酮的人士分別為 17 次及 13 次。(圖 5.3)

drugs in general, with median monthly frequencies of abusing drugs at 60 and 45 times respectively in 2016. The corresponding figures for abusers of other common psychotropic substances were much lower: for example, 30 times for both cough medicine and MDMA abusers, 17 times for methamphetamine abusers, and 13 times for ketamine abusers. (Chart 5.3)

概要一覽

	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
所有被呈報吸毒者										
人數	13 593	14 241	13 990	12 538	11 572	11 106	10 260	9 068	8 767	8 077
平均年齡	34	33	33	34	35	36	37	38	38	39
男性	11 127	11 334	11 221	10 008	9 426	9 034	8 302	7 385	6 937	6 621
佔所有的百分比	81.9	79.6	80.2	79.8	81.5	81.3	80.9	81.4	79.1	82.0
平均年齡	35	35	35	35	36	37	38	39	40	40
女性	2 466	2 907	2 769	2 530	2 146	2 072	1 958	1 683	1 830	1 456
佔所有的百分比	18.1	20.4	19.8	20.2	18.5	18.7	19.1	18.6	20.9	18.0
平均年齡	28	27	26	27	29	30	30	32	33	35
21 歲以下青少年	2 999	3 474	3 388	2 811	2 025	1 624	1 225	829	689	502
佔所有的百分比	22.1	24.4	24.2	22.4	17.5	14.6	11.9	9.1	7.9	6.2
平均年齡	17	17	17	17	18	18	18	18	18	18
首次被呈報人士	4 180	4 625	4 460	3 811	3 268	2 952	2 637	2 082	2 179	1 927
佔所有的百分比	30.8	32.5	31.9	30.4	28.2	26.6	25.7	23.0	24.9	23.9
平均年齡	23	23	23	24	25	26	27	28	29	30

常被吸食毒品

	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
(1) 被呈報並備有吸食毒品種類資料者										
人數	13 506	14 213	13 931	12 488	11 502	11 061	10 180	8 960	8 675	8 030
(2) 被呈報吸食海洛英者										
人數	7 420	7 248	6 903	6 200	5 951	5 847	5 127	4 604	4 419	4 036
佔 (1) 的百分比	54.9	51.0	49.6	49.6	51.7	52.9	50.4	51.4	50.9	50.3
(3) 被呈報吸食危害精神毒品者										
人數	7 909	8 383	8 505	7 670	6 904	6 643	6 321	5 543	5 497	5 145
佔 (1) 的百分比	58.6	59.0	61.1	61.4	60.0	60.1	62.1	61.9	63.4	64.1
被呈報吸食甲基安非他明者										
佔 (1) 的百分比	8.2	9.7	10.1	12.8	13.5	15.2	18.3	23.0	26.0	30.1
被呈報吸食氯胺酮者										
佔 (1) 的百分比	30.1	35.9	37.9	36.5	31.7	29.9	28.8	24.7	23.3	15.4
被呈報吸食三唑侖/咪達唑侖/佐匹克隆者										
佔 (1) 的百分比	13.6	9.6	10.0	10.0	10.6	11.4	11.1	11.4	11.4	12.0
被呈報吸食可卡因者										
佔 (1) 的百分比	5.3	4.9	3.7	6.2	7.5	7.7	8.7	7.3	7.2	9.6
被呈報吸食大麻者										
佔 (1) 的百分比	5.8	5.4	4.5	4.2	3.5	3.2	3.0	4.0	4.0	5.3
被呈報吸食咳藥者										
佔 (1) 的百分比	4.4	4.0	4.8	4.2	4.6	4.4	4.1	4.3	4.1	5.1
被呈報吸食亞甲二氧基甲基安非他明者										
佔 (1) 的百分比	6.8	5.6	3.7	2.0	1.0	0.6	0.5	0.4	0.6	0.7

Highlights at a Glance

	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
All reported drug abusers										
No.	13 593	14 241	13 990	12 538	11 572	11 106	10 260	9 068	8 767	8 077
Mean age	34	33	33	34	35	36	37	38	38	39
Male	11 127	11 334	11 221	10 008	9 426	9 034	8 302	7 385	6 937	6 621
% of all	81.9	79.6	80.2	79.8	81.5	81.3	80.9	81.4	79.1	82.0
Mean age	35	35	35	35	36	37	38	39	40	40
Female	2 466	2 907	2 769	2 530	2 146	2 072	1 958	1 683	1 830	1 456
% of all	18.1	20.4	19.8	20.2	18.5	18.7	19.1	18.6	20.9	18.0
Mean age	28	27	26	27	29	30	30	32	33	35
Young persons aged under 21	2 999	3 474	3 388	2 811	2 025	1 624	1 225	829	689	502
% of all	22.1	24.4	24.2	22.4	17.5	14.6	11.9	9.1	7.9	6.2
Mean age	17	17	17	17	18	18	18	18	18	18
Newly reported persons	4 180	4 625	4 460	3 811	3 268	2 952	2 637	2 082	2 179	1 927
% of all	30.8	32.5	31.9	30.4	28.2	26.6	25.7	23.0	24.9	23.9
Mean age	23	23	23	24	25	26	27	28	29	30

Common drugs abused

	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
(1) Reported drug abusers with type of drugs reported										
No.	13 506	14 213	13 931	12 488	11 502	11 061	10 180	8 960	8 675	8 030
(2) Reported heroin abusers										
No.	7 420	7 248	6 903	6 200	5 951	5 847	5 127	4 604	4 419	4 036
% of (1)	54.9	51.0	49.6	49.6	51.7	52.9	50.4	51.4	50.9	50.3
(3) Reported psychotropic substance abusers										
No.	7 909	8 383	8 505	7 670	6 904	6 643	6 321	5 543	5 497	5 145
% of (1)	58.6	59.0	61.1	61.4	60.0	60.1	62.1	61.9	63.4	64.1
Reported methamphetamine abusers										
% of (1)	8.2	9.7	10.1	12.8	13.5	15.2	18.3	23.0	26.0	30.1
Reported ketamine abusers										
% of (1)	30.1	35.9	37.9	36.5	31.7	29.9	28.8	24.7	23.3	15.4
Reported triazolam/midazolam/zopiclone abusers										
% of (1)	13.6	9.6	10.0	10.0	10.6	11.4	11.1	11.4	11.4	12.0
Reported cocaine abusers										
% of (1)	5.3	4.9	3.7	6.2	7.5	7.7	8.7	7.3	7.2	9.6
Reported cannabis abusers										
% of (1)	5.8	5.4	4.5	4.2	3.5	3.2	3.0	4.0	4.0	5.3
Reported cough medicine abusers										
% of (1)	4.4	4.0	4.8	4.2	4.6	4.4	4.1	4.3	4.1	5.1
Reported MDMA abusers										
% of (1)	6.8	5.6	3.7	2.0	1.0	0.6	0.5	0.4	0.6	0.7

2 2007 至 2016 年吸毒趨勢 Drug Abuse Trends for 2007 - 2016

整體吸毒趨勢

(表 1a 及圖 2.1)


2.1 檔案室錄得被呈報吸毒者的總人數由 2007 年的 13 593 人，上升至 2008 年的 14 241 人。之後，數字回落至 2016 年的 8 077 人，較 2015 年的 8 767 人下跌 8%。

Overall Drug Abuse Trend

(Table 1a and Chart 2.1)

2.1 The total number of drug abusers reported to the CRDA increased from 13 593 in 2007 to 14 241 in 2008. Thereafter, the number went down to 8 077 in 2016, or 8% lower than 8 767 in 2015.

圖 2.1 按年齡組別劃分的被呈報吸毒者
Chart 2.1 Reported drug abusers by age group



註釋：括號內的數字是指與前一年比較的變動百分比。

Note: Figures in brackets are the percentage changes over the preceding year.

吸食麻醉鎮痛劑／危害精神毒品趨勢 (表 1d 及圖 2.2)

2.2 以往，麻醉鎮痛劑（主要是海洛英）是香港最多人吸食的毒品。不過，近年來吸食傳統毒品人數呈現持續下降趨勢，由 2007 年的 7 428 人降至 2016 年的 4 038 人，減幅為 46%。被呈報吸食危害精神毒品的人數則由 2007 年的 7 909 人持續上升至 2009

Narcotics Analgesics / Psychotropic Substances Abuse Trends (Table 1d and Chart 2.2)

2.2 In the past, narcotics analgesics (mainly heroin) were the most common drugs abused in Hong Kong. However, there was a continuous trend of decline in the abuse of traditional drugs in recent years, with the number of abusers having dropped by 46% from 7 428 in 2007 to 4 038 in 2016.

年的 8 505 人 (升幅為 8%)，其後轉勢下降至 2016 年的 5 145 人 (較 2007 年整體減幅為 35%)。


The number of reported abusers taking psychotropic substances increased continuously from 7 909 in 2007 to 8 505 in 2009 (by 8%). The trend reversed afterwards and the number dropped to 5 145 in 2016 (having dropped by 35% compared with that in 2007).

2.3 被呈報吸食危害精神毒品的人數自 2007 年起開始超越吸食傳統毒品的人數。在 2016 年，吸食危害精神毒品的人數比吸食麻醉鎮痛劑的人數多 1 107 人 (或 27%)。吸食危害精神毒品者佔所有被呈報吸毒者的百分比由 2007 年的 59% 上升至 2016 年的 64%。

2.3 The number of reported psychotropic substance abusers has since 2007 overtaken the number of abusers of traditional drugs. Reported abusers taking psychotropic substances were 1 107 (or 27%) more than those taking narcotics analgesics in 2016. Among all reported drug abusers, the proportion of abusers taking psychotropic substances increased from 59% in 2007 to 64% in 2016.

圖 2.2 被呈報吸食危害精神毒品及麻醉鎮痛劑者

Chart 2.2 Reported abusers of psychotropic substances and narcotics analgesics



註釋：個別吸毒者在某年內可同時吸食麻醉鎮痛劑及危害精神毒品。

括號內的數字是指與前一年比較的變動百分比。

Notes: An individual abuser may take both narcotics analgesics and psychotropic substances during a given year.

Figures in brackets indicate the percentage change over the preceding year.

青少年吸毒趨勢

(表 1a、1h 及圖 2.3-2.4)

2.4 至於 21 歲以下青少年吸毒者，數字由 2007 年的 2 999 人上升 16% 至 2008 年的 3 474 人。隨後人數回落，在 2016 年，數字下跌至 502 人，跟 2008 年比較，跌幅為 86%。

2.5 整體吸毒人口曾一度趨向年輕。21 歲以下吸毒者佔總吸毒人數的比重，由 2007 年的 22%，上升至 2008 及 2009 年的約 24%。其後數字開始回落，至 2016 年，比重為 6%。尤其是年齡在 12 至 15 歲間的青少年吸毒者，其人數及比重由 2007 年的 661 人及 5%，上升至 2009 年的 764 人及 5%，隨後便回落至 2016 年的 43 人，比重亦降至 1%。

Youth Drug Abuse Trend


(Table 1a, 1h and Chart 2.3-2.4)

2.4 For young drug abusers aged under 21, the number increased by 16% from 2 999 in 2007 to 3 474 in 2008. The number then went down to 502 in 2016, representing a decrease of 86% from 2008.

2.5 The overall drug abusing population had once become younger, with the proportion of those aged under 21 as against the total rising from 22% in 2007 to about 24% in both 2008 and 2009. This had subsequently decreased to 6% in 2016. In particular, both the number and proportion of those aged 12-15 had increased from 661 and 5% in 2007 to 764 and 5% in 2009. The number then decreased to 43 in 2016, while the proportion decreased to 1%.

圖 2.3 21 歲以下被呈報吸毒青少年按指定年齡組別分布**Chart 2.3 Reported young drug abusers aged under 21 by selected age groups**

人數 No. of persons



註釋： 括號內的數字是指佔所有被呈報吸毒者的百分比。

12 歲以下的吸毒者所佔的百分比少於 0.5%。

Notes: Figures in brackets refer to the percentage shares among all reported drug abusers.


Percentages for those drug abusers aged under 12 are less than 0.5%.

2.6 在被呈報的 21 歲以下青少年吸毒者當中，除 2015 年外，2007 年至 2016 年間最常見的吸食毒品原因是「受到同輩朋友影響／想和同輩朋友打成一片」，其間比重都維持在五至七成。而以「避免因沒有吸食毒品而感到不適」作為他們現時吸毒原因的比重則由 2007 年的 13% 逐步上升至 2016 年的 21%。

2.6 Among the young drug abusers aged under 21, other than 2015, the most common reason for drug abuse during 2007 to 2016 was “peer influence/to identify with peers”, constituting around 50% to 70% of the responses. For those citing “to avoid discomfort of its absence” as a reason for their current drug use, the proportion increased gradually from 13% in 2007 to 21% in 2016.

圖 2.4 21 歲以下被呈報吸毒青少年現時吸食毒品原因

Chart 2.4 Reasons for current drug use of reported young drug abusers aged under 21



註釋：數字不包括現時吸毒原因不詳的人士。

個別吸毒者在某年內報稱的原因可超過一個。

Notes: Figures exclude persons with unknown reason for current drug abuse.

More than one reason may be reported for an individual drug abuser in a given year.

吸食危害精神毒品

(圖 2.5)

2.7 甲基安非他明、氯胺酮、三唑侖／咪達唑侖／佐匹克隆、可卡因及咳藥是近年較常被吸食的危險精神毒品。在 2007 年至 2014 年間，氯胺酮為最常被吸食的危險精神毒品。自 2015 年起，甲基安非他明超越氯胺酮，成為最常被吸食的危險精神毒品。氯胺酮及三唑侖／咪達唑侖／佐匹克隆分別排行第二位及第三位。自 2010 年起，可卡因緊隨三唑侖／咪達唑侖／佐匹克隆之後，排行第四位。

Psychotropic Substances Abused


(Chart 2.5)

2.7 Among psychotropic substances, methamphetamine, ketamine, triazolam/midazolam/zopiclone, cocaine and cough medicine were more commonly abused in recent years. Ketamine was the most commonly abused psychotropic substance during 2007 to 2014. Methamphetamine surpassed ketamine to become the most popular psychotropic substance abused since 2015. Ketamine and triazolam/midazolam/zopiclone came second and third respectively. Cocaine had ranked fourth since 2010, after triazolam/midazolam/zopiclone.

圖 2.5 被呈報吸食各種主要危險精神毒品者

Chart 2.5 Reported drug abusers of major types of psychotropic substances

人數 No. of persons



註釋： 個別吸毒者在某年內可被呈報多於一種毒品。

Note: More than one type of drugs may be reported for an individual drug abuser in a given year.

首次／曾被呈報吸毒者的吸毒趨勢 (表 1b)

2.8 首次被呈報的吸毒人數由 2007 年的 4 180 人，上升至 2008 年的 4 625 人。之後回落至 2016 年的 1 927 人。2016 年的數字較 2015 年 (2 179 人) 下跌 12%，並較 2008 年 (4 625 人) 下跌 58%。在 2010 年前，他們的平均年齡均為 23 歲；其後上升至 2016 年的 30 歲。他們在整體人數中所佔的百分比從 2007 年的 31% 上升至 2008 年的 32%，隨後逐步回落至 2016 年的 24%。

2.9 曾被呈報吸毒人士數目從 2007 年的 9 413 人下跌至 2016 年的 6 150 人。他們的平均年齡介乎 38 至 42 歲，一般較首次被呈報者的平均年齡 (介乎 23 至 30 歲) 年長。

男性／女性吸毒的趨勢 (表 1a)

2.10 被呈報男性吸毒者人數一貫較女性吸毒者為多，女性吸毒者所佔的比重在 2007 至 2016 年間一直維持在 18% 至 21%。被呈報男性吸毒者從 2007 年的 11 127 人，上升至 2008 年的 11 334 人；隨後持續回落。在 2016 年，人數為 6 621 人，較 2015 年減少 5%。而被呈報女性吸毒者人數由 2008 年的 2 907 人持續下跌至 2014 年的 1 683 人；2015 年則反彈 9% 至 1 830 人；但 2016 年又再回落 20% 至 1 456 人。

Drug Abuse Trends for Newly/Previously Reported Drug Abusers (Table 1b)

2.8 The number of newly reported drug abusers increased from 4 180 in 2007 to 4 625 in 2008, then decreased to 1 927 in 2016. The number in 2016 decreased by 12% from 2015 (at 2 179), and 58% from 2008 (at 4 625). Their average age was 23 years before 2010 and increased to 30 years in 2016. The proportion of newly reported drug abusers among all abusers increased from 31% in 2007 to 32% in 2008, and then decreased gradually to 24% in 2016.

2.9 The number of previously reported drug abusers decreased from 9 413 in 2007 to 6 150 in 2016. These abusers were generally older than the newly reported abusers, with an average age between 38 and 42 years, compared with an average age between 23 and 30 years for newly reported abusers.

Male/Female Drug Abuse Trends (Table 1a)

2.10 There are more male drug abusers than female drug abusers in general. The proportion of female drug abusers stayed at 18% to 21% of the total number of drug abusers from 2007 to 2016. The number of reported male drug abusers increased from 11 127 in 2007 to 11 334 in 2008. Thereafter, the number went down continuously. In 2016, the number was 6 621, 5% lower than that in 2015. The number of reported female drug abusers dropped continuously from 2 907 in 2008 to 1 680 in 2014. In 2015, the number

2.11 被呈報男性吸毒者的平均年齡有上升趨勢，從 2007 年的 35 歲上升至 2016 年的 40 歲。被呈報的女性吸毒者一般較男性年輕。被呈報女性吸毒者的平均年齡亦有上升趨勢，從 2007 年的 28 歲上升至 2016 年的 35 歲。

被呈報吸毒者的經濟活動身分 (表 1j 及圖 2.6)

2.12 被呈報吸毒者中，失業人士所佔比重少於半數，2016 年的比重為 48%。另一方面，受僱人士所佔比重從 2007 年的 40% 上升至 2016 年的 44%。學生所佔百分比則由 2007 年的 6%，上升至 2009 年的 8%，之後便持續回落至 2016 年的 1%。

rebounded by 9% to 1 830. However, in 2016, the number dropped by 20% to 1 456.


2.11 There was a rising trend in the average age of reported male drug abusers. It rose from 35 years in 2007 to 40 years in 2016. Reported female drug abusers were generally younger than male drug abusers. There was also a rising trend in the average age of reported female drug abusers, from 28 years in 2007 to 35 years in 2016.

Reported Drug Abusers by Economic Activity Status (Table 1j and Chart 2.6)

2.12 The proportion of reported drug abusers who were unemployed was less than half. The proportion in 2016 was 48%. On the other hand, the proportion of reported abusers who were employed increased from 40% in 2007 to 44% in 2016. The proportion of reported student drug abusers increased from 6% in 2007 to 8% in 2009, and then decreased continuously to 1% in 2016.

圖 2.6 被呈報吸毒者按經濟活動身分分布

Chart 2.6 Reported drug abusers by economic activity status



註釋：括號內的數字是指佔所有被呈報吸毒者的百分比。

Note: Figures in brackets refer to the percentage shares among all reported drug abusers.

吸食超過一種毒品

(表 1c)

2.13 吸毒者吸食超過一種毒品已成為現時一個普遍的現象。被呈報吸食多種毒品人士是指在某指定年份內被呈報吸食超過一種毒品的人士，不論有關毒品是否在同一時間混合吸食。

2.14 被呈報吸食多種毒品人士的比重由 2007 年的 26%，回落到 2009 年的 22%，然後上升至 2016 年的 25%。他們大部分吸食兩種毒品。

Abuse of More Than One Type of Drugs

(Table 1c)

2.13 Taking more than one type of drugs has become a common phenomenon among drug abusers nowadays. A reported multiple drug abuser is defined to be a person who is reported to have taken more than one type of drugs in a given year, irrespective of whether the drugs were taken concurrently on one occasion or not.

2.14 The proportion of reported multiple drug abusers decreased from 26% in 2007 to 22% in 2009 and then increased to 25% in 2016. The majority of them abused two types of drugs.

毒齡 (圖 2.7)


2.15 在 2007 年至 2009 年間，首次被呈報吸毒者的毒齡（即由初次吸毒至被檔案室呈報機構呈報的時間）的中位數維持於 1.7 年與 2.1 年之間，其後持續上升至 2015 年的 5.9 年，到 2016 年回落至 4.6 年。另一方面，首次被呈報而年齡在 21 歲以下的吸毒者的毒齡中位數，則從 2011 年的高峰（即 1.9 年）下降至 2016 年的 1.5 年。

Drug History (Chart 2.7)

2.15 The median drug abuse history of newly reported abusers (i.e. the time for abusers to be reported to the CRDA by reporting agencies from their first drug abuse) remained between 1.7 and 2.1 years during 2007 to 2009. It then increased continuously to 5.9 years in 2015, and dropped to 4.6 years in 2016. On the other hand, for those newly reported abusers aged under 21, the median drug history dropped to 1.5 years in 2016 after reaching the peak of 1.9 years in 2011.

圖 2.7 按年齡組別劃分的首次被呈報吸毒者的毒齡中位數

Chart 2.7 Median drug history of newly reported drug abusers by age group



被呈報吸食毒品人士的資料來源*(表 1q 及 1r)*

2.16 在 2007 年至 2016 年間，21 歲及以上成年吸毒者資料的兩大來源分別為執法部門及美沙酮診所；在 2016 年，分別佔該等吸毒者 44% 和 38%。居第三位的是戒毒治療和康復服務中心／濫用精神藥物者輔導中心／戒毒輔導服務中心，2016 年佔 28%。

2.17 在 2007 年至 2016 年間，執法部門、青少年外展隊及戒毒治療和康復服務中心／濫用精神藥物者輔導中心／戒毒輔導服務中心是最主要提供 21 歲以下青少年吸毒者的資料來源。在 2016 年，分別佔青少年吸毒者的 36%、32% 及 30%。

2.18 按來源分析首次被呈報吸毒者的毒齡中位數，於 2015 年及 2016 年，由執法部門及青少年外展隊呈報的毒齡中位數較短，而呈報最長毒齡中位數的則是濫用精神藥物者輔導中心／戒毒輔導服務中心。除懲教署及社會福利署外，2011 年至 2016 年間從各個來源呈報的毒齡中位數均有上升，而由濫用精神藥物者輔導中心／戒毒輔導服務中心呈報的上升最大。

Sources of Reported Drug Abusers*(Table 1q and 1r)*

2.16 For adult drug abusers aged 21 and over, law enforcement agencies and methadone clinics were the two major sources of reporting during 2007 to 2016, constituting 44% and 38% of the drug abusers concerned respectively in 2016. Drug treatment and rehabilitation centres/counselling centres for psychotropic substance abusers/centres for drug counselling ranked third, taking up 28% in 2016.

2.17 As for young drug abusers aged under 21, law enforcement agencies, youth outreaching teams and drug treatment rehabilitation centres/counselling centres for psychotropic substance abusers/centres for drug counselling were the major sources of reporting during 2007 to 2016. They contributed to 36%, 32% and 30% of young abusers respectively in 2016.

2.18 The median drug history of newly reported abusers reported by law enforcement agencies and youth outreaching teams was shorter than that reported by other agencies during 2015 and 2016, while that reported by counselling centres for psychotropic substance abusers/centres for drug counselling was the longest. The median drug history had been increasing from 2011 to 2016 for all types of reporting agencies except the Correctional Services Department and Social Welfare Department. The increase for cases reported by counselling centres for psychotropic substance abusers/centres for drug counselling was the largest.

3 2016 年被呈報吸毒者的特徵 Characteristics of Reported Drug Abusers in 2016

與對上一年情況的主要比較

(表 1a、1b、1d 及圖 3.1)

3.1 被呈報吸毒者總人數在 2016 年 (8 077 人) 持續下降, 較 2015 年 (8 767 人) 減少 8%。

3.2 海洛英仍然是被呈報吸毒者中最常吸食的毒品。然而, 2016 年被呈報吸食海洛英的人數 (4 036 人) 較 2015 年 (4 419 人) 下跌 9%, 佔所有被呈報吸毒人數百分比 (50%) 與 2015 年 (51%) 相若。

3.3 與 2015 年比較, 2016 年吸食危害精神毒品的人數下跌 6% (由 5 497 人減至 5 145 人); 而吸食鴉片類毒品 (主要為海洛英) 的人數亦下跌 9% (由 4 422 人減至 4 038 人)。

3.4 在 2016 年, 甲基安非他明是最常被吸食的危險精神毒品。被呈報吸食甲基安非他明的人數上升 7% (由 2 257 人增至 2 414 人), 當中 9% 為 21 歲以下。氯胺酮是第二最常被吸食的危險精神毒品。被呈報吸食氯胺酮的人數較 2015 年下跌 39% (由 2 023 人減至 1 236 人), 當中 9% 為 21 歲以下。

Major Comparison with Preceding Year

(Table 1a, 1b, 1d and Chart 3.1)

3.1 There was a continued decline in the total number of reported drug abusers in 2016 (at 8 077), which was 8% lower than that in 2015 (at 8 767).

3.2 Heroin remained as the single most popular type of drug abused among the reported abusers. However, the total number of reported heroin abusers in 2016 (at 4 036) was 9% lower than that in 2015 (at 4 419). Its proportion against the total number of reported drug abusers in 2016 (50%) was similar to that in 2015 (51%).

3.3 Comparing to 2015, the number of psychotropic substance abusers in 2016 lowered by 6% (from 5 497 to 5 145), and those taking narcotics analgesics (mainly heroin) decreased by 9% (from 4 422 to 4 038).

3.4 In 2016, methamphetamine was the most popular type of psychotropic substance abused. The number of reported methamphetamine abusers rose by 7% (from 2 257 to 2 414), with 9% of whom aged under 21. Ketamine was the second most popular type of psychotropic substance abused. The number of reported ketamine abusers was 39% lower comparing to that in 2015 (from 2 023 to 1 236), of whom 9% were aged under 21.

3.5 與 2015 年比較，2016 年吸食某些主要危害精神毒品的人數都有所上升—可卡因(由 625 人增至 774 人，增加 24%)、大麻(由 349 人增至 427 人，增加 22%)及咳藥(由 354 人增至 407 人，增加 15%)；而下降則見於硝甲西洋(由 32 人減至 29 人，減少 9%)、三唑侖／咪達唑侖／佐匹克隆(由 986 人減至 967 人，減少 2%)及亞甲二氧基甲基安非他明(由 55 人減至 54 人，減少 2%)。

3.6 被呈報的 21 歲以下青少年吸毒者繼續大幅減少，減幅為 27% (由 2015 年的 689 人減至 2016 年的 502 人)。被呈報吸毒青少年的比重亦由 8% 下降至 6%。

3.7 所有被呈報吸毒者的平均年齡由 38 歲增至 39 歲，而被呈報的 21 歲以下青少年吸毒者的平均年齡維持在 18 歲。

3.8 男性吸毒者的人數下跌 5% (由 2015 年的 6 937 人減至 2016 年的 6 621 人)；女性吸毒者的人數則下跌 20% (由 2015 年的 1 830 人減至 2016 年的 1 456 人)。

3.9 在 2016 年，首次被呈報吸毒者 (1 927 人) 較 2015 年 (2 179 人) 下跌 12%，而曾被呈報的人數則為 6 150 人，下跌了 7%。以佔所有被呈報吸毒者的百分比計算，首次被呈報人士的比重由 2015 年的 25% 輕微下跌至 2016 年的 24%。

3.5 Compared to 2015, the number of abusers of some major types of psychotropic substances saw an increase in 2016 – cocaine (having increased by 24% from 625 to 774), cannabis (having increased by 22% from 349 to 427), and cough medicine (having increased by 15% from 354 to 407), while decreases were observed for nimetazepam (having dropped by 9% from 32 to 29), triazolam/midazolam/zopiclone (having dropped by 2% from 986 to 967), and MDMA (having dropped by 2% from 55 to 54).


3.6 For reported young drug abusers aged under 21, the number continued to substantially decrease, by 27% (from 689 in 2015 to 502 in 2016). The proportion of reported young drug abusers also decreased from 8% to 6%.

3.7 The average age of all reported drug abusers increased from 38 to 39 years, while the average age of reported young drug abusers aged under 21 remained at 18 years.

3.8 The number of male abusers had decreased by 5% (from 6 937 in 2015 to 6 621 in 2016), while the number of female abusers dropped by 20% (from 1 830 in 2015 to 1 456 in 2016).

3.9 The number of newly reported drug abusers in 2016 (at 1 927) was 12% lower than that in 2015 (at 2 179), while that of previously reported abusers decreased by 7% to 6 150. As a percentage of all reported drug abusers, the proportion of newly reported abusers slightly decreased from 25% in 2015 to 24% in 2016.

圖 3.1 按年齡組別劃分的 2015 及 2016 年首次／曾被呈報吸食毒品者
Chart 3.1 Newly/previously reported drug abusers in 2015 and 2016 by age group



註釋：括號內的數字是指與前一年比較的變動百分比。

Note: Figures in brackets indicate the percentage change over the preceding year.

年齡和性別

(表 1a 及圖 3.2-3.3)

3.10 在 2016 年所有被呈報的 8 077 名吸毒者中，27% 的年齡介乎 31 至 40 歲，24% 介乎 21 至 30 歲，4% 介乎 18 至 20 歲，2% 介乎 16 至 17 歲，只有 1% 在 12-15 歲。而年齡介乎 21 至 35 歲的年輕成年人佔 36%。所有被呈報吸毒者的整體平均年齡為 39 歲。

3.11 被呈報吸毒者大部分 (82%) 為男性，他們的平均年齡為 40 歲，一般較被呈報女性吸毒者 (平均年齡 35 歲) 年長。女性吸毒者年齡在 41 歲以下的百分比為 69%，而男性吸毒者的相關百分比則只有 55%。

Age and Sex


(Table 1a and Chart 3.2-3.3)

3.10 Of all 8 077 reported drug abusers in 2016, 27% were aged 31-40, 24% aged 21-30, 4% aged 18-20, 2% aged 16-17 and only 1% aged 12-15. Meanwhile, 36% were young adults aged 21-35. The average age of all reported drug abusers was 39 years.

3.11 The majority (82%) of reported drug abusers were males. Reported male drug abusers, with an average age of 40 years, were in general older than female abusers (with an average age of 35 years). The proportion of female abusers aged under 41 was 69% while the corresponding proportion of male abusers was only 55%.

圖 3.2 按性別劃分的 2016 年被呈報吸毒者的年齡分布

Chart 3.2 Age distribution of reported drug abusers in 2016 by sex



註釋：被呈報吸毒者中並無年齡低於 12 歲者。
* 少於 0.5%。

Note: No drug abuser aged under 12 was reported.
* Less than 0.5%.


3.12 在 2016 年，在每 100 名人口中被呈報的吸毒人數約為 0.1 人，而男性所佔的比例較女性為高。

3.12 In 2016, the number of reported drug abusers per 100 population was about 0.1. The proportion was higher in male drug abusers than female abusers.


圖 3.3 2016 年被呈報吸毒者佔人口比例

Chart 3.3 Ratio of reported drug abusers to population in 2016


(a) 所有年齡 All ages



(b) 21 歲以下 Aged under 21



(c) 21 歲及以上 Aged 21 and over



註釋： 佔人口比例百分比指被呈報吸毒者佔各相關年齡／性別組別內每一百名年底人口的比例。

Notes : The ratios in % refer to the number of reported drug abusers per 100 year-end population in the respective age/sex groups.

被呈報吸毒者中並無年齡低於 12 歲者。

No drug abusers aged under 12 was reported.

首次吸食毒品年齡 (表 1i)

3.13 33%的被呈報吸毒者報稱在 12 至 15 歲之間開始吸毒，18%在 16 至 17 歲之間，22%在 18 至 20 歲之間，11%在 21 至 25 歲之間，其餘 13%及 3%分別在 25 歲之後及 12 歲之前。所有被呈報吸毒者及被呈報的 21 歲以下青少年吸毒者首次吸毒的平均年齡分別為 19 歲及 15 歲。

吸食的毒品種類 (表 1d 及圖 3.4)

3.14 在 2016 年，約半數 (50%) 的吸毒者被呈報曾吸食海洛英。其他較常被吸食的毒品依次為甲基安非他明 (30%)、氯胺酮 (15%)、三唑侖／咪達唑侖／佐匹克隆 (12%)、可卡因 (10%)、大麻 (5%) 及咳藥 (5%)。

3.15 在被呈報的 21 歲以下青少年吸毒者中，甲基安非他明是最常被吸食的毒品。在 2016 年，有 44%的被呈報青少年吸毒者吸食甲基安非他明，其次是可卡因 (35%)、氯胺酮 (24%)、大麻 (18%)、海洛英 (4%) 和咳藥 (3%)。男性和女性首三位最常吸食的毒品相同。

3.16 在被呈報的 21 歲及以上成年吸毒者中，海洛英是最常被吸食的毒品種類 (佔 53%)，其次是甲基安非他明 (29%) 和氯胺酮 (15%)。男性和女性首三位最常吸食的毒品相同。

Age of First Abuse (Table 1i)

3.13 33% of the reported drug abusers claimed to have started drug abuse at the age between 12 and 15, 18% between 16 and 17, 22% between 18 and 20, 11% between 21 and 25, and the remaining 13% and 3% at the age over 25 and below 12 respectively. The average age of first abuse of all reported drug abusers and reported young drug abusers aged under 21 were 19 and 15 years respectively.

Type of Drugs Abused (Table 1d and Chart 3.4)

3.14 In 2016, about half (50%) of drug abusers were reported to have abused heroin. Other commonly abused drugs were methamphetamine (30%), ketamine (15%), triazolam/midazolam/zopiclone (12%), cocaine (10%), cannabis (5%) and cough medicine (5%).


3.15 Among the reported young drug abusers aged under 21, methamphetamine was the most popular type of drug abused and was taken by 44% of them in 2016. This was followed by cocaine (35%), ketamine (24%), cannabis (18%), heroin (4%) and cough medicine (3%). The top three popular types of drugs abused were the same for both males and females.

3.16 Among the reported adult drug abusers aged 21 and over, heroin was the most common type of drug abused (53%), followed by methamphetamine (29%) and ketamine (15%). The top three popular types of drugs abused were the same for both males and females.

圖 3.4 按年齡組別及性別劃分的 2016 年被呈報吸毒者的常被吸食毒品種類
 Chart 3.4 Common types of drugs abused by reported drug abusers in 2016 by age group by sex


(a) 21 歲以下 Aged under 21

佔在相關性別組別內所有被呈報吸食毒品人士的百分比
 Percentage of reported drug abusers in the respective sex groups



(b) 21 歲及以上 Aged 21 and over

佔在相關性別組別內所有被呈報吸食毒品人士的百分比
 Percentage of reported drug abusers in the respective sex groups



註釋：個別吸毒者在某年內可被呈報多於一種毒品。

Notes: More than one type of drugs may be reported for an individual drug abuser in a given year.

吸食毒品方法 (表 3d)

3.17 吸毒者各有不同的吸毒方法。被呈報吸食海洛英和甲基安非他明者最普遍是用吸入煙霧方法吸毒 (在 2016 年,約六成吸食海洛英者和約九成吸食甲基安非他明者採用這種方法吸毒);而鼻吸是吸食氯胺酮最常用方法 (佔吸食氯胺酮者 93%);注射是吸食三唑倫/咪達唑倫/佐匹克隆最常用方法 (佔吸食三唑倫/咪達唑倫/佐匹克隆者 42%);口服是服食咳藥的唯一方法;而以香煙或煙管吸食是吸食大麻及可卡因較普遍方法 (分別佔吸食大麻者 86%及可卡因者 42%)。

吸食毒品地方 (表 1f)

3.18 在 2016 年,絕大部分 (99%) 被呈報吸毒者均有在香港吸毒。而有 315 名吸毒者 (或佔吸毒者 4%) 曾在中國內地 (主要在深圳) 吸毒。

吸食毒品地點 (表 1g 及圖 3.5)

3.19 於 2016 年,53%的吸毒者只在家/朋友的家中吸毒,另外 23%吸毒者曾在家/朋友的家及其他地點吸毒。

Method of Taking Drugs (Table 3d)

3.17 Abusers have different habits with regard to the method of taking drugs. While fume inhaling was the most common method of taking heroin and methamphetamine (adopted by some 60% of heroin abusers and around 90% of methamphetamine abusers in 2016), sniffing was the most common method of taking ketamine (93% of ketamine abusers), injection was the most common method of taking triazolam/midazolam/zopiclone (42% of triazolam/midazolam/zopiclone abusers), oral ingestion was the only method of taking cough medicine, and smoking was the more common method of taking cannabis and cocaine (86% of cannabis abusers and 42% of cocaine abusers).

Place of Abusing Drugs (Table 1f)

3.18 The majority (99%) of the reported drug abusers took drugs in Hong Kong in 2016. 315 persons (or 4% of reported drug abusers) were reported to have taken drugs in Mainland China (mainly Shenzhen).


Locality of Abusing Drugs (Table 1g and Chart 3.5)

3.19 53% of the drug abusers took drugs at home/friend's home only, while 23% took drugs at home/friend's home and other localities in 2016.

圖 3.5 按年齡組別劃分的 2016 年被呈報吸毒者吸食毒品地點分布
 Chart 3.5 Localities of abusing drugs of reported drug abusers in 2016 by age group


(a) 21 歲以下 Aged under 21

吸食毒品地點
 Locality of abusing drugs



(b) 21 歲及以上 Aged 21 and over

吸食毒品地點
 Locality of abusing drugs



註釋：個別吸毒者在某年內報稱的地點可超過一處。

Note: More than one locality may be reported for an individual drug abuser in a given year.

3.20 54%的21歲以下青少年吸毒者曾在家／朋友的家以外的其他地點吸毒，而成年吸毒者的相應百分比為47%。在其他地點中，以公眾地方如休憩地方／公園／公廁最常見。40%被呈報的21歲及以上成年吸毒者和25%青少年吸毒者曾在公眾地方如休憩地方／公園／公廁吸毒。

現時吸食毒品原因

(表 1h 及圖 3.6)

3.21 吸毒原因方面，在所有被呈報吸毒者當中，最普遍的原因為「避免因沒有吸食毒品而感到不適」(佔被呈報吸毒者48%)、「解悶／情緒低落／壓力」(43%)和「受到同輩朋友影響／想和同輩朋友打成一片」(33%)。

3.22 至於21歲以下的吸毒者，最普遍的吸毒原因是「受到同輩朋友影響／想和同輩朋友打成一片」(53%)，其次是「解悶／情緒低落／壓力」(49%)和「出於好奇」(35%)。

3.20 54% of the young drug abusers aged under 21 took drugs at other localities irrespective of whether they took drugs at home/friend's home, compared with 47% for the adult counterparts. Among the other localities, public areas like recreation area/public park/public toilet topped the list. 40% of the reported abusers aged 21 and over and 25% of those aged under 21 were reported to have taken drugs at public areas like recreation area/public park/public toilet.

Reason for Current Drug Abuse

(Table 1h and Chart 3.6)


3.21 Regarding the reasons for taking drugs, the most common ones for all reported drug abusers were “to avoid discomfort of its absence” (48% of reported drug abusers), “relief of boredom/depression/stress” (43%) and “peer influence/to identify with peers” (33%).

3.22 For drug abusers aged under 21, “peer influence/to identify with peers” (53%) was the most common reason for taking drugs, followed by “relief of boredom/depression/stress” (49%) and “curiosity” (35%).


圖 3.6 按年齡組別劃分的 2016 年被呈報吸毒者現時吸食毒品原因

Chart 3.6 Reasons for current drug use of reported drug abusers in 2016 by age group

(a) 21 歲以下 Aged under 21

現時吸食毒品原因
Reason for current drug use

(b) 21 歲及以上 Aged 21 and over

現時吸食毒品原因
Reason for current drug use

註釋：個別被呈報吸毒者在某年內可被呈報多於一個現時吸食毒品原因。

Note: More than one reason for current drug use may be reported for an individual drug abuser in a given year.

經濟活動身分 (表 1j)

3.23 48%的吸毒者在被呈報時為失業人士，另 32%是全職工作人士，12%是散工／兼職工作人士及 1%是學生。而學生佔被呈報青少年吸毒者的比重達 16%。

教育程度 (表 1k)

3.24 在 2016 年的被呈報吸毒者中，逾半數 (51%) 曾接受初中教育，25% 曾接受高中教育，20% 曾接受小學教育及 3% 曾接受專上教育。

種族 (表 1l)

3.25 華裔一向為被呈報吸毒者中最主要的族裔，佔 2016 年吸毒人士 89%。其他被呈報的少數族裔吸毒者依次為尼泊爾裔 (3%)、印度裔／巴基斯坦裔／孟加拉裔／斯里蘭卡裔 (3%) 和越南裔 (3%)。

婚姻狀況 (表 1m)

3.26 在被呈報吸毒者中，約有 50% 從未結婚，33% 為已婚或同居，16% 已離婚或分居，餘下 1% 為鰥寡。男性和女性的婚姻狀況分布相若。

Economic Activity Status (Table 1j)

3.23 48% of the reported drug abusers were unemployed at the time of report. Another 32% were full-time workers, 12% were casual/part-time workers and 1% were students. Among the reported young drug abusers, the proportion of students was 16%.

Educational Attainment (Table 1k)

3.24 More than half (51%) of reported drug abusers in 2016 attained lower secondary education, 25% upper secondary education, 20% primary education and 3% post-secondary education.

Ethnicity (Table 1l)

3.25 Chinese had been the dominant ethnic group of reported drug abusers, at 89% of the drug abusers in 2016. Other reported drug abusers of minority ethnic groups included Nepalese (3%), Indian/Pakistani/Bangladeshi/Sri Lankan (3%) and Vietnamese (3%).

Marital Status (Table 1m)

3.26 About 50% of the reported drug abusers had never been married, 33% married or cohabiting, 16% divorced or separated and the remaining 1% widowed. Males and females showed a similar distribution of marital status.

伴侶有否被呈報吸食毒品 (表 1m)

3.27 在已婚或同居的被呈報吸毒者中，20%報稱他們的伴侶也吸毒。女性被呈報吸毒者當中，其伴侶也吸毒的比重為 40%，遠高於男性吸毒者的相應比重（15%）。

居住地區 (表 1n)

3.28 深水埗（12%）、觀塘（10%）和油尖旺（10%）為最多被呈報吸毒者居住的地區。至於 21 歲以下的吸毒者，主要居住在葵青（11%）元朗（10%）和沙田（8%）。

屋宇單位類型 (表 1o)

3.29 逾半數（58%）被呈報吸毒者居住在公營租住單位，37%居住在私人住宅單位，3%居住在資助出售單位。

曾否有犯罪紀錄 (表 1p)

3.30 75%的被呈報吸毒者曾有犯罪紀錄，其中大多為只與毒品有關的罪行（39%）、或與毒品有關及其他罪行（25%）；而 10%只有與毒品無關的罪行。在被呈報的 21 歲及以上成年吸毒者中，曾有犯罪紀錄者佔 76%，較 21 歲以下青少年吸毒者的相應百分比（50%）為高。

Whether Partner Took Drugs (Table 1m)

3.27 Of those married or cohabiting, 20% reported that their partners also abused drugs. The proportion of reported female abusers with partners also abusing drugs was 40%, much higher than the corresponding proportion of male abusers (15%).

District of Residence (Table 1n)

3.28 Sham Shui Po (12%), Kwun Tong (10%) and Yau Tsim Mong (10%) were the districts which had the highest number of reported drug abusers residing. For drug abusers aged under 21, Kwai Tsing (11%), Yuen Long (10%) and Sha Tin (8%) were the major districts.

Type of Quarters (Table 1o)

3.29 More than half (58%) of the reported drug abusers resided in public rental flats, 37% in private residential flats and 3% in subsidized sale flats.

Whether Previously Convicted (Table 1p)

3.30 75% of the reported drug abusers had previously been convicted. Among them, most had previous convictions of either drug-related offences only (39%) or both drug-related and other offences (25%), while 10% had previous convictions of other offences only. The proportion of previously convicted abusers among the reported adult abusers aged 21 and over was 76%, which was higher than that among the young drug abusers aged under 21 (50%).

4 2016年首次被呈報及曾被呈報吸毒者的特徵 Characteristics of Newly and Previously Reported Drug Abusers in 2016

4.1 在2016年所有被呈報的8 077名吸毒者中，1 927人或24%是首次被呈報，餘下6 150人（76%）則曾經被呈報。在被呈報的21歲以下青少年吸毒者當中，首次被呈報者的百分比為70%，遠高於被呈報的21歲及以上成年吸毒者（21%）。下文比較首次被呈報及曾被呈報吸毒者的特徵。

被呈報吸毒者的資料來源 (表 2h)

4.2 在2016年，首次被呈報吸毒者的資料主要來執法部門和自戒毒治療和康復服務中心／濫用精神藥物者輔導中心／戒毒輔導服務中心，分別佔首次被呈報吸毒者的45%和36%。

4.3 同年，曾被呈報吸毒者的主要資料來源是美沙酮診所和執法部門，分別佔有關吸毒者的44%和43%。

年齡和性別 (表 2a 及圖 4.1)

4.4 首次被呈報吸毒者和曾被呈報吸毒者的年齡分布頗為不同。首次被呈報吸毒者中，18%是在21歲以下，而曾被呈報吸毒者的相應數字則為

4.1 Of all 8 077 drug abusers reported in 2016, 1 927 or 24% were newly reported and the remaining 6 150 (76%) were previously reported. The proportion of newly reported drug abusers among young drug abusers under 21 was much higher, at 70%, as compared against 21% among reported adult abusers aged 21 and over. A comparison of the characteristics between newly and previously reported drug abusers is given in the ensuing paragraphs.

Sources of Reported Drug Abusers (Table 2h)

4.2 For the newly reported drug abusers, law enforcement agencies and drug treatment and rehabilitation centres/counselling centres for psychotropic substance abusers/centres for drug counselling were the major sources of reporting in 2016, taking up 45% and 36% respectively of the drug abusers concerned.

4.3 For those previously reported drug abusers, methadone clinics and law enforcement agencies were the major sources of reporting in 2016, taking up 44% and 43% respectively of the drug abusers concerned.

Age and Sex (Table 2a and Chart 4.1)

4.4 The age distribution of the newly reported drug abusers was quite different from that of the previously reported ones. While 18% of the newly reported drug


2%。大部分(41%)首次被呈報吸毒者介乎21至30歲，而79%曾被呈報吸毒者則為31歲及以上。首次被呈報吸毒者中，21至35歲的年輕成年人佔55%。首次被呈報吸毒者的平均年齡為30歲，相對於平均年齡為42歲的曾被呈報吸毒者較為年輕。

abusers were aged under 21, the corresponding figure of the previously reported ones was only 2%. The majority (41%) of the newly reported drug abusers were aged 21-30, while 79% of the previously reported ones were aged 31 and over. Young adults aged 21-35 accounted for 55% of all newly reported drug abusers. The newly reported drug abusers, at an average age of 30 years, were in general much younger than the previously reported ones (at an average age of 42 years).

4.5 在性別分布方面，女性佔首次被呈報吸毒者25%，但在曾被呈報吸毒者中所佔的百分比則較低，只有16%。

4.5 Regarding sex distribution, 25% of the newly reported drug abusers were females, while the respective proportion among the previously reported abusers was lower, only at 16%.

圖 4.1 2016年首次/曾被呈報吸毒者的年齡組別分布
Chart 4.1 Newly/previously reported drug abusers in 2016 by age group



註釋： * 少於0.5%。

Note : * Less than 0.5%.

首次吸食毒品的年齡 (表 2d)

4.6 首次被呈報的吸毒者平均在 23 歲開始吸毒，其中半數已吸毒不少於 4.6 年。而曾被呈報者則較早開始吸毒，平均在 18 歲開始，其中半數已吸毒不少於 2.4 年才被首次呈報。

被吸食的毒品種類 (表 2b 及圖 4.2)

4.7 在 2016 年首次被呈報吸毒者中，最常被吸食的毒品種類為甲基安非他明(40%)，其次為氯胺酮(21%)及可卡因(19%)。

4.8 至於在曾被呈報的吸毒者中，最常被吸食的毒品種類則是海洛英(62%)，其次為甲基安非他明(27%)及三唑倫／咪達唑倫／佐匹克隆(14%)。

Age of First Abuse (Table 2d)

4.6 The newly reported drug abusers on average started to abuse drugs at the age of 23 years, and half of them had abused drugs for at least 4.6 years. Meanwhile, the previously reported drug abusers on average started earlier at the age of 18 years and half of them had abused drugs for at least 2.4 years before first reported.


Type of Drugs Abused (Table 2b and Chart 4.2)

4.7 Among the newly reported drug abusers in 2016, the most common type of drug abused was methamphetamine (40%), followed by ketamine (21%) and cocaine (19%).

4.8 As for previously reported drug abusers, heroin (62%) was the dominant type of drug abused, followed by methamphetamine (27%) and triazolam/midazolam/zopiclone (14%).

圖 4.2 2016 年首次／曾被呈報吸毒者通常吸食毒品種類

Chart 4.2 Common types of drugs abused by newly/previously reported drug abusers in 2016



現時吸食毒品原因 (表 2c)

Reason for Current Drug Abuse (Table 2c)

4.9 首次被呈報吸毒者現時吸食毒品的最常見原因是「解悶／情緒低落／壓力」(47%)，其次是「受到同輩朋友影響／想和同輩朋友打成一片」(36%)、「避免因沒有吸食毒品而感到不適」(26%)和「出於好奇」(25%)。

4.9 For the newly reported drug abusers, the most common reason for current drug use was “relief of boredom/depression/stress” (47%), followed by “peer influence/to identify with peers” (36%), “to avoid discomfort of its absence” (26%) and “curiosity” (25%).

4.10 至於曾被呈報吸毒者，現時吸食毒品的最常見原因，分別是「避免因沒有吸食毒品而感到不適」(55%)、「解悶／情緒低落／壓力」(42%)和「受到同輩朋友影響／想和同輩朋友打成一片」(32%)。

4.10 As for the previously reported persons, the most common reasons for current drug use were “to avoid discomfort of its absence” (55%), “relief of boredom/depression/stress” (42%) and “peer influence/to identify with peers” (32%).

經濟活動身分 (表 2e)

4.11 在首次被呈報的吸毒者中，有 37% 是失業人士，35% 是全職工作人士及 17% 是散工／兼職工作人士。在曾被呈報吸毒者中，失業人士的比重較高，達 51%，另 31% 是全職工作人士及 11% 是散工／兼職工作人士。

教育程度 (表 2f)

4.12 首次被呈報吸毒者中，有 51% 曾接受初中教育，35% 曾接受高中教育及 6% 曾接受專上教育。只有 8% 曾接受小學程度或以下的教育。

4.13 曾被呈報吸毒者的教育水平相對較低，51% 有初中教育程度，26% 有小學程度或以下，22% 有高中教育程度及 2% 有專上教育程度。

婚姻狀況 (表 2g)

4.14 在首次被呈報的吸毒者中，有 65% 從未結婚，而曾被呈報吸毒者中則有較少比重從未結婚，為 45%。已婚和同居者合計，分別佔首次被呈報吸毒者的 25% 和曾被呈報吸毒者的 36%，而鰥寡、離婚或分居者合計，則分別佔前者的 10% 和後者的 19%。

Economic Activity Status (Table 2e)

4.11 Of all newly reported drug abusers, 37% were unemployed, 35% were full-time workers and 17% were casual/part-time workers. Among the previously reported persons, the proportion of the unemployed was relatively higher, at 51%. Another 31% were full-time workers and 11% casual/part-time workers.

Educational Attainment (Table 2f)

4.12 For the newly reported drug abusers, 51% attained lower secondary, 35% upper secondary and 6% post-secondary education. Only 8% attained primary education or below.

4.13 For the previously reported abusers, their educational level was relatively lower, with 51% attaining lower secondary education, 26% primary education or below, 22% upper secondary education and 2% post-secondary education.

Marital Status (Table 2g)

4.14 65% of the newly reported drug abusers had never been married while the respective proportion among the previously reported persons was lower, at 45%. Married and cohabiting persons together took up 25% of the newly reported drug abusers and 36% of the previously reported drug abusers, while the widowed, divorced or separated together took up 10% of the former group and 19% of the latter group.

4.15 在已婚或同居的首次被呈報者中，有 25% 報稱其伴侶亦吸毒，而曾被呈報者有吸毒伴侶的比例為 19%。

4.15 Of those married or cohabiting newly reported abusers, 25% reported that their partners also abused drugs, while the corresponding figure for the previously reported abusers with drug taking partners was 19%.

5

2016 年各主要類別被呈報吸毒者的特徵 Characteristics of Major Categories of Reported Drug Abusers in 2016

5.1 吸毒者吸食超過一種毒品的現象十分普遍。被呈報吸食多種毒品者是指在指定時期內被呈報吸食超過一種毒品的人士，不論有關毒品是否在同一時間混合服用。

被呈報吸食多種毒品人士 (表 1c 及圖 5.1)

5.2 在 2016 年的所有被呈報吸毒者中，有 1 990 人或 25% 吸食超過一種毒品。

5.3 在 2016 年，約 21% 的吸毒者吸食兩種毒品，而海洛英及三唑侖／咪達唑侖／佐匹克隆是最常被吸食的毒品組合。另有 3% 的吸毒者吸食三種毒品，只有少於 1% 的吸毒者吸食超過三種毒品。

5.1 It is a common phenomenon for drug abusers to abuse more than one type of drugs. A multiple drug abuser is defined as a person who is reported to have taken more than one type of drugs within the specified period, irrespective of whether the drugs were taken concurrently on the same occasion or not.


Reported Multiple Drug Abusers (Table 1c and Chart 5.1)

5.2 Of all reported drug abusers, 1 990 or 25% took more than one type of drugs in 2016.

5.3 About 21% of the reported drug abusers took two types of drugs in 2016. The most common combination of the two types of drugs taken was heroin and triazolam/midazolam/zopiclone. Another 3% of reported drug abusers took three types of drugs, while less than 1% took more than three types of drugs.


圖 5.1 按吸食毒品種類數目及主要吸食毒品組合劃分的 2016 年被呈報吸食毒品人士
 Chart 5.1 Reported drug abusers in 2016 by number and major combination of drug types taken

(a) 吸食毒品種類數目 Number of drug types taken



(b) 吸食兩種毒品 Two drug types taken

主要吸食毒品組合
 Major combination of drug types taken




(c) 吸食三種毒品 Three drug types taken

主要吸食毒品組合
Major combination of drug types taken

海洛英、三唑侖／咪達唑侖／佐匹克隆和甲基安非他明
Heroin, Triazolam/Midazolam/Zopiclone & Methamphetamine

氯胺酮、可卡因和甲基安非他明
Ketamine, Cocaine & Methamphetamine



註釋：括弧內的數字顯示佔所有被呈報吸毒者的百分比。

Note: Figures in brackets refer to the percentage of all reported drug abusers.

被呈報吸食海洛英人士與被呈報吸食危害精神毒品人士的比較

5.4 以下各段就被呈報吸食海洛英人士與被呈報吸食危害精神毒品人士的特徵作比較，並載列有關各主要被呈報吸食危害精神毒品人士類別（即吸食甲基安非他明、氯胺酮、三唑侖／咪達唑侖／佐匹克隆、可卡因、大麻及咳藥的人士）主要特徵的分項數字。

年齡和性別 (表 3a、4a 及圖 5.2)

5.5 在 2016 年，共有 4 036 名被呈報吸食海洛英人士，平均年齡為 47 歲，當中大部分（87%）是男性。而 5 145 名被呈報吸食危害精神毒品人士的平均年齡為 34 歲，遠較被呈報吸食海洛英者年輕，當中 80% 是男性。

Comparison of Reported Heroin Abusers with Reported Psychotropic Substance Abusers

5.4 In the ensuing paragraphs, a comparison of the characteristics of reported heroin abusers and reported psychotropic substance abusers is presented. Separate figures on the salient characteristics of the major categories of reported psychotropic substance abusers, viz. abusers of methamphetamine, ketamine, triazolam/midazolam/zopiclone, cocaine, cannabis and cough medicine abusers are also included.


Age and Sex (Table 3a, 4a and Chart 5.2)

5.5 In 2016, there were 4 036 reported heroin abusers at an average age of 47 years. The majority (87%) of them were males. The 5 145 reported psychotropic substance abusers were much younger than the reported heroin abusers, at an average age of

相對來說，女性在被呈報吸食危害精神毒品者中所佔的比例（20%或 1 045 人），較在被呈報吸食海洛英者所佔的比例（13%或 534 人）為高。

34 years. 80% of them were males. Relatively, there were more reported female psychotropic substances abusers by proportion (20% or 1 045) than reported female heroin abusers (13% or 534).

圖 5.2 按常被吸食毒品種類劃分的 2016 年被呈報吸毒者的性別／年齡組別分布
Chart 5.2 Age/sex distribution of reported drug abusers in 2016 by common type of drugs abused



5.6 在六大類被呈報吸食危害精神毒品者中，女性佔被呈報吸食氯胺酮和甲基安非他明人士的百分比比較高，分別為 26%及 23%。在被呈報吸食可卡因、三唑侖／咪達唑侖／佐匹克隆、大麻和咳藥人士當中，女性的相應百分比則分別為 15%、14%、8% 和 5%。

5.6 Among the six major categories of reported psychotropic substance abusers, the proportions of females were relatively higher among the reported ketamine and methamphetamine abusers, being 26% and 23% respectively. The corresponding proportions of female abusers of cocaine, triazolam/midazolam/zopiclone, cannabis and cough medicine were 15%, 14%, 8% and 5% respectively.

5.7 在被呈報吸食各類危害精神毒品人士年齡方面，吸食三唑侖／咪達唑侖／佐匹克隆者的平均年齡為 45 歲，遠較其他五大類危害精神毒品人

5.7 In respect of the age of various categories of psychotropic substance abusers, triazolam/midazolam/zopiclone abusers, at an average age of 45 years, were much older

士年長。吸食咳藥、甲基安非他明、大麻、氯胺酮及可卡因人士的平均年齡分別是 35 歲、34 歲、30 歲、28 歲及 28 歲。

首次吸毒年齡 (表 3c)

5.8 在 2016 年，吸食海洛英者首次吸食該藥物的平均年齡為 19 歲。在六大類被呈報吸食危害精神毒品者中，首次濫用相關藥物的平均年齡以吸食三唑侖／咪達唑侖／佐匹克隆者最高，為 27 歲，而吸食氯胺酮者則最低，只有 18 歲。

毒齡 (表 3c)

5.9 基於被呈報吸食各類危害精神毒品人士的年紀比吸食傳統類毒品人士為輕，所以前者的毒齡均較後者為短。就 2016 年被呈報吸食甲基安非他明人士而言，其甲基安非他明毒齡中位數為 9 年；另外，吸食氯胺酮人士的氯胺酮毒齡中位數為 10 年；而吸食海洛英人士的海洛英毒齡則長達 27 年。

現時吸食毒品原因 (表 4c)

5.10 被呈報吸食海洛英者中，當時吸食海洛英的最普遍原因是「避免因沒有吸食毒品而感到不適」(佔被呈報吸食海洛英者 71%)，其次是「解悶／

than the other five major categories of psychotropic substance abusers. The average ages of cough medicine, methamphetamine, cannabis, ketamine and cocaine abusers were 35, 34, 30, 28 and 28 years respectively.

Age of First Abuse (Table 3c)

5.8 The average age of first abuse of heroin for heroin abusers was 19 years in 2016. Among the six major categories of reported psychotropic substance abusers, the average age of first abusing the drug for triazolam/midazolam/zopiclone abusers was the highest, at 27 years; while that for ketamine abusers was the lowest, at 18 years.

Drug History (Table 3c)

5.9 As the reported abusers of psychotropic substances are generally much younger than those of traditional drugs, the former had a shorter drug history than the latter. For the reported methamphetamine abusers, the median methamphetamine abusing history in 2016 was 9 years. The median ketamine abusing history of ketamine abusers was 10 years, while for heroin abusers, the median heroin abusing history was much longer, at 27 years.

Reason for Current Drug Use (Table 4c)

5.10 Among the reported heroin abusers, the most common reason for the current use of heroin was “to avoid discomfort of its absence” (71% of reported heroin abusers),

情緒低落／壓力」(37%)。對於被呈報吸食危害精神毒品者，最普遍的原因是「解悶／情緒低落／壓力」(49%)，其次是「受到同輩朋友影響／想和同輩朋友打成一片」(35%)和「避免因沒有吸食毒品而感到不適」(35%)。

居住地區 (表 3b 及 4b)

5.11 在 2016 年，較多被呈報吸食海洛英者居住在深水埗(佔被呈報吸食海洛英者 17%)、油尖旺(13%)及觀塘(11%)。對於所有被呈報吸食危害精神毒品者，較多人居住在觀塘(10%)，元朗(10%)及深水埗(9%)。再者，元朗(11%)是最多被呈報吸食甲基安非他明者居住的地區；對於被呈報吸食氫胺酮者，葵青(12%)居首位；而被呈報吸食三唑侖／咪達唑侖／佐匹克隆、咳藥、大麻和可卡因者，分別最多居於深水埗(17%)、大埔(12%)、元朗(12%)及元朗(11%)。

每月吸毒次數 (圖 5.3)

5.12 吸食海洛英與三唑侖／咪達唑侖／佐匹克隆者一般吸食次數較頻密，每月吸食次數中位數分別為 60 次和 45 次。至於吸食其他危害精神毒品者，相應吸食次數少很多，如吸食咳藥及亞甲二氧基甲基安非他明者為 30 次、吸食硝甲西洋者為 21 次、吸食甲基安非他明者為 17 次，而吸食氫

followed by “relief of boredom/depression/stress” (37%). Among the reported psychotropic substance abusers, “relief of boredom/depression/stress” (49%) came first while “peer influence/to identify with peers” (35%) and “to avoid discomfort of its absence” (35%) came second and third respectively.

District of Residence (Table 3b and 4b)

5.11 Relatively more reported heroin abusers in 2016 resided in Sham Shui Po (17% of reported heroin abusers), Yau Tsim Mong (13%) and Kwun Tong (11%). For the reported psychotropic substance abusers as a whole, more resided in Kwun Tong (10%), Yuen Long (10%) and Sham Shui Po (9%). More specifically, Yuen Long (11%) had the highest number of reported methamphetamine abusers. For the reported ketamine abusers, Kwai Tsing (12%) was on the top of the list; triazolam/midazolam/zopiclone abusers, cough medicine abusers, cannabis abusers and cocaine abusers mainly lived in Sham Shui Po (17%), Tai Po (12%) Yuen Long (12%) and Yuen Long (11%) respectively.


Monthly Frequency of Abusing Drugs (Chart 5.3)

5.12 Abusers of heroin and triazolam/midazolam/zopiclone had a relatively higher frequency of abusing drugs in general, with a median monthly frequency of 60 times and 45 times respectively. The corresponding figures for abusers of other types of psychotropic substances were much lower, as for example, 30 times for cough

胺酮、可卡因及大麻者均為 13 次。

medicine and MDMA abusers; 21 times for nimetazepam abusers, 17 times for methamphetamine abusers and 13 times for ketamine, cocaine and cannabis abusers.

圖 5.3 按常被吸食毒品種類劃分的 2016 年每月吸毒次數中位數
Chart 5.3 Median monthly frequency of abusing drugs in 2016 by common type of drugs abused



每月吸毒開支 (圖 5.4)


5.13 被呈報吸食海洛英者的每月吸毒開支最高，於 2016 年的每月開支中位數為港幣 9,000 元。在常被吸食危害精神毒品中，吸毒者吸食可卡因、亞甲二氧基甲基安非他明、三唑侖／咪達唑侖／佐匹克隆及甲基安非他明的每月開支中位數較高，分別達港幣 5,150 元、4,500 元、3,000 元及 3,000 元，而吸食大麻的每月開支中位數則為港幣 1,000 元。

Monthly Expenditure of Abusing Drugs (Chart 5.4)

5.13 The reported abusers of heroin had the highest monthly expenditure of abusing drugs in general, with a median monthly expenditure of HK\$9,000 in 2016. Among the abusers of common psychotropic substances, those taking cocaine, MDMA, triazolam/midazolam/zopiclone and methamphetamine had a higher median monthly expenditure of HK\$5,150, HK\$4,500, HK\$3,000 and HK\$3,000

respectively while the corresponding figure for cannabis abusers was HK\$1,000.

圖 5.4 按常被吸食毒品種類劃分的 2016 年每月吸毒開支中位數
Chart 5.4 Median monthly expenditure of abusing drugs in 2016 by common type of drugs abused



註釋： 數字進位至最接近的十位數。

Note: Figures are rounded to the nearest ten.

經濟活動身分 (表 3e)

5.14 2016 年被呈報吸食三唑侖／咪達唑侖／佐匹克隆、海洛英、甲基安非他明、咳藥、可卡因、大麻及氯胺酮的吸毒者中均有不少為失業人士，分別佔該些吸毒者的 63%、59%、48%、44%、34%、31% 及 26%。

Economic Activity Status (Table 3e)

5.14 A notable proportion of triazolam/midazolam/zopiclone (63%), heroin (59%), methamphetamine (48%), cough medicine (44%), cocaine (34%), cannabis (31%) and ketamine (26%) abusers were unemployed in 2016.

吸食毒品地點 (表 3f)

5.15 對不同毒品而言，家／朋友的家於 2016 年均為最常被呈報的吸食

Locality of Abusing Drugs (Table 3f)

5.15 Home/friend's home was the most popular location of abusing drugs for

地點，達 59% 至 84%；其次是公眾地方如休憩地方／公園／公廁。的士高／卡拉 OK 大致排第三、四位。不同毒品的吸食地點都有所不同。例如，16% 的咳藥吸食者曾於電子遊戲機中心吸毒，而 9% 的可卡因吸食者曾於會所／大廈／酒店／酒吧內舉行的派對場合吸毒。

59%-84% of the abusers of various drugs in 2016, followed by public areas like recreation area/public park/public toilet. Disco/karaoke generally ranked third or fourth. The locality of abusing drugs varied among various drugs. For example, 16% of cough medicine abusers took drugs in electronic game centre while 9% of cocaine abusers took drugs in party gathering in club house/building/hotel/bar.

統計表 Tables

頁數 Page

<p>1. 按下列變量／分類劃分的 2007 至 2016 年被呈報吸毒者：</p> <p>a. 性別及年齡組別</p> <p>b. 首次／曾被呈報、性別及年齡組別</p> <p>c. 吸食毒品種類數目</p> <p>d. 年齡組別及主要吸食毒品種類</p> <p>e. 吸食毒品方法</p> <p>f. 年齡組別及吸食毒品地方</p> <p>g. 年齡組別及吸食毒品地點</p> <p>h. 年齡組別及現時吸食毒品原因</p> <p>i. 性別及首次吸食毒品年齡</p> <p>j. 年齡組別及經濟活動身分</p> <p>k. 年齡組別及教育程度</p> <p>l. 種族</p> <p>m. 性別、婚姻狀況及伴侶有否吸毒</p> <p>n. 年齡組別及居住地區</p> <p>o. 屋宇單位類型</p> <p>p. 年齡組別及曾否有犯罪紀錄</p> <p>q. 年齡組別及呈報機構類別</p> <p>r. 呈報機構類別</p>	<p>1. Reported drug abusers for 2007-2016 by :</p> <p>a. sex by age group 47</p> <p>b. newly/previously reported by sex by age group 50</p> <p>c. number of drug types taken 52</p> <p>d. age group by major type of drugs abused 53</p> <p>e. method of taking drugs 56</p> <p>f. age group by place of abusing drugs 57</p> <p>g. age group by locality of abusing drugs 58</p> <p>h. age group by reason for current drug use 60</p> <p>i. sex by age of first abuse 62</p> <p>j. age group by economic activity status 63</p> <p>k. age group by educational attainment 65</p> <p>l. ethnicity 66</p> <p>m. sex by marital status by whether partner took drugs 67</p> <p>n. age group by district of residence 68</p> <p>o. type of quarters 71</p> <p>p. age group by whether previously convicted 72</p> <p>q. age group by type of reporting agency 73</p> <p>r. type of reporting agency 75</p>
<p>2. 按下列變量／分類劃分的 2016 年首次／曾被呈報吸毒者：</p> <p>a. 性別及年齡組別</p> <p>b. 年齡組別及常被吸食毒品種類</p> <p>c. 現時吸食毒品原因</p> <p>d. 首次吸食毒品年齡</p> <p>e. 經濟活動身分</p> <p>f. 教育程度</p>	<p>2. Newly/previously reported drug abusers in 2016 by :</p> <p>a. sex by age group 76</p> <p>b. age group by common type of drugs abused 78</p> <p>c. reason for current drug use 80</p> <p>d. age of first abuse 81</p> <p>e. economic activity status 82</p> <p>f. educational attainment 83</p>

		<i>頁數 Page</i>
g. 性別、婚姻狀況及伴侶有否吸毒	g. sex by marital status by whether partner took drugs	84
h. 年齡組別及呈報機構類別	h. age group by type of reporting agency	85
3. 按下列變量／分類劃分的 2016 年被呈報吸食常見毒品者：	3. Reported abusers of common drug types in 2016 by :	
a. 性別及年齡組別	a. sex by age group	87
b. 居住地區	b. district of residence	88
c. 首次吸食相關個別毒品年齡	c. age of first abusing the respective type of drugs	89
d. 吸食毒品方法	d. method of taking drugs	90
e. 經濟活動身分	e. economic activity status	91
f. 吸食毒品地點	f. locality of abusing drugs	92
4. 按下列變量／分類劃分的 2016 年被呈報吸食海洛英及危害精神毒品者：	4. Reported heroin and psychotropic substance abusers in 2016 by :	
a. 性別及年齡組別	a. sex by age group	93
b. 居住地區	b. district of residence	94
c. 現時吸食毒品原因	c. reason for current drug use	95

表 1a 按性別及年齡組別劃分的2007至2016年被呈報吸毒者
Table 1a Reported drug abusers for 2007-2016 by sex by age group

	人數 No. of persons									
性別／年齡組別 Sex/age group	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
男 Male										
< 12	@ (@)	@ (@)	@ (@)	@ (@)	- (-)	- (-)	- (-)	- (-)	- (-)	- (-)
12 - 15	387 (3.5)	404 (3.6)	359 (3.2)	224 (2.2)	165 (1.8)	110 (1.2)	65 (0.8)	41 (0.6)	29 (0.4)	23 (0.3)
16 - 17	681 (6.1)	785 (6.9)	705 (6.3)	541 (5.4)	417 (4.4)	325 (3.6)	230 (2.8)	150 (2.0)	129 (1.9)	92 (1.4)
18 - 20	1 064 (9.6)	1 209 (10.7)	1 160 (10.3)	1 094 (10.9)	839 (8.9)	708 (7.8)	528 (6.4)	393 (5.3)	340 (4.9)	272 (4.1)
< 21 小計 Sub-total	2 134 (19.2)	2 402 (21.2)	2 228 (19.9)	1 860 (18.6)	1 421 (15.1)	1 143 (12.7)	823 (9.9)	584 (7.9)	498 (7.2)	387 (5.8)
21 - 30	2 769 (24.9)	2 752 (24.3)	2 799 (24.9)	2 440 (24.4)	2 251 (23.9)	2 104 (23.3)	2 025 (24.4)	1 598 (21.6)	1 603 (23.1)	1 482 (22.4)
31 - 40	2 446 (22.0)	2 393 (21.1)	2 425 (21.6)	2 288 (22.9)	2 313 (24.5)	2 332 (25.8)	2 125 (25.6)	2 059 (27.9)	1 822 (26.3)	1 792 (27.1)
41 - 50	1 897 (17.0)	1 806 (15.9)	1 815 (16.2)	1 560 (15.6)	1 547 (16.4)	1 575 (17.4)	1 558 (18.8)	1 414 (19.1)	1 349 (19.4)	1 417 (21.4)
≥ 51	1 881 (16.9)	1 981 (17.5)	1 954 (17.4)	1 860 (18.6)	1 894 (20.1)	1 880 (20.8)	1 771 (21.3)	1 730 (23.4)	1 665 (24.0)	1 543 (23.3)
≥ 21 小計 Sub-total	8 993 (80.8)	8 932 (78.8)	8 993 (80.1)	8 148 (81.4)	8 005 (84.9)	7 891 (87.3)	7 479 (90.1)	6 801 (92.1)	6 439 (92.8)	6 234 (94.2)
小計 Sub-total	11 127 (100.0)	11 334 (100.0)	11 221 (100.0)	10 008 (100.0)	9 426 (100.0)	9 034 (100.0)	8 302 (100.0)	7 385 (100.0)	6 937 (100.0)	6 621 (100.0)
平均年齡 Mean age	35	35	35	35	36	37	38	39	40	40

表 1a [續]
Table 1a (Cont'd)

按性別及年齡組別劃分的2007至2016年被呈報吸毒者
Reported drug abusers for 2007-2016 by sex by age group

性別／年齡組別 Sex/age group	人數 No. of persons									
	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
女 Female										
< 12	@ (@)	@ (@)	@ (@)	- (-)	- (-)	- (-)	- (-)	- (-)	- (-)	- (-)
12 - 15	274 (11.1)	326 (11.2)	405 (14.6)	267 (10.6)	168 (7.8)	94 (4.5)	77 (3.9)	39 (2.3)	26 (1.4)	20 (1.4)
16 - 17	294 (11.9)	329 (11.3)	346 (12.5)	312 (12.3)	171 (8.0)	161 (7.8)	94 (4.8)	69 (4.1)	62 (3.4)	32 (2.2)
18 - 20	295 (12.0)	416 (14.3)	407 (14.7)	372 (14.7)	265 (12.3)	226 (10.9)	231 (11.8)	137 (8.1)	103 (5.6)	63 (4.3)
< 21 小計 Sub-total	865 (35.1)	1 072 (36.9)	1 160 (41.9)	951 (37.6)	604 (28.1)	481 (23.2)	402 (20.5)	245 (14.6)	191 (10.4)	115 (7.9)
21 - 30	716 (29.0)	865 (29.8)	682 (24.6)	659 (26.0)	629 (29.3)	692 (33.4)	680 (34.7)	625 (37.1)	681 (37.2)	464 (31.9)
31 - 40	565 (22.9)	625 (21.5)	580 (20.9)	588 (23.2)	554 (25.8)	565 (27.3)	518 (26.5)	450 (26.7)	517 (28.3)	420 (28.8)
41 - 50	226 (9.2)	233 (8.0)	239 (8.6)	220 (8.7)	248 (11.6)	217 (10.5)	259 (13.2)	258 (15.3)	326 (17.8)	330 (22.7)
≥ 51	94 (3.8)	112 (3.9)	108 (3.9)	112 (4.4)	111 (5.2)	117 (5.6)	99 (5.1)	105 (6.2)	115 (6.3)	127 (8.7)
≥ 21 小計 Sub-total	1 601 (64.9)	1 835 (63.1)	1 609 (58.1)	1 579 (62.4)	1 542 (71.9)	1 591 (76.8)	1 556 (79.5)	1 438 (85.4)	1 639 (89.6)	1 341 (92.1)
小計 Sub-total	2 466 (100.0)	2 907 (100.0)	2 769 (100.0)	2 530 (100.0)	2 146 (100.0)	2 072 (100.0)	1 958 (100.0)	1 683 (100.0)	1 830 (100.0)	1 456 (100.0)
平均年齡 Mean age	28	27	26	27	29	30	30	32	33	35

表 1a [續]
Table 1a (Cont'd)

按性別及年齡組別劃分的2007至2016年被呈報吸毒者
Reported drug abusers for 2007-2016 by sex by age group

性別／年齡 Sex/age	人數 No. of persons									
	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
合計 Overall										
< 12	@ (@)	@ (@)	6 (*)	@ (@)	- (-)	- (-)	- (-)	- (-)	- (-)	- (-)
12 - 15	661 (4.9)	730 (5.1)	764 (5.5)	491 (3.9)	333 (2.9)	204 (1.8)	142 (1.4)	80 (0.9)	55 (0.6)	43 (0.5)
16 - 17	975 (7.2)	1 114 (7.8)	1 051 (7.5)	853 (6.8)	588 (5.1)	486 (4.4)	324 (3.2)	219 (2.4)	191 (2.2)	124 (1.5)
18 - 20	1 359 (10.0)	1 625 (11.4)	1 567 (11.2)	1 466 (11.7)	1 104 (9.5)	934 (8.4)	759 (7.4)	530 (5.8)	443 (5.1)	335 (4.1)
< 21 小計 Sub-total	2 999 (22.1)	3 474 (24.4)	3 388 (24.2)	2 811 (22.4)	2 025 (17.5)	1 624 (14.6)	1 225 (11.9)	829 (9.1)	689 (7.9)	502 (6.2)
21 - 30	3 485 (25.6)	3 617 (25.4)	3 481 (24.9)	3 099 (24.7)	2 880 (24.9)	2 796 (25.2)	2 705 (26.4)	2 223 (24.5)	2 284 (26.1)	1 946 (24.1)
31 - 40	3 011 (22.2)	3 018 (21.2)	3 005 (21.5)	2 876 (22.9)	2 867 (24.8)	2 897 (26.1)	2 643 (25.8)	2 509 (27.7)	2 339 (26.7)	2 212 (27.4)
41 - 50	2 123 (15.6)	2 039 (14.3)	2 054 (14.7)	1 780 (14.2)	1 795 (15.5)	1 792 (16.1)	1 817 (17.7)	1 672 (18.4)	1 675 (19.1)	1 747 (21.6)
≥ 51	1 975 (14.5)	2 093 (14.7)	2 062 (14.7)	1 972 (15.7)	2 005 (17.3)	1 997 (18.0)	1 870 (18.2)	1 835 (20.2)	1 780 (20.3)	1 670 (20.7)
≥ 21 小計 Sub-total	10 594 (77.9)	10 767 (75.6)	10 602 (75.8)	9 727 (77.6)	9 547 (82.5)	9 482 (85.4)	9 035 (88.1)	8 239 (90.9)	8 078 (92.1)	7 575 (93.8)
總計 Total	13 593 (100.0)	14 241 (100.0)	13 990 (100.0)	12 538 (100.0)	11 572 (100.0)	11 106 (100.0)	10 260 (100.0)	9 068 (100.0)	8 767 (100.0)	8 077 (100.0)
年輕成年人 ^A Young adult ^A	5 188 (38.2)	5 371 (37.7)	5 207 (37.2)	4 740 (37.8)	4 405 (38.1)	4 325 (38.9)	4 024 (39.2)	3 396 (37.5)	3 346 (38.2)	2 890 (35.8)
平均年齡 Mean age										
所有被呈報吸毒者 All reported drug abusers	34	33	33	34	35	36	37	38	38	39
21歲以下被呈報吸毒者 Reported drug abusers under 21	17	17	17	17	18	18	18	18	18	18

註釋：括弧內的數字顯示佔各相關性別組別內所有被呈報吸毒者的百分比。

Notes: Figures in brackets refer to the proportions of all reported drug abusers in the respective sex groups.

^A 年輕成年人指年齡介乎21至35歲的人士。

Young adult refers to persons aged 21-35.

表 1b 按首次／曾被呈報、性別及年齡組別劃分的2007至2016年被呈報吸毒者

Table 1b Reported drug abusers for 2007-2016 by newly/previously reported by sex by age group

	人數 No. of persons									
性別／年齡組別 Sex/age group	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
首次被呈報 Newly reported										
男 Male										
< 16	346	337	296	183	152	101	53	31	23	19
16 - 20	1 217	1 316	1 143	962	689	603	437	318	288	250
< 21 小計 Sub-total	1 563	1 653	1 439	1 145	841	704	490	349	311	269
21 - 30	983	1 066	1 100	970	923	784	739	570	630	581
31 - 40	350	310	385	371	395	433	395	356	385	381
41 - 50	94	96	171	126	136	150	181	131	137	163
≥ 51	40	27	42	40	65	36	32	45	49	45
≥ 21 小計 Sub-total	1 467	1 499	1 698	1 507	1 519	1 403	1 347	1 102	1 201	1 170
小計 Sub-total	3 030	3 152	3 137	2 652	2 360	2 107	1 837	1 451	1 512	1 439
平均年齡 Mean age	23	23	24	24	26	27	28	29	29	30
女 Female										
< 16	231	262	347	216	141	84	64	30	24	17
16 - 20	390	524	467	449	264	233	192	117	84	65
< 21 小計 Sub-total	621	786	814	665	405	317	256	147	108	82
21 - 30	328	449	321	298	308	353	336	296	292	201
31 - 40	146	173	130	126	121	121	144	119	164	120
41 - 50	41	48	46	46	46	40	48	54	85	69
≥ 51	14	17	12	24	28	14	16	15	18	16
≥ 21 小計 Sub-total	529	687	509	494	503	528	544	484	559	406
小計 Sub-total	1 150	1 473	1 323	1 159	908	845	800	631	667	488
平均年齡 Mean age	23	23	21	22	25	25	26	28	30	30
合計 Overall										
< 16	577	599	643	399	293	185	117	61	47	36
16 - 20	1 607	1 840	1 610	1 411	953	836	629	435	372	315
< 21 小計 Sub-total	2 184	2 439	2 253	1 810	1 246	1 021	746	496	419	351
21 - 30	1 311	1 515	1 421	1 268	1 231	1 137	1 075	866	922	782
31 - 40	496	483	515	497	516	554	539	475	549	501
41 - 50	135	144	217	172	182	190	229	185	222	232
≥ 51	54	44	54	64	93	50	48	60	67	61
≥ 21 小計 Sub-total	1 996	2 186	2 207	2 001	2 022	1 931	1 891	1 586	1 760	1 576
總計 Total	4 180	4 625	4 460	3 811	3 268	2 952	2 637	2 082	2 179	1 927
平均年齡 Mean age	23	23	23	24	25	26	27	28	29	30

表 1b [續]

按首次／曾被呈報、性別及年齡組別劃分的2007至2016年
被呈報吸毒者

Table 1b (Cont'd)

Reported drug abusers for 2007-2016 by newly/previously
reported by sex by age group

	人數 No. of persons									
性別／年齡組別 Sex/age group	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
曾被呈報 Previously reported										
男 Male										
< 16	43	71	67	42	13	9	12	10	6	@
16 - 20	528	678	722	673	567	430	321	225	181	114
< 21 小計 Sub-total	571	749	789	715	580	439	333	235	187	118
21 - 30	1 786	1 686	1 699	1 470	1 328	1 320	1 286	1 028	973	901
31 - 40	2 096	2 083	2 040	1 917	1 918	1 899	1 730	1 703	1 437	1 411
41 - 50	1 803	1 710	1 644	1 434	1 411	1 425	1 377	1 283	1 212	1 254
≥ 51	1 841	1 954	1 912	1 820	1 829	1 844	1 739	1 685	1 616	1 498
≥ 21 小計 Sub-total	7 526	7 433	7 295	6 641	6 486	6 488	6 132	5 699	5 238	5 064
小計 Sub-total	8 097	8 182	8 084	7 356	7 066	6 927	6 465	5 934	5 425	5 182
平均年齡 Mean age	39	39	39	39	40	41	41	42	43	43
女 Female										
< 16	45	65	60	51	27	10	13	9	@	@
16 - 20	199	221	286	235	172	154	133	89	81	30
< 21 小計 Sub-total	244	286	346	286	199	164	146	98	83	33
21 - 30	388	416	361	361	321	339	344	329	389	263
31 - 40	419	452	450	462	433	444	374	331	353	300
41 - 50	185	185	193	174	202	177	211	204	241	261
≥ 51	80	95	96	88	83	103	83	90	97	111
≥ 21 小計 Sub-total	1 072	1 148	1 100	1 085	1 039	1 063	1 012	954	1 080	935
小計 Sub-total	1 316	1 434	1 446	1 371	1 238	1 227	1 158	1 052	1 163	968
平均年齡 Mean age	32	31	31	31	33	33	33	34	35	37
合計 Overall										
< 16	88	136	127	93	40	19	25	19	8	7
16 - 20	727	899	1 008	908	739	584	454	314	262	144
< 21 小計 Sub-total	815	1 035	1 135	1 001	779	603	479	333	270	151
21 - 30	2 174	2 102	2 060	1 831	1 649	1 659	1 630	1 357	1 362	1 164
31 - 40	2 515	2 535	2 490	2 379	2 351	2 343	2 104	2 034	1 790	1 711
41 - 50	1 988	1 895	1 837	1 608	1 613	1 602	1 588	1 487	1 453	1 515
≥ 51	1 921	2 049	2 008	1 908	1 912	1 947	1 822	1 775	1 713	1 609
≥ 21 小計 Sub-total	8 598	8 581	8 395	7 726	7 525	7 551	7 144	6 653	6 318	5 999
總計 Total	9 413	9 616	9 530	8 727	8 304	8 154	7 623	6 986	6 588	6 150
平均年齡 Mean age	38	38	38	38	39	40	40	41	41	42

表 1c 按吸食毒品種類數目劃分的2007至2016年被呈報吸毒者
Table 1c Reported drug abusers for 2007-2016 by number of drug types taken

	人數 No. of persons									
吸食毒品種類數目 Number of drug types taken	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
吸食一種毒品 One drug type taken	9 941	10 939	10 888	9 670	9 028	8 593	7 924	6 930	6 658	6 040
佔所有被呈報吸毒者的百分比 [#] % of all reported drug abusers [#]	73.6	77.0	78.2	77.4	78.5	77.7	77.8	77.3	76.7	75.2
吸食兩種毒品 Two drug types taken	2 826	2 562	2 459	2 283	2 071	2 073	1 962	1 689	1 651	1 673
佔所有被呈報吸毒者的百分比 [#] % of all reported drug abusers [#]	20.9	18.0	17.7	18.3	18.0	18.7	19.3	18.9	19.0	20.8
吸食三種毒品 Three drug types taken	521	505	451	381	296	305	244	273	297	263
佔所有被呈報吸毒者的百分比 [#] % of all reported drug abusers [#]	3.9	3.6	3.2	3.1	2.6	2.8	2.4	3.0	3.4	3.3
吸食多過三種毒品 More than three drug types taken	218	207	133	154	107	90	50	68	69	54
佔所有被呈報吸毒者的百分比 [#] % of all reported drug abusers [#]	1.6	1.5	1.0	1.2	0.9	0.8	0.5	0.8	0.8	0.7

註釋：# 佔所有被呈報吸食毒品種類的吸毒者的百分比。

Note: As a proportion of all reported drug abusers with known drugs abused.

表 1d 按年齡組別及主要吸食毒品種類劃分的2007至2016年被呈報吸毒者
Table 1d Reported drug abusers for 2007-2016 by age group by major type of drugs abused

	人數 No. of persons									
年齡組別／主要吸食毒品種類 ⁽¹⁾ Age group/major type of drugs abused ⁽¹⁾	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
21歲以下 Aged under 21										
麻醉鎮痛劑 Narcotics analgesics	62 (2.1)	62 (1.8)	79 (2.3)	79 (2.8)	74 (3.7)	76 (4.8)	50 (4.2)	42 (5.2)	42 (6.1)	20 (4.0)
海洛英 Heroin	62 (2.1)	62 (1.8)	78 (2.3)	77 (2.8)	74 (3.7)	76 (4.8)	50 (4.2)	42 (5.2)	41 (6.0)	20 (4.0)
菲仕通／美沙酮 Physeptone/Methadone	- (-)	@ (@)	@ (@)	- (-)	- (-)	- (-)	- (-)	- (-)	- (-)	- (-)
危害精神毒品 Psychotropic substances	2 948 (99.0)	3 424 (98.8)	3 326 (98.9)	2 752 (98.3)	1 950 (97.5)	1 538 (96.6)	1 154 (96.6)	774 (95.9)	653 (95.6)	479 (96.8)
甲基安非他明 Methamphetamine	407 (13.7)	516 (14.9)	563 (16.7)	613 (21.9)	534 (26.7)	479 (30.1)	376 (31.5)	310 (38.4)	283 (41.4)	217 (43.8)
氯胺酮 Ketamine	2 392 (80.3)	2 962 (85.5)	2 834 (84.3)	2 241 (80.1)	1 411 (70.6)	973 (61.1)	628 (52.6)	375 (46.5)	260 (38.1)	117 (23.6)
三唑侖／咪達唑侖／佐匹克隆 Triazolam/Midazolam/Zopiclone	52 (1.7)	36 (1.0)	43 (1.3)	23 (0.8)	13 (0.7)	21 (1.3)	9 (0.8)	@ (@)	@ (@)	@ (@)
可卡因 Cocaine	356 (12.0)	326 (9.4)	221 (6.6)	429 (15.3)	402 (20.1)	378 (23.7)	360 (30.1)	198 (24.5)	187 (27.4)	174 (35.2)
大麻 Cannabis	363 (12.2)	312 (9.0)	250 (7.4)	224 (8.0)	144 (7.2)	138 (8.7)	83 (6.9)	87 (10.8)	77 (11.3)	91 (18.4)
咳藥 Cough medicine	132 (4.4)	107 (3.1)	126 (3.7)	76 (2.7)	79 (4.0)	64 (4.0)	43 (3.6)	23 (2.9)	19 (2.8)	13 (2.6)
亞甲二氧基甲基安非他明 MDMA	631 (21.2)	540 (15.6)	401 (11.9)	161 (5.8)	58 (2.9)	29 (1.8)	9 (0.8)	@ (@)	6 (0.9)	8 (1.6)
硝甲西洋 Nimetazepam	273 (9.2)	227 (6.6)	184 (5.5)	145 (5.2)	60 (3.0)	38 (2.4)	9 (0.8)	6 (0.7)	@ (@)	@ (@)
小計 Sub-total	2 979	3 464	3 362	2 799	1 999	1 592	1 195	807	683	495

表 1d [續]

按年齡組別及主要吸食毒品種類劃分的2007至2016年被呈報
吸毒者

Table 1d (Cont'd)

Reported drug abusers for 2007-2016 by age group by major
type of drugs abused

	人數 No. of persons									
年齡組別／主要吸食毒品種類 ⁽¹⁾ Age group/major type of drugs abused ⁽¹⁾	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
21歲及以上 Aged 21 & over										
麻醉鎮痛劑 Narcotics analgesics	7 366 (70.0)	7 203 (67.0)	6 840 (64.7)	6 132 (63.3)	5 878 (61.9)	5 777 (61.0)	5 079 (56.5)	4 564 (56.0)	4 380 (54.8)	4 018 (53.3)
海洛英 Heroin	7 358 (69.9)	7 186 (66.9)	6 825 (64.6)	6 123 (63.2)	5 877 (61.8)	5 771 (60.9)	5 077 (56.5)	4 562 (56.0)	4 378 (54.8)	4 016 (53.3)
菲仕通／美沙酮 Physeptone/Methadone	41 (0.4)	46 (0.4)	46 (0.4)	34 (0.4)	- (-)	- (-)	- (-)	@ (@)	@ (@)	- (-)
危害精神毒品 Psychotropic substances	4 961 (47.1)	4 959 (46.1)	5 179 (49.0)	4 918 (50.8)	4 954 (52.1)	5 105 (53.9)	5 167 (57.5)	4 769 (58.5)	4 844 (60.6)	4 666 (61.9)
甲基安非他明 Methamphetamine	705 (6.7)	858 (8.0)	839 (7.9)	987 (10.2)	1 015 (10.7)	1 204 (12.7)	1 487 (16.5)	1 752 (21.5)	1 974 (24.7)	2 197 (29.2)
氯胺酮 Ketamine	1 667 (15.8)	2 137 (19.9)	2 446 (23.1)	2 315 (23.9)	2 231 (23.5)	2 333 (24.6)	2 302 (25.6)	1 842 (22.6)	1 763 (22.1)	1 119 (14.9)
三唑侖／咪達唑侖／佐匹克隆 Triazolam/Midazolam/Zopiclone	1 783 (16.9)	1 324 (12.3)	1 354 (12.8)	1 224 (12.6)	1 207 (12.7)	1 243 (13.1)	1 121 (12.5)	1 019 (12.5)	982 (12.3)	962 (12.8)
可卡因 Cocaine	360 (3.4)	374 (3.5)	300 (2.8)	347 (3.6)	466 (4.9)	471 (5.0)	525 (5.8)	460 (5.6)	438 (5.5)	600 (8.0)
大麻 Cannabis	425 (4.0)	451 (4.2)	370 (3.5)	295 (3.0)	257 (2.7)	212 (2.2)	223 (2.5)	268 (3.3)	272 (3.4)	336 (4.5)
咳藥 Cough medicine	469 (4.5)	460 (4.3)	549 (5.2)	449 (4.6)	451 (4.7)	420 (4.4)	375 (4.2)	363 (4.5)	335 (4.2)	394 (5.2)
亞甲二氧基甲基安非他明 MDMA	285 (2.7)	261 (2.4)	117 (1.1)	92 (0.9)	60 (0.6)	40 (0.4)	44 (0.5)	36 (0.4)	49 (0.6)	46 (0.6)
硝甲西洋 Nimetazepam	108 (1.0)	83 (0.8)	88 (0.8)	101 (1.0)	50 (0.5)	47 (0.5)	16 (0.2)	28 (0.3)	28 (0.4)	25 (0.3)
小計 Sub-total	10 527	10 749	10 569	9 689	9 503	9 469	8 985	8 153	7 992	7 535

表 1d [續]

按年齡組別及主要吸食毒品種類劃分的2007至2016年被呈報
吸毒者

Table 1d (Cont'd)

Reported drug abusers for 2007-2016 by age group by major
type of drugs abused

		人數 No. of persons									
年齡組別／主要吸食毒品種類 ⁽¹⁾		2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Age group/major type of drugs abused ⁽¹⁾											
所有年齡 All ages											
麻醉鎮痛劑		7 428	7 265	6 919	6 211	5 952	5 853	5 129	4 606	4 422	4 038
Narcotics analgesics		(55.0)	(51.1)	(49.7)	(49.7)	(51.7)	(52.9)	(50.4)	(51.4)	(51.0)	(50.3)
海洛英		7 420	7 248	6 903	6 200	5 951	5 847	5 127	4 604	4 419	4 036
Heroin		(54.9)	(51.0)	(49.6)	(49.6)	(51.7)	(52.9)	(50.4)	(51.4)	(50.9)	(50.3)
菲仕通／美沙酮		41	47	47	34	-	-	-	@	@	-
Physeptone/Methadone		(0.3)	(0.3)	(0.3)	(0.3)	(-)	(-)	(-)	(@)	(@)	(-)
危害精神毒品		7 909	8 383	8 505	7 670	6 904	6 643	6 321	5 543	5 497	5 145
Psychotropic substances		(58.6)	(59.0)	(61.1)	(61.4)	(60.0)	(60.1)	(62.1)	(61.9)	(63.4)	(64.1)
甲基安非他命		1 112	1 374	1 402	1 600	1 549	1 683	1 863	2 062	2 257	2 414
Methamphetamine		(8.2)	(9.7)	(10.1)	(12.8)	(13.5)	(15.2)	(18.3)	(23.0)	(26.0)	(30.1)
氯胺酮		4 059	5 099	5 280	4 556	3 642	3 306	2 930	2 217	2 023	1 236
Ketamine		(30.1)	(35.9)	(37.9)	(36.5)	(31.7)	(29.9)	(28.8)	(24.7)	(23.3)	(15.4)
三唑侖／咪達唑侖／佐匹克隆		1 835	1 360	1 397	1 247	1 220	1 264	1 130	1 021	986	967
Triazolam/Midazolam/Zopiclone		(13.6)	(9.6)	(10.0)	(10.0)	(10.6)	(11.4)	(11.1)	(11.4)	(11.4)	(12.0)
可卡因		716	700	521	776	868	849	885	658	625	774
Cocaine		(5.3)	(4.9)	(3.7)	(6.2)	(7.5)	(7.7)	(8.7)	(7.3)	(7.2)	(9.6)
大麻		788	763	620	519	401	350	306	355	349	427
Cannabis		(5.8)	(5.4)	(4.5)	(4.2)	(3.5)	(3.2)	(3.0)	(4.0)	(4.0)	(5.3)
咳藥		601	567	675	525	530	484	418	386	354	407
Cough medicine		(4.4)	(4.0)	(4.8)	(4.2)	(4.6)	(4.4)	(4.1)	(4.3)	(4.1)	(5.1)
亞甲二氧基甲基安非他命		916	801	518	253	118	69	53	38	55	54
MDMA		(6.8)	(5.6)	(3.7)	(2.0)	(1.0)	(0.6)	(0.5)	(0.4)	(0.6)	(0.7)
硝甲西洋		381	310	272	246	110	85	25	34	32	29
Nimetazepam		(2.8)	(2.2)	(2.0)	(2.0)	(1.0)	(0.8)	(0.2)	(0.4)	(0.4)	(0.4)
總計		13 506	14 213	13 931	12 488	11 502	11 061	10 180	8 960	8 675	8 030
Total											

註釋：(1) 個別被呈報吸毒者在某年內可被呈報吸食多於一種毒品。

Notes: More than one type of drugs abused may be reported for an individual drug abuser in a given year.

括弧內的數字顯示佔各相關年齡組別內所有被呈報吸食毒品種類的吸毒者的百分比。

Figures in brackets refer to the proportions of all reported drug abusers with known drugs abused in the respective age groups.

表 1e 按吸食毒品方法劃分的2007至2016年被呈報吸毒者
Table 1e Reported drug abusers for 2007-2016 by method of taking drugs

	%#									
吸食毒品方法 ⁽¹⁾ Method of taking drugs ⁽¹⁾	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
注射 Injection	32.8	27.2	24.7	23.7	23.3	22.5	20.8	21.3	22.3	20.1
吸入煙霧 Fume inhaling	31.5	33.7	36.2	39.8	41.0	43.3	46.1	47.4	49.0	55.7
以香煙或煙管吸食 Smoking	19.3	15.0	16.5	15.8	18.5	19.1	18.2	19.9	14.6	18.5
鼻吸 Sniffing	26.6	34.9	36.5	36.8	32.7	32.0	31.3	27.1	25.5	20.1
口服 Oral ingestion	19.4	18.1	16.5	13.9	12.7	11.5	10.2	10.7	10.9	11.9

註釋：(1) 個別被呈報吸毒者在某年內可被呈報多於一種吸食毒品的的方法。

Notes: More than one kind of method of taking drugs may be reported for an individual drug abuser in a given year.

佔所有被呈報吸食毒品方法的吸毒者的百分比。

As a proportion of all reported drug abusers with known methods of taking drugs.

表 1f 按年齡組別及吸食毒品地方劃分的2007至2016年被呈報吸毒者
Table 1f Reported drug abusers for 2007-2016 by age group by place of abusing drugs

	人數 No. of persons									
年齡組別／吸食毒品地方 ⁽¹⁾ Age group/place of abusing drugs ⁽¹⁾	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
21歲以下 Aged under 21										
香港特別行政區 Hong Kong SAR	2 709 (95.2)	3 336 (97.3)	3 199 (96.6)	2 674 (97.6)	1 894 (98.0)	1 531 (98.6)	1 156 (98.7)	778 (99.1)	659 (97.9)	476 (99.6)
中國內地 Mainland China	505 (17.8)	438 (12.8)	426 (12.9)	242 (8.8)	103 (5.3)	66 (4.2)	45 (3.8)	19 (2.4)	19 (2.8)	6 (1.3)
其他地方 Other places	23 (0.8)	29 (0.8)	18 (0.5)	11 (0.4)	13 (0.7)	6 (0.4)	11 (0.9)	8 (1.0)	6 (0.9)	@ (@)
21歲及以上 Aged 21 & over										
香港特別行政區 Hong Kong SAR	9 908 (96.6)	10 236 (97.4)	10 003 (95.3)	9 231 (95.9)	9 043 (96.1)	9 167 (98.0)	8 734 (98.4)	7 932 (98.0)	7 763 (98.4)	7 320 (98.6)
中國內地 Mainland China	963 (9.4)	793 (7.5)	1 074 (10.2)	888 (9.2)	773 (8.2)	566 (6.1)	461 (5.2)	471 (5.8)	374 (4.7)	309 (4.2)
其他地方 Other places	145 (1.4)	139 (1.3)	109 (1.0)	58 (0.6)	76 (0.8)	69 (0.7)	76 (0.9)	71 (0.9)	110 (1.4)	77 (1.0)
所有年齡 All ages										
香港特別行政區 Hong Kong SAR	12 617 (96.3)	13 572 (97.4)	13 202 (95.6)	11 905 (96.2)	10 937 (96.4)	10 698 (98.1)	9 890 (98.4)	8 710 (98.1)	8 422 (98.3)	7 796 (98.7)
中國內地 Mainland China	1 468 (11.2)	1 231 (8.8)	1 500 (10.9)	1 130 (9.1)	876 (7.7)	632 (5.8)	506 (5.0)	490 (5.5)	393 (4.6)	315 (4.0)
其他地方 Other places	168 (1.3)	168 (1.2)	127 (0.9)	69 (0.6)	89 (0.8)	75 (0.7)	87 (0.9)	79 (0.9)	116 (1.4)	80 (1.0)

註釋：(1) 個別被呈報吸毒者在某年內可被呈報多於一個吸食毒品地方。

Notes: More than one place of abusing drugs may be reported for an individual drug abuser in a given year.

括弧內的數字顯示佔各相關年齡組別內所有被呈報吸食毒品地方的吸毒者的百分比。

Figures in brackets refer to the proportions of all reported drug abusers with known places of abusing drugs in the respective age groups.

表 1g 按年齡組別及吸食毒品地點劃分的2007至2016年被呈報吸毒者
Table 1g Reported drug abusers for 2007-2016 by age group by locality of abusing drugs

	% [#]									
年齡組別／吸食毒品地點 ⁽¹⁾ Age group/locality of abusing drugs ⁽¹⁾	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
21歲以下 Aged under 21										
只在家／朋友的家 Home/friend's home only	21.2	25.5	27.0	36.0	41.5	44.8	50.1	53.2	57.5	45.9
在家／朋友的家及其他地點 Home/friend's home and other localities	38.6	42.2	44.0	39.1	33.1	32.2	30.2	28.8	23.4	35.0
只在其他地點 Other localities only	40.2	32.2	29.0	24.9	25.4	23.1	19.7	18.1	19.0	19.1
<i>其他地點 Other localities</i>										
公眾地方如休憩地方／公園／公廁 Public area like recreation area/public park/public toilet	38.8	41.3	43.3	36.2	33.7	32.3	27.3	27.4	23.7	24.9
的士高／卡拉OK Disco/karaoke	40.8	33.5	29.2	23.3	15.5	13.9	10.4	6.6	8.1	12.4
會所／大廈／酒店／酒吧內舉行的非派對場合 Non-party gathering in club house/building/hotel/bar	6.2	6.7	9.6	8.1	7.3	8.9	7.9	8.3	4.7	7.1
出租屋／渡假屋／出租地方 Apartment/bungalow/rental area	3.8	2.5	4.6	3.6	2.6	3.1	3.1	3.4	3.7	7.3
會所／大廈／酒店／酒吧內舉行的派對場合 Party gathering in club house/building/hotel/bar	7.4	7.0	7.6	9.4	8.3	8.2	6.0	5.4	8.8	11.6
咖啡店／網吧 Coffee shop/internet café	4.8	5.3	6.3	6.4	6.7	6.1	5.3	5.8	4.6	8.6
電子遊戲機中心 Electronic game centre	9.1	8.0	6.7	5.3	6.8	6.6	5.5	6.8	3.3	4.3
學校(包括學校宿舍) School (include school hostel)	2.1	1.5	2.0	1.4	1.3	0.5	0.6	0.4	-	0.4
21歲及以上 Aged 21 & over										
只在家／朋友的家 Home/friend's home only	45.9	48.4	46.4	48.1	50.2	51.6	51.9	53.6	56.3	53.3
在家／朋友的家及其他地點 Home/friend's home and other localities	30.8	31.1	32.0	32.9	30.9	30.4	29.0	26.2	24.3	22.4
只在其他地點 Other localities only	23.4	20.4	21.5	19.0	18.9	18.0	19.1	20.2	19.3	24.4
<i>其他地點 Other localities</i>										
公眾地方如休憩地方／公園／公廁 Public area like recreation area/public park/ public toilet	36.3	34.8	37.5	38.5	37.1	36.4	37.4	36.6	34.7	39.9
的士高／卡拉OK Disco/karaoke	11.4	11.6	13.4	10.9	7.9	6.3	5.4	4.0	3.5	2.1
會所／大廈／酒店／酒吧內舉行的非派對場合 Non-party gathering in club house/building/hotel/bar	3.5	2.8	2.5	3.6	3.6	4.4	4.2	3.5	2.4	2.2
出租屋／渡假屋／出租地方 Apartment/bungalow/rental area	3.3	2.3	2.0	2.3	2.5	2.0	1.7	1.7	2.2	2.1
會所／大廈／酒店／酒吧內舉行的派對場合 Party gathering in club house/building/hotel/bar	5.2	3.5	4.8	3.2	3.5	3.4	3.1	2.7	2.1	1.8
咖啡店／網吧 Coffee shop/internet café	1.5	2.1	2.5	3.0	2.8	2.9	2.2	1.8	2.1	1.5
電子遊戲機中心 Electronic game centre	2.8	2.8	2.8	3.3	2.8	2.0	1.7	1.3	1.4	1.2

表 1g [續] 按年齡組別及吸食毒品地點劃分的2007至2016年被呈報吸毒者
 Table 1g (Cont'd) Reported drug abusers for 2007-2016 by age group by locality of abusing drugs

年齡組別／吸食毒品地點 ⁽¹⁾ Age group/locality of abusing drugs ⁽¹⁾	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	%#
所有年齡 All ages											
只在家／朋友的家 Home/friend's home only	40.5	42.9	41.8	45.3	48.7	50.6	51.7	53.6	56.4	52.8	
在家／朋友的家及其他地點 Home/friend's home and other localities	32.5	33.8	34.9	34.3	31.3	30.7	29.2	26.5	24.3	23.1	
只在其他地點 Other localities only	27.0	23.3	23.3	20.4	20.0	18.7	19.1	20.0	19.3	24.1	
<i>其他地點 Other localities</i>											
公眾地方如休憩地方／公園／公廁 Public area like recreation area/public park/public toilet	36.8	36.4	38.9	38.0	36.5	35.9	36.2	35.7	33.8	39.0	
的士高／卡拉OK Disco/karaoke	17.8	17.0	17.2	13.7	9.2	7.4	6.0	4.3	3.9	2.7	
會所／大廈／酒店／酒吧內舉行的非派對場合 Non-party gathering in club house/building/hotel/bar	4.1	3.7	4.2	4.6	4.2	5.0	4.6	3.9	2.6	2.5	
出租屋／渡假屋／出租地方 Apartment/bungalow/rental area	3.4	2.3	2.6	2.6	2.5	2.1	1.8	1.9	2.3	2.4	
會所／大廈／酒店／酒吧內舉行的派對場合 Party gathering in club house/building/hotel/bar	5.7	4.4	5.5	4.6	4.3	4.1	3.5	2.9	2.6	2.4	
咖啡店／網吧 Coffee shop/internet café	2.2	2.9	3.4	3.8	3.5	3.4	2.6	2.1	2.3	1.9	
電子遊戲機中心 Electronic game centre	4.1	4.1	3.7	3.7	3.5	2.6	2.1	1.8	1.6	1.4	
學校(包括學校宿舍) School (include school hostel)	0.5	0.4	0.5	0.3	0.2	0.1	0.1	*	-	0.1	

註釋：(1) 個別被呈報吸毒者在某年內可被呈報多於一個吸食毒品地點。

Notes: More than one locality of abusing drugs may be reported for an individual drug abuser in a given year.

佔各相關年齡組別內所有被呈報吸食毒品地點的吸毒者的百分比。

As a proportion of all reported drug abusers with known localities of abusing drugs in the respective age groups.

表 1h 按年齡組別及現時吸食毒品原因劃分的2007至2016年被呈報吸毒者
Table 1h Reported drug abusers for 2007-2016 by age group by reason for current drug use

	%#									
年齡組別／現時吸食毒品原因 ⁽¹⁾ Age group/reason for current drug use ⁽¹⁾	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
21歲以下 Aged under 21										
避免因沒有吸食毒品而感到不適 To avoid discomfort of its absence	12.7	16.3	15.3	16.4	18.7	24.0	21.8	21.5	18.3	21.2
解悶／情緒低落／壓力 Relief of boredom/depression/stress	41.3	44.2	51.2	48.7	44.5	46.2	46.7	47.5	48.4	49.4
受到同輩朋友影響／想和同輩朋友打成一片 Peer influence/To identify with peers	58.8	64.2	68.0	62.4	59.1	58.2	55.9	55.3	45.9	53.1
出於好奇 Curiosity	42.7	45.1	43.0	38.6	36.5	38.6	32.9	31.4	36.5	34.9
尋求快感或官能上的滿足 To seek euphoria or sensory satisfaction	37.4	33.9	33.6	29.5	27.7	24.7	23.3	20.3	21.5	28.6
自行治理疾病 For self-medication	1.2	1.6	2.0	1.8	2.0	2.7	2.3	1.8	2.6	3.1
受到伴侶影響 Under influence of the partner	4.2	5.4	5.6	4.8	5.0	4.5	5.9	4.7	5.4	9.1
其他原因 Other reasons	0.7	0.3	0.1	0.1	0.2	-	-	-	-	-
21歲及以上 Aged 21 & over										
避免因沒有吸食毒品而感到不適 To avoid discomfort of its absence	41.6	40.9	42.1	46.9	45.0	44.4	43.2	42.2	48.1	50.0
解悶／情緒低落／壓力 Relief of boredom/depression/stress	40.5	44.4	48.1	47.5	49.8	50.5	49.2	46.4	44.7	42.6
受到同輩朋友影響／想和同輩朋友打成一片 Peer influence/To identify with peers	43.7	45.7	48.8	49.0	47.4	46.8	47.0	43.9	41.1	31.5
出於好奇 Curiosity	33.9	31.3	27.5	23.4	22.2	21.9	21.2	19.2	19.1	19.5
尋求快感或官能上的滿足 To seek euphoria or sensory satisfaction	21.5	22.0	23.1	21.1	20.2	22.5	20.9	14.9	15.1	15.7
自行治理疾病 For self-medication	5.3	4.8	5.8	5.7	6.9	6.5	5.6	4.9	4.3	6.9
受到伴侶影響 Under influence of the partner	2.6	2.9	2.3	2.5	2.6	2.6	2.6	2.1	2.4	4.8
其他原因 Other reasons	0.4	0.2	*	0.1	0.1	*	-	*	-	*

表 1h [續]

按年齡組別及現時吸食毒品原因劃分的2007至2016年
被呈報吸毒者

Table 1h (Cont'd)

Reported drug abusers for 2007-2016 by age group by reason
for current drug use

	%#									
年齡組別／現時吸食毒品原因 ⁽¹⁾ Age group/reason for current drug use ⁽¹⁾	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
所有年齡 All ages										
避免因沒有吸食毒品而感到不適 To avoid discomfort of its absence	35.1	34.9	35.6	40.1	40.5	41.5	40.7	40.4	45.8	48.2
解悶／情緒低落／壓力 Relief of boredom/depression/stress	40.7	44.3	48.8	47.7	48.9	49.9	48.9	46.5	45.0	43.1
受到同輩朋友影響／想和同輩朋友打成一片 Peer influence/To identify with peers	47.1	50.3	53.4	52.0	49.5	48.4	48.0	44.9	41.5	32.9
出於好奇 Curiosity	35.9	34.7	31.2	26.8	24.6	24.3	22.5	20.3	20.5	20.5
尋求快感或官能上的滿足 To seek euphoria or sensory satisfaction	25.1	25.0	25.7	23.0	21.5	22.9	21.2	15.4	15.6	16.5
自行治理疾病 For self-medication	4.4	4.0	4.9	4.8	6.1	5.9	5.2	4.6	4.1	6.6
受到伴侶影響 Under influence of the partner	2.9	3.6	3.1	3.0	3.0	2.9	2.9	2.4	2.6	5.1
其他原因 Other reasons	0.5	0.2	0.1	0.1	0.1	*	-	*	-	*

註釋：(1) 個別被呈報吸毒者在某年內可被呈報多於一個現時吸食毒品原因。

Notes: More than one reason for current drug use may be reported for an individual drug abuser in a given year.

佔各相關年齡組別內所有被呈報現時吸食毒品原因的吸毒者的百分比。

As a proportion of all reported drug abusers with known reasons for current drug use in the respective age groups.

表 1i 按性別及首次吸食毒品年齡劃分的2007至2016年被呈報吸毒者
Table 1i Reported drug abusers for 2007-2016 by sex by age of first abuse

	%#									
性別／首次吸食毒品年齡 Sex/age of first abuse	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
男 Male										
< 12	3.0	3.0	3.0	3.0	3.1	3.1	3.1	3.2	2.8	3.0
12 - 15	33.6	35.0	35.9	37.3	36.6	36.5	35.7	35.2	35.0	33.5
16 - 17	20.0	21.3	20.1	20.0	20.4	18.9	19.4	18.9	18.8	18.2
18 - 20	23.3	22.3	22.5	22.1	21.5	22.8	22.8	23.0	23.6	22.3
21 - 25	11.8	10.9	10.9	10.1	10.0	9.9	9.8	10.3	10.0	11.0
26 - 30	4.9	4.6	4.5	4.5	4.8	5.0	4.9	5.0	5.1	6.0
≥ 31	3.4	2.9	3.1	3.0	3.6	3.8	4.3	4.4	4.6	6.0
小計 Sub-total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
首次吸食毒品平均年齡 Mean age of first abuse	18	18	18	18	18	18	18	18	18	19
女 Female										
< 12	2.0	1.7	2.2	2.7	2.3	2.1	1.9	1.7	1.7	1.4
12 - 15	36.4	37.6	40.4	40.7	38.3	38.2	37.4	34.6	34.4	32.9
16 - 17	16.2	16.5	17.2	19.2	18.2	18.4	18.9	20.1	18.9	19.0
18 - 20	20.8	19.4	18.0	17.7	18.6	18.4	18.5	20.1	19.9	20.3
21 - 25	11.7	12.7	11.1	10.0	10.9	10.4	11.2	11.6	10.7	11.0
26 - 30	7.8	7.2	5.5	4.9	5.7	6.9	6.2	5.3	6.4	6.7
≥ 31	5.1	4.9	5.6	4.8	6.1	5.6	5.9	6.7	7.9	8.7
小計 Sub-total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
首次吸食毒品平均年齡 Mean age of first abuse	19	19	18	18	18	18	18	19	19	19
合計 Overall										
< 12	2.9	2.8	2.9	2.9	2.9	2.9	2.9	2.9	2.6	2.7
12 - 15	34.0	35.5	36.8	38.0	36.9	36.8	36.0	35.1	34.9	33.4
16 - 17	19.4	20.4	19.5	19.9	20.0	18.8	19.3	19.1	18.8	18.3
18 - 20	22.9	21.8	21.7	21.3	21.0	22.1	22.0	22.5	22.9	22.0
21 - 25	11.8	11.2	10.9	10.1	10.2	10.0	10.1	10.5	10.1	11.0
26 - 30	5.4	5.1	4.7	4.5	5.0	5.3	5.1	5.0	5.4	6.2
≥ 31	3.7	3.2	3.6	3.3	4.1	4.1	4.6	4.8	5.3	6.5
總計 Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
首次吸食毒品平均年齡 Mean age of first abuse										
所有被呈報吸毒者 All reported drug abusers	18	18	18	18	18	18	18	18	18	19
21歲以下被呈報吸毒者 Reported drug abusers under 21	15	15	15	15	15	15	15	15	15	15

註釋：# 佔各相關性別組別內所有被呈報首次吸食毒品年齡的吸毒者的百分比。

Note: As a proportion of all reported drug abusers with known age of first abuse in the respective sex groups.

表 1j 按年齡組別及經濟活動身分劃分的2007至2016年被呈報吸毒者
Table 1j Reported drug abusers for 2007-2016 by age group by economic activity status

	%#									
年齡組別／經濟活動身分 Age group/economic activity status	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
21歲以下 Aged under 21										
全職工作人士 Full-time worker	30.8	31.4	25.8	27.0	26.1	26.0	27.8	25.7	27.9	23.2
散工／兼職工作人士 Casual/Part-time worker	9.8	10.1	10.1	13.4	13.1	15.7	14.7	20.8	22.6	26.8
失業人士 Unemployed	28.0	28.3	30.7	32.2	35.5	35.0	34.2	32.5	29.6	28.7
料理家務人士 Home-maker	0.2	0.2	0.3	0.2	0.1	0.1	0.5	0.9	0.9	0.4
學生 Student	26.5	26.5	30.8	24.4	22.4	19.7	17.4	16.4	14.9	15.7
其他 Others	4.7	3.6	2.3	2.8	2.9	3.5	5.4	3.9	4.1	5.2
<i>小計 Sub-total</i>	<i>100.0</i>	<i>100.0</i>	<i>100.0</i>	<i>100.0</i>	<i>100.0</i>	<i>100.0</i>	<i>100.0</i>	<i>100.0</i>	<i>100.0</i>	<i>100.0</i>
21歲及以上 Aged 21 & over										
全職工作人士 Full-time worker	32.9	32.4	33.2	34.4	34.5	34.8	35.5	36.5	36.1	32.7
散工／兼職工作人士 Casual/Part-time worker	7.5	9.8	11.1	11.6	11.4	12.0	11.6	10.6	11.3	11.2
失業人士 Unemployed	54.8	51.4	49.1	47.6	48.6	47.5	46.8	47.4	46.1	49.3
料理家務人士 Home-maker	1.6	1.9	1.9	2.2	2.1	1.9	2.4	2.1	2.3	2.6
學生 Student	0.2	0.3	0.2	0.3	0.3	0.3	0.2	0.2	0.3	0.2
退休人士 Retired person	1.9	2.2	2.4	2.8	2.4	3.1	2.7	2.9	3.0	3.3
其他 Others	1.1	2.0	2.1	1.1	0.6	0.5	0.8	0.5	0.9	0.8
<i>小計 Sub-total</i>	<i>100.0</i>	<i>100.0</i>	<i>100.0</i>	<i>100.0</i>	<i>100.0</i>	<i>100.0</i>	<i>100.0</i>	<i>100.0</i>	<i>100.0</i>	<i>100.0</i>

表 1j [續]
Table 1j (Cont'd)

按年齡組別及經濟活動身分劃分的2007至2016年被呈報吸毒者
Reported drug abusers for 2007-2016 by age group by
economic activity status

	%#									
年齡組別／經濟活動身分 Age group/economic activity status	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
所有年齡 All ages										
全職工作人士 Full-time worker	32.4	32.2	31.5	32.8	33.1	33.5	34.6	35.5	35.5	32.1
散工／兼職工作人士 Casual/Part-time worker	8.0	9.9	10.9	12.0	11.7	12.5	11.9	11.5	12.2	12.2
失業人士 Unemployed	48.9	45.7	44.7	44.2	46.4	45.7	45.3	46.0	44.8	47.9
料理家務人士 Home-maker	1.3	1.5	1.5	1.8	1.8	1.6	2.2	2.0	2.2	2.4
學生 Student	6.0	6.7	7.5	5.6	4.1	3.1	2.2	1.6	1.5	1.2
退休人士 Retired person	1.5	1.7	1.8	2.2	2.0	2.6	2.4	2.6	2.7	3.1
其他 Others	1.9	2.4	2.1	1.5	1.0	1.0	1.3	0.8	1.2	1.1
總計 Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

註釋：# 佔各相關年齡組別內所有被呈報經濟活動身分的吸毒者的百分比。

Note: As a proportion of all reported drug abusers with known economic activity status in the respective age groups.

表 1k 按年齡組別及教育程度劃分的2007至2016年被呈報吸毒者
Table 1k Reported drug abusers for 2007-2016 by age group by educational attainment

	%#									
年齡組別／教育程度 Age group/ educational attainment	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
21歲以下 Aged under 21										
無受過教育／幼稚園程度 No schooling/kindergarten	0.1	0.1	0.1	0.2	0.1	0.1	-	0.1	-	-
小學程度 Primary	1.7	1.3	1.4	1.4	1.7	1.8	1.8	1.1	0.9	1.4
初中程度（中一至中三） Lower secondary (Forms 1 to 3)	69.3	66.7	66.4	68.4	68.6	68.6	70.6	73.0	70.1	73.9
高中程度（中四至中七） Upper secondary (Forms 4 to 7)	28.4	31.1	31.6	29.2	28.5	28.5	27.0	24.7	27.9	21.9
專上教育程度 Post-secondary	0.5	0.7	0.5	0.9	1.1	1.0	0.7	1.1	1.2	2.8
小計 Sub-total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
21歲及以上 Aged 21 & over										
無受過教育／幼稚園程度 No schooling/kindergarten	1.8	2.0	1.9	1.5	1.3	1.3	1.4	1.5	1.3	1.7
小學程度 Primary	31.1	29.7	27.4	26.5	25.8	24.5	23.1	22.5	21.5	21.2
初中程度（中一至中三） Lower secondary (Forms 1 to 3)	50.4	50.6	51.7	50.7	50.7	51.9	51.2	50.7	49.5	49.1
高中程度（中四至中七） Upper secondary (Forms 4 to 7)	15.5	16.5	17.8	19.7	20.2	20.2	22.4	22.7	24.6	24.9
專上教育程度 Post-secondary	1.1	1.2	1.2	1.5	1.9	2.1	1.9	2.6	3.2	3.1
小計 Sub-total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
所有年齡 All ages										
無受過教育／幼稚園程度 No schooling/kindergarten	1.4	1.5	1.4	1.2	1.1	1.1	1.2	1.4	1.2	1.6
小學程度 Primary	24.6	22.8	21.2	21.0	21.7	21.2	20.6	20.5	19.8	19.8
初中程度（中一至中三） Lower secondary (Forms 1 to 3)	54.6	54.5	55.2	54.6	53.8	54.3	53.5	52.8	51.1	50.8
高中程度（中四至中七） Upper secondary (Forms 4 to 7)	18.4	20.1	21.1	21.8	21.6	21.4	23.0	22.9	24.9	24.7
專上教育程度 Post-secondary	1.0	1.1	1.0	1.4	1.8	2.0	1.8	2.4	3.0	3.1
總計 Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

註釋：# 佔各相關年齡組別內所有被呈報教育程度的吸毒者的百分比。

Note: As a proportion of all reported drug abusers with known educational attainment in the respective age groups.

表 1/ 按種族劃分的2007至2016年被呈報吸毒者
Table 1/ Reported drug abusers for 2007-2016 by ethnicity

	%#									
種族 Ethnicity	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
華裔 Chinese	94.7	94.6	94.8	94.6	93.5	93.2	93.1	92.1	90.9	89.2
非華裔 Non-chinese										
尼泊爾裔 Nepalese	1.4	1.4	1.7	2.1	2.7	2.9	2.9	3.1	3.2	3.5
印度裔／巴基斯坦裔／ 孟加拉裔／斯里蘭卡裔 Indian/Pakistani/ Bangladeshi/Sri Lankan	0.5	0.6	0.6	0.7	1.0	1.1	1.2	1.4	1.9	3.2
越南裔 Vietnamese	2.1	2.3	2.0	1.7	1.8	1.9	1.8	2.1	2.2	2.5
泰國裔 Thai	0.2	0.2	0.2	0.1	0.1	0.1	0.2	0.2	0.3	0.3
菲律賓裔 Filipino	0.4	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.3
英國裔 British	0.1	0.1	*	*	0.1	0.1	0.1	0.1	0.2	0.1
印尼裔 Indonesian	0.2	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1
其他 Others	0.4	0.7	0.6	0.5	0.7	0.6	0.6	0.6	0.9	0.7
總計 Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

註釋：# 佔所有被呈報種族的吸毒者的百分比。

Note: As a proportion of all reported drug abusers with known ethnicity.

表 1m 按性別、婚姻狀況及伴侶有否吸毒劃分的2007至2016年被呈報吸毒者
Table 1m Reported drug abusers for 2007-2016 by sex by marital status by whether partner took drugs

	%									
性別／婚姻狀況／ 伴侶有否吸毒 Sex/marital status/ whether partner took drugs	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
男 Male										
從未結婚 Never married	59.9	59.9	59.9	57.9	54.3	51.8	51.5	49.1	49.1	50.5
已婚／同居 Married/Cohabiting	30.1	30.3	30.2	31.4	33.0	34.4	33.6	34.8	33.7	33.2
伴侶有吸毒 [#] Partner took drugs [#]	7.5	8.7	9.9	11.2	10.4	11.9	12.2	11.4	12.1	14.5
伴侶沒有吸毒 [#] Partner did not take drugs [#]	92.5	91.3	90.1	88.8	89.6	88.1	87.8	88.6	87.9	85.5
離婚／分居 Divorced/Separated	9.3	9.2	9.4	10.1	12.0	13.2	14.3	15.5	16.5	15.7
鰥／寡 Widowed	0.7	0.6	0.5	0.5	0.7	0.7	0.7	0.6	0.6	0.5
小計 Sub-total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
女 Female										
從未結婚 Never married	65.7	64.3	62.7	60.2	57.3	57.7	55.8	50.9	50.2	45.6
已婚／同居 Married/Cohabiting	22.5	24.7	27.5	28.7	27.2	27.4	29.1	31.1	30.3	32.7
伴侶有吸毒 [#] Partner took drugs [#]	39.2	44.7	62.5	53.4	44.4	43.2	44.2	38.0	39.8	39.7
伴侶沒有吸毒 [#] Partner did not take drugs [#]	60.8	55.3	37.5	46.6	55.6	56.8	55.8	62.0	60.2	60.3
離婚／分居 Divorced/Separated	10.3	10.0	8.8	9.8	13.5	13.3	13.1	16.0	18.1	19.1
鰥／寡 Widowed	1.5	1.1	1.0	1.3	2.0	1.6	2.0	2.0	1.4	2.6
小計 Sub-total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
合計 Overall										
從未結婚 Never married	60.9	60.7	60.4	58.4	54.8	52.8	52.3	49.4	49.3	49.7
已婚／同居 Married/Cohabiting	28.8	29.2	29.7	30.9	31.9	33.1	32.8	34.2	33.1	33.1
伴侶有吸毒 [#] Partner took drugs [#]	12.5	16.0	22.8	21.2	17.4	17.6	18.4	17.0	18.8	20.0
伴侶沒有吸毒 [#] Partner did not take drugs [#]	87.5	84.0	77.2	78.8	82.6	82.4	81.6	83.0	81.2	80.0
離婚／分居 Divorced/Separated	9.4	9.4	9.3	10.1	12.3	13.2	14.0	15.6	16.8	16.3
鰥／寡 Widowed	0.8	0.7	0.6	0.7	1.0	0.9	0.9	0.8	0.8	0.9
總計 Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

註釋：# 佔各相關性別組別內被呈報已婚／同居及伴侶有／否吸毒的吸毒者的百分比。

Note: As a proportion of reported married/cohabiting drug abusers with known information on whether partner took drugs in the respective sex groups.

表 1n 按年齡組別及居住地區劃分的2007至2016年被呈報吸毒者
Table 1n Reported drug abusers for 2007-2016 by age group by district of residence

	%#									
年齡組別／居住地區 Age group/district of residence	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
21歲以下 Aged under 21										
中西區 Central & Western	1.4	1.0	0.8	1.0	1.0	0.7	0.8	1.3	0.7	0.6
灣仔 Wan Chai	0.8	0.4	0.5	0.7	0.9	0.9	0.4	0.5	1.3	0.6
東區 Eastern	5.0	5.2	5.5	4.7	7.1	3.8	4.5	4.2	4.2	4.5
南區 Southern	7.7	5.2	5.2	7.3	6.9	6.8	6.5	8.7	7.7	2.6
油尖旺 Yau Tsim Mong	4.3	4.0	3.6	3.9	3.6	3.6	3.2	4.5	6.1	4.3
深水埗 Sham Shui Po	3.7	7.0	5.0	5.3	4.8	6.3	4.2	4.3	4.0	4.5
九龍城 Kowloon City	1.7	2.2	1.5	1.6	1.3	2.3	1.8	1.7	1.3	3.4
黃大仙 Wong Tai Sin	7.4	6.6	4.5	3.5	3.3	4.1	4.1	5.4	5.1	3.2
觀塘 Kwun Tong	8.2	7.8	7.8	7.1	6.0	7.3	5.8	5.3	5.2	8.1
葵青 Kwai Tsing	6.9	8.8	9.7	9.6	9.8	7.3	9.3	9.6	9.2	11.4
荃灣 Tsuen Wan	2.4	2.2	2.7	2.5	2.9	2.8	3.2	3.1	3.9	5.7
屯門 Tuen Mun	7.0	7.3	6.9	7.1	6.6	6.3	6.2	5.8	7.3	7.7
元朗 Yuen Long	13.0	11.8	12.8	12.0	12.5	15.9	17.1	10.9	12.1	10.1
北區 North	10.1	11.3	10.5	11.8	14.0	12.9	12.9	13.5	10.9	7.3
大埔 Tai Po	5.0	6.4	8.4	7.6	6.6	5.1	7.1	6.7	6.0	6.1
沙田 Sha Tin	6.9	5.4	6.3	7.3	5.8	7.3	5.7	8.2	7.7	8.3
西貢 Sai Kung	3.4	2.7	3.3	2.5	2.0	2.8	4.0	3.3	3.3	6.1
離島 Islands	5.3	4.6	4.9	4.3	4.9	4.0	3.2	2.9	4.0	5.5
小計 Sub-total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

表 1n [續] 按年齡組別及居住地區劃分的2007至2016年被呈報吸毒者
Table 1n (Cont'd) Reported drug abusers for 2007-2016 by age group by district of residence

	%#									
年齡組別／居住地區 Age group/district of residence	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
21歲及以上 Aged 21 & over										
中西區 Central & Western	2.2	1.6	1.7	1.7	1.8	1.8	1.7	1.0	1.2	1.0
灣仔 Wan Chai	2.3	2.3	1.9	1.7	1.5	1.4	1.4	1.5	1.2	1.6
東區 Eastern	4.9	4.6	5.0	4.5	5.0	4.5	4.0	5.0	5.0	5.1
南區 Southern	3.4	3.5	2.5	2.5	2.6	2.8	3.1	3.2	3.4	2.4
油尖旺 Yau Tsim Mong	10.5	10.9	10.6	9.6	8.9	10.0	9.8	8.9	10.3	10.0
深水埗 Sham Shui Po	11.7	12.4	12.0	12.1	12.2	11.8	11.8	12.6	11.6	12.2
九龍城 Kowloon City	4.4	4.0	3.4	4.2	3.8	4.2	4.3	4.7	4.3	4.1
黃大仙 Wong Tai Sin	7.3	7.3	6.5	6.4	6.3	6.3	6.6	6.7	6.4	6.2
觀塘 Kwun Tong	9.2	9.7	8.5	9.4	9.7	10.2	9.4	9.4	9.9	10.5
葵青 Kwai Tsing	6.4	6.0	6.9	7.0	7.1	7.4	6.7	7.0	7.0	7.5
荃灣 Tsuen Wan	4.3	3.7	4.0	3.5	3.6	3.5	3.4	3.2	3.3	3.5
屯門 Tuen Mun	8.1	8.0	8.1	8.5	7.7	7.5	7.2	7.6	6.9	7.5
元朗 Yuen Long	8.0	8.3	8.8	10.0	9.7	9.3	10.1	10.2	8.3	8.8
北區 North	3.8	4.2	4.7	3.8	4.3	4.3	4.9	5.0	5.7	5.0
大埔 Tai Po	3.1	3.3	4.1	4.5	4.4	4.1	4.3	3.6	4.2	3.7
沙田 Sha Tin	5.7	5.4	6.0	5.8	5.6	5.7	5.6	5.2	5.5	5.2
西貢 Sai Kung	2.7	3.0	3.0	3.2	3.2	2.9	3.4	3.1	3.2	3.2
離島 Islands	1.9	1.8	2.1	2.0	2.6	2.4	2.2	1.8	2.6	2.6
小計 Sub-total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

表 1n [續] 按年齡組別及居住地區劃分的2007至2016年被呈報吸毒者
Table 1n (Cont'd) Reported drug abusers for 2007-2016 by age group by district of residence

年齡組別／居住地區 Age group/district of residence	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	% [#]
所有年齡 All ages											
中西區 Central & Western	2.0	1.5	1.5	1.5	1.6	1.7	1.6	1.1	1.1	1.0	
灣仔 Wan Chai	1.9	1.8	1.6	1.4	1.4	1.3	1.3	1.4	1.2	1.5	
東區 Eastern	4.9	4.7	5.1	4.5	5.3	4.4	4.1	4.9	4.9	5.1	
南區 Southern	4.4	3.9	3.2	3.6	3.4	3.4	3.5	3.7	3.7	2.4	
油尖旺 Yau Tsim Mong	9.1	9.2	8.9	8.3	8.0	9.1	9.0	8.5	9.9	9.6	
深水埗 Sham Shui Po	9.8	11.0	10.2	10.5	10.9	11.0	10.9	11.8	11.0	11.7	
九龍城 Kowloon City	3.8	3.6	3.0	3.6	3.3	3.9	4.0	4.5	4.1	4.1	
黃大仙 Wong Tai Sin	7.3	7.1	6.0	5.7	5.8	6.0	6.3	6.6	6.3	6.0	
觀塘 Kwun Tong	9.0	9.2	8.3	8.9	9.0	9.8	9.0	9.0	9.6	10.3	
葵青 Kwai Tsing	6.5	6.7	7.6	7.6	7.6	7.4	7.0	7.3	7.2	7.8	
荃灣 Tsuen Wan	3.9	3.3	3.7	3.3	3.5	3.4	3.4	3.2	3.4	3.7	
屯門 Tuen Mun	7.8	7.8	7.8	8.1	7.5	7.3	7.1	7.4	6.9	7.5	
元朗 Yuen Long	9.2	9.1	9.8	10.5	10.2	10.3	10.9	10.2	8.6	8.9	
北區 North	5.3	6.0	6.1	5.6	6.0	5.5	5.9	5.8	6.2	5.1	
大埔 Tai Po	3.6	4.1	5.1	5.2	4.8	4.3	4.7	3.9	4.4	3.8	
沙田 Sha Tin	6.0	5.4	6.1	6.1	5.6	5.9	5.6	5.5	5.7	5.4	
西貢 Sai Kung	2.8	2.9	3.1	3.1	3.0	2.9	3.4	3.1	3.2	3.4	
離島 Islands	2.7	2.5	2.8	2.5	3.0	2.6	2.3	1.9	2.7	2.8	
總計 Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	

註釋：# 佔各相關年齡組別內所有被呈報居住地區的吸毒者的百分比。

Note: As a proportion of all reported drug abusers with known district of residence in the respective age groups.

表 1o 按屋宇單位類型劃分的2007至2016年被呈報吸毒者
Table 1o Reported drug abusers for 2007-2016 by type of quarters

	%#									
屋宇單位類型 Type of quarters	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
公營租住單位 Public rental flats	58.1	57.6	58.4	58.9	57.6	57.8	56.0	55.5	57.3	58.2
資助出售單位 Subsidized sale flats	2.9	2.9	2.8	2.8	2.6	2.3	4.1	4.2	3.3	3.1
私人住宅單位 Private residential flats	37.3	38.1	37.0	36.5	37.9	38.1	38.4	39.6	37.9	37.3
其他房屋 Others	1.7	1.3	1.8	1.7	1.9	1.7	1.5	0.8	1.5	1.5
總計 Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

註釋：# 佔所有被呈報屋宇單位類型的吸毒者的百分比。

Note: As a proportion of all reported drug abusers with known type of quarters.

表 1p 按年齡組別及曾否有犯罪紀錄劃分的2007至2016年被呈報吸毒者
Table 1p Reported drug abusers for 2007-2016 by age group by whether previously convicted

	%#									
年齡組別／曾否有犯罪紀錄 Age group/whether previously convicted	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
21歲以下 Aged under 21										
曾有犯罪紀錄 Previously convicted	41.4	40.0	42.9	49.6	46.3	48.6	49.8	48.4	45.7	50.3
只與毒品有關 only drug-related offences	9.4	11.5	16.9	20.6	18.2	18.9	22.1	19.4	18.6	17.5
只有其他罪行 only other offences	27.5	23.5	20.5	20.3	18.5	21.6	19.3	21.7	19.8	23.3
與毒品有關和其他罪行 both drug-related and other offences	4.0	4.5	4.9	7.6	8.4	7.3	7.4	6.6	6.0	8.2
罪行不詳 offences unknown	0.6	0.6	0.7	1.1	1.1	0.9	1.0	0.8	1.2	1.3
未曾有犯罪紀錄 Not previously convicted	58.6	60.0	57.1	50.4	53.7	51.4	50.2	51.6	54.3	49.7
小計 Sub-total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
21歲及以上 Aged 21 & over										
曾有犯罪紀錄 Previously convicted	85.1	83.5	82.5	82.2	79.7	78.8	77.9	78.1	74.8	76.3
只與毒品有關 only drug-related offences	33.8	19.8	29.6	38.0	37.0	36.5	37.3	40.0	36.7	40.8
只有其他罪行 only other offences	11.4	11.8	8.3	8.9	8.6	8.2	8.1	8.0	8.8	8.7
與毒品有關和其他罪行 both drug-related and other offences	39.8	50.9	44.2	34.9	33.6	33.7	32.2	29.8	28.8	26.5
罪行不詳 offences unknown	0.2	1.0	0.3	0.3	0.4	0.4	0.3	0.3	0.5	0.4
未曾有犯罪紀錄 Not previously convicted	14.9	16.5	17.5	17.8	20.3	21.2	22.1	21.9	25.2	23.7
小計 Sub-total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
所有年齡 All ages										
曾有犯罪紀錄 Previously convicted	75.7	73.2	73.3	75.1	74.1	74.5	74.7	75.5	72.6	74.7
只與毒品有關 only drug-related offences	28.5	17.8	26.6	34.3	33.9	34.0	35.6	38.2	35.3	39.4
只有其他罪行 only other offences	14.9	14.6	11.1	11.3	10.3	10.1	9.3	9.2	9.6	9.6
與毒品有關和其他罪行 both drug-related and other offences	32.1	39.9	35.1	29.0	29.4	30.0	29.4	27.8	27.1	25.3
罪行不詳 offences unknown	0.2	0.9	0.4	0.5	0.5	0.4	0.4	0.4	0.5	0.4
未曾有犯罪紀錄 Not previously convicted	24.3	26.8	26.7	24.9	25.9	25.5	25.3	24.5	27.4	25.3
總計 Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

註釋：# 佔各相關年齡組別內所有被呈報曾否有犯罪紀錄的吸毒者的百分比。

Note: As a proportion of all reported drug abusers with known information of whether previously convicted in the respective age groups.

表 1q 按年齡組別及呈報機構類別劃分的2007至2016年被呈報吸毒者
Table 1q Reported drug abusers for 2007-2016 by age group by type of reporting agency

	%#									
年齡組別／呈報機構類別 ⁽¹⁾ Age group/type of reporting agency ⁽¹⁾	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
21歲以下 Aged under 21										
執法部門 Law enforcement agencies ⁽²⁾	36.0	36.4	32.7	35.0	34.3	37.5	31.0	31.4	33.8	36.1
美沙酮診所 Methadone clinics	0.9	1.1	1.3	2.0	2.4	3.5	2.2	3.1	4.8	3.0
非政府機構 Non-governmental organisations										
戒毒治療和康復服務中心／濫用精神藥物者輔導中心／戒毒輔導服務中心 <i>Drug treatment and rehabilitation centres/counselling centres for psychotropic substance abusers/centres for drug counselling</i>	16.1	17.2	22.5	19.8	25.6	27.3	23.5	25.5	27.4	30.5
青少年外展隊 Youth outreaching teams	50.6	49.5	47.3	45.2	39.1	35.2	44.6	42.6	35.4	32.5
醫院管理局轄下的物質誤用診所及其他醫院／診所 Substance Abuse Clinics under Hospital Authority, and other hospitals/clinics	1.6	1.9	3.2	2.1	2.6	2.6	2.9	2.5	2.8	2.2
21歲及以上 Aged 21 & over										
執法部門 Law enforcement agencies ⁽²⁾	59.5	54.3	53.5	49.0	45.2	43.1	44.6	41.7	40.3	44.4
美沙酮診所 Methadone clinics	40.0	44.1	42.8	42.9	43.0	42.3	38.5	39.2	37.7	38.2
非政府機構 Non-governmental organisations										
戒毒治療和康復服務中心／濫用精神藥物者輔導中心／戒毒輔導服務中心 <i>Drug treatment and rehabilitation centres/counselling centres for psychotropic substance abusers/centres for drug counselling</i>	21.1	21.0	24.1	25.0	28.9	29.8	29.5	30.6	31.6	27.7
青少年外展隊 Youth outreaching teams	1.8	3.8	2.8	3.4	2.8	3.7	3.9	3.3	3.6	2.1
醫院管理局轄下的物質誤用診所及其他醫院／診所 Substance Abuse Clinics under Hospital Authority, and other hospitals/clinics	3.8	2.9	3.4	4.3	4.5	4.1	4.5	4.5	4.0	3.1

表 1q [續] 按年齡組別及呈報機構類別劃分的2007至2016年被呈報吸毒者
Table 1q (Cont'd) Reported drug abusers for 2007-2016 by age group by type of reporting agency

	%#									
年齡組別／呈報機構類別 ⁽¹⁾ Age group/type of reporting agency ⁽¹⁾	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
所有年齡 All ages										
執法部門 Law enforcement agencies ⁽²⁾	54.3	50.0	48.5	45.9	43.3	42.3	43.0	40.8	39.8	43.9
美沙酮診所 Methadone clinics	31.4	33.6	32.7	33.8	35.9	36.6	34.2	35.9	35.1	36.0
非政府機構 Non-governmental organisations										
戒毒治療和康復服務中心／濫用精神藥物者輔導中心／戒毒輔導服務中心 <i>Drug treatment and rehabilitation centres/counselling centres for psychotropic substance abusers/centres for drug counselling</i>	20.0	20.1	23.7	23.8	28.3	29.4	28.8	30.1	31.2	27.8
青少年外展隊 Youth outreaching teams	12.6	14.9	13.6	12.8	9.1	8.3	8.7	6.9	6.1	3.9
醫院管理局轄下的物質誤用診所及其他醫院／診所 Substance Abuse Clinics under Hospital Authority, and other hospitals/clinics	3.3	2.6	3.3	3.8	4.2	3.9	4.3	4.3	3.9	3.0

註釋：(1) 個別吸毒者在某年內可能同時被多於一個機構呈報。

Notes : An individual drug abuser may be reported by more than one agency in a given year.

(2) 數字包括香港警務處、懲教署和社會福利署轄下的感化辦事處。

Figures include Hong Kong Police Force, Correctional Services Department and Probation Offices under Social Welfare Department.

佔各相關年齡組別內的吸毒者的百分比。

As a proportion of all reported drug abusers in the respective age groups.

表 1r 按呈報機構類別劃分的2007至2016年首次被呈報吸毒者的毒齡中位數
Table 1r Median drug history of newly reported drug abusers for 2007-2016 by type of reporting agency

呈報機構類別 ⁽¹⁾ Type of reporting agency ⁽¹⁾	年 No. of years									
	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
執法部門 Law enforcement agencies	1.6	1.7	1.8	2.0	2.2	2.6	2.4	2.9	2.5	2.6
懲教署 Correctional Services Department	3.1	2.9	2.8	2.7	3.2	2.9	2.6	3.3	2.8	2.6
香港警務處 Hong Kong Police Force	1.3	1.3	1.5	1.9	1.8	2.5	2.3	2.8	2.4	3.3
社會福利署 Social Welfare Department ⁽²⁾	1.6	1.7	1.5	1.9	3.0	2.4	3.0	1.7	2.8	2.5
美沙酮診所 Methadone clinics	5.9	5.5	5.8	6.4	5.5	8.4	8.8	7.1	5.7	4.3
非政府機構 Non-governmental organisations	1.5	1.9	2.3	3.3	4.4	5.3	6.1	7.0	8.7	7.8
戒毒治療和康復服務中心 Drug treatment and rehabilitation centres	2.4	2.6	3.0	4.5	5.2	5.3	6.7	7.3	7.5	8.3
濫用精神藥物者輔導中心／戒毒輔導服務中心 Counselling centres for psychotropic substance abusers/centres for drug counselling	2.0	2.3	2.9	3.7	5.3	6.6	8.3	8.1	9.5	9.2
青少年外展隊 Youth outreaching teams	1.2	1.5	1.7	2.5	2.6	2.5	2.7	2.2	3.2	2.3
醫院管理局轄下的物質誤用診所及其他醫院 ／診所 Substance Abuse Clinics under Hospital Authority, and other hospitals/clinics	4.4	4.3	3.9	5.5	5.6	5.9	6.7	5.9	7.2	7.5

註釋：(1) 個別吸毒者在某年內可能同時被多於一個機構呈報。

Notes: An individual drug abuser may be reported by more than one agency in a given year.

(2) 數字包括社會福利署轄下的感化辦事處。

Figures include Probation Offices under Social Welfare Department.

表 2a 按性別及年齡組別劃分的2016年首次／曾被呈報吸毒者
 Table 2a Newly/previously reported drug abusers in 2016 by sex by age group

性別／年齡組別 Sex/age group	首次被呈報者 <u>Newly reported persons</u>		曾被呈報者 <u>Previously reported persons</u>	
	人數 No.	% [#]	人數 No.	% [#]
男 Male				
< 12	-	-	-	-
12 - 15	19	1.0	@	@
16 - 17	76	3.9	16	0.3
18 - 20	174	9.0	98	1.6
< 21 小計 Sub-total	269	14.0	118	1.9
21 - 30	581	30.2	901	14.7
31 - 40	381	19.8	1 411	22.9
41 - 50	163	8.5	1 254	20.4
≥ 51	45	2.3	1 498	24.4
≥ 21 小計 Sub-total	1 170	60.7	5 064	82.3
小計 Sub-total	1 439	74.7	5 182	84.3
平均年齡 Mean age	30		43	
女 Female				
< 12	-	-	-	-
12 - 15	17	0.9	@	@
16 - 17	25	1.3	7	0.1
18 - 20	40	2.1	23	0.4
< 21 小計 Sub-total	82	4.3	33	0.5
21 - 30	201	10.4	263	4.3
31 - 40	120	6.2	300	4.9
41 - 50	69	3.6	261	4.2
≥ 51	16	0.8	111	1.8
≥ 21 小計 Sub-total	406	21.1	935	15.2
小計 Sub-total	488	25.3	968	15.7
平均年齡 Mean age	30		37	

表 2a〔續〕 按性別及年齡組別劃分的2016年首次／曾被呈報吸毒者
 Table 2a Newly/previously reported drug abusers in 2016 by sex by age group

性別／年齡組別 Sex/age group	首次被呈報者 <u>Newly reported persons</u>		曾被呈報者 <u>Previously reported persons</u>	
	人數 No.	% [#]	人數 No.	% [#]
合計 Overall				
< 12	-	-	-	-
12 - 15	36	1.9	7	0.1
16 - 17	101	5.2	23	0.4
18 - 20	214	11.1	121	2.0
< 21 小計 Sub-total	351	18.2	151	2.5
21 - 30	782	40.6	1 164	18.9
31 - 40	501	26.0	1 711	27.8
41 - 50	232	12.0	1 515	24.6
≥ 51	61	3.2	1 609	26.2
≥ 21 小計 Sub-total	1 576	81.8	5 999	97.5
總計 Total	1 927	100.0	6 150	100.0
平均年齡 Mean age		30		42
年輕成年人⁴ Young adult⁴	1 052	54.6	1 838	29.9

註釋：# 佔首次／曾被呈報組別內所有被呈報吸毒者的百分比。

Notes: As a proportion of all reported drug abusers in the newly/previously reported group.

⁴ 年輕成年人指年齡介乎21至35歲的人士。

Young adult refers to persons aged 21-35.

表 2b 按年齡組別及常被吸食毒品種類劃分的2016年首次／曾被呈報吸毒者
Table 2b Newly/previously reported drug abusers in 2016 by age group by common type of drugs abused

年齡組別／常被吸食毒品種類 ⁽¹⁾ Age group/common type of drugs abused ⁽¹⁾	首次被呈報者 Newly reported persons		曾被呈報者 Previously reported persons	
	人數 No.	% [#]	人數 No.	% [#]
21歲以下 Aged under 21				
海洛英 Heroin	11	3.2	9	6.0
甲基安非他明 Methamphetamine	149	43.1	68	45.6
氯胺酮 Ketamine	77	22.3	40	26.8
三唑侖／咪達唑侖／佐匹克隆 Triazolam/Midazolam/Zopiclone	@	@	@	@
可卡因 Cocaine	125	36.1	49	32.9
大麻 Cannabis	76	22.0	15	10.1
咳藥 Cough medicine	7	2.0	6	4.0
小計[§] Sub-total[§]	346		149	
21歲及以上 Aged 21 & over				
海洛英 Heroin	244	15.7	3 772	63.1
甲基安非他明 Methamphetamine	611	39.2	1 586	26.5
氯胺酮 Ketamine	332	21.3	787	13.2
三唑侖／咪達唑侖／佐匹克隆 Triazolam/Midazolam/Zopiclone	81	5.2	881	14.7
可卡因 Cocaine	230	14.8	370	6.2
大麻 Cannabis	159	10.2	177	3.0
咳藥 Cough medicine	128	8.2	266	4.5
小計[§] Sub-total[§]	1 558		5 977	

表 2b [續] 按年齡組別及常被吸食毒品種類劃分的2016年首次／曾被呈報吸毒者

Table 2b (Cont'd) Newly/previously reported drug abusers in 2016 by age group by common type of drugs abused

年齡組別／常被吸食毒品種類 ⁽¹⁾ Age group/common type of drugs abused ⁽¹⁾	首次被呈報者 <u>Newly reported persons</u>		曾被呈報者 <u>Previously reported persons</u>	
	人數 No.	% [#]	人數 No.	% [#]
所有年齡 All ages				
海洛英 Heroin	255	13.4	3 781	61.7
甲基安非他明 Methamphetamine	760	39.9	1 654	27.0
氯胺酮 Ketamine	409	21.5	827	13.5
三唑侖／咪達唑侖／佐匹克隆 Triazolam/Midazolam/Zopiclone	83	4.4	884	14.4
可卡因 Cocaine	355	18.6	419	6.8
大麻 Cannabis	235	12.3	192	3.1
咳藥 Cough medicine	135	7.1	272	4.4
總計[§] Total[§]	1 904		6 126	

註釋：(1) 個別被呈報吸毒者在某年內可被呈報吸食多於一種毒品。

Notes: More than one type of drugs abused may be reported for an individual drug abuser in a given year.

佔各相關年齡及首次／曾被呈報組別內所有被呈報吸食毒品種類的吸毒者的百分比。

As a proportion of all reported drug abusers with known drugs abused in the respective age and newly/previously reported groups.

§ 不包括沒有提供「常被吸食毒品種類」的吸毒者。

Excluding drug abusers without information on "common type of drugs abused".

表 2c 按現時吸食毒品原因劃分的2016年首次／曾被呈報吸毒者
Table 2c Newly/previously reported drug abusers in 2016 by reason for current drug use

現時吸食毒品原因 ⁽¹⁾ Reason for current drug use ⁽¹⁾	首次被呈報者 <u>Newly reported persons</u>		曾被呈報者 <u>Previously reported persons</u>	
	人數 No.	% [#]	人數 No.	% [#]
避免因沒有吸食毒品而感到不適 To avoid discomfort of its absence	456	25.8	3 199	55.0
解悶／情緒低落／壓力 Relief of boredom/depression/stress	834	47.1	2 431	41.8
受到同輩朋友影響／想和同輩朋友打成一片 Peer influence/To identify with peers	641	36.2	1 850	31.8
出於好奇 Curiosity	439	24.8	1 114	19.2
尋求快感或官能上的滿足 To seek euphoria or sensory satisfaction	293	16.6	959	16.5
總計[§] Total[§]	1 769		5 813	

註釋：(1) 個別被呈報吸毒者在某年內可被呈報多於一個現時吸毒原因。

Notes: More than one reason for current drug use may be reported for an individual drug abuser in a given year.

首次／曾被呈報組別內所有被呈報現時吸食毒品原因的吸毒者的百分比。

As a proportion of all reported drug abusers with known reasons for current drug use in the newly/previously reported group.

§ 不包括沒有提供「現時吸食毒品原因」的吸毒者。

Excluding drug abusers without information on "reason for current drug use".

表 2d 按首次吸食毒品年齡劃分的2016年首次／曾被呈報吸毒者
Table 2d Newly/previously reported drug abusers in 2016 by age of first abuse

首次吸食毒品年齡 Age of first abuse	首次被呈報者 <u>Newly reported persons</u>		曾被呈報者 <u>Previously reported persons</u>	
	人數 No.	% [#]	人數 No.	% [#]
< 12	@	@	205	3.4
12 - 15	301	17.7	2 297	37.7
16 - 17	234	13.8	1 194	19.6
18 - 20	350	20.6	1 362	22.4
21 - 25	307	18.1	553	9.1
26 - 30	205	12.1	275	4.5
≥ 31	299	17.6	204	3.3
總計[§] Total[§]	1 700	100.0	6 090	100.0
首次吸食毒品平均年齡 Mean age of first abuse		23		18
首次被呈報時的毒齡中位數（年） Median drug history when first reported (year)		4.6		2.4

註釋： # 佔首次／曾被呈報組別內所有被呈報首次吸食毒品年齡的吸毒者的百分比。

Notes : As a proportion of all reported drug abusers with known age of first abuse in the newly/previously reported group.

§ 不包括沒有提供「首次吸食毒品年齡」的吸毒者。

Excluding drug abusers without information on "age of first abuse".

表 2e 按經濟活動身分劃分的2016年首次／曾被呈報吸毒者
 Table 2e Newly/previously reported drug abusers in 2016 by economic activity status

經濟活動身分 Economic activity status	首次被呈報者 Newly reported persons		曾被呈報者 Previously reported persons	
	人數 No.	% [#]	人數 No.	% [#]
全職工作人士 Full-time worker	565	35.2	1 659	31.1
散工／兼職工作人士 Casual/Part-time worker	271	16.9	578	10.8
失業人士 Unemployed	587	36.6	2 731	51.2
料理家務人士 Home-maker	73	4.5	96	1.8
學生 Student	69	4.3	16	0.3
退休人士 Retired person	@	@	207	3.9
其他 Others	35	2.2	42	0.8
總計[§] Total[§]	1 605	100.0	5 329	100.0

註釋： # 佔首次／曾被呈報組別內所有被呈報經濟活動身分的吸毒者的百分比。

Notes: As a proportion of all reported drug abusers with known economic activity status in the newly/previously reported group.

§ 不包括沒有提供「經濟活動身分」的吸毒者。

Excluding drug abusers without information on "economic activity status".

表 2f 按教育程度劃分的2016年首次／曾被呈報吸毒者
Table 2f Newly/previously reported drug abusers in 2016 by educational attainment

教育程度 Educational attainment	首次被呈報者 <u>Newly reported persons</u>		曾被呈報者 <u>Previously reported persons</u>	
	人數 No.	% [#]	人數 No.	% [#]
無受過教育／幼稚園程度 No schooling/kindergarten	14	0.9	99	1.8
小學程度 Primary	111	6.8	1 279	23.7
初中程度（中一至中三） Lower secondary (Forms 1 to 3)	839	51.3	2 735	50.7
高中程度（中四至中七） Upper secondary (Forms 4 to 7)	565	34.6	1 169	21.7
專上教育程度 Post-secondary	105	6.4	114	2.1
總計[§] Total[§]	1 634	100.0	5 396	100.0

註釋： # 佔首次／曾被呈報組別內所有被呈報教育程度的吸毒者的百分比。

Notes： As a proportion of all reported drug abusers with known educational attainment in the newly/previously reported group.

§ 不包括沒有提供「教育程度」的吸毒者。

Excluding drug abusers without information on "educational attainment".

表 2g 按性別、婚姻狀況及伴侶有否吸毒劃分的2016年首次／曾被呈報
吸毒者

Table 2g Newly/previously reported drug abusers in 2016 by sex by marital status
by whether partner took drugs

性別／婚姻狀況／ 伴侶有否吸毒 Sex/marital status/ whether partner took drugs	首次被呈報者 Newly reported persons		曾被呈報者 Previously reported persons	
	人數 No.	%	人數 No.	%
男 Male				
從未結婚 Never married	997	69.9	2 329	45.2
已婚／同居 Married/Cohabiting	323	22.7	1 863	36.1
伴侶有吸毒 Partner took drugs	34	18.4 #	149	13.8 #
伴侶沒有吸毒 Partner did not take drugs	151	81.6 #	927	86.2 #
離婚／分居 Divorced/Separated	104	7.3	931	18.1
鰥／寡 Widowed	@	@	34	0.7
小計 Sub-total	1 426	100.0	5 157	100.0
女 Female				
從未結婚 Never married	232	48.8	419	44.0
已婚／同居 Married/Cohabiting	156	32.8	310	32.6
伴侶有吸毒 Partner took drugs	41	35.7 #	99	41.6 #
伴侶沒有吸毒 Partner did not take drugs	74	64.3 #	139	58.4 #
離婚／分居 Divorced/Separated	79	16.6	194	20.4
鰥／寡 Widowed	8	1.7	29	3.0
小計 Sub-total	475	100.0	952	100.0
合計 Overall				
從未結婚 Never married	1 229	64.7	2 748	45.0
已婚／同居 Married/Cohabiting	479	25.2	2 173	35.6
伴侶有吸毒 Partner took drugs	75	25.0 #	248	18.9 #
伴侶沒有吸毒 Partner did not take drugs	225	75.0 #	1 066	81.1 #
離婚／分居 Divorced/Separated	183	9.6	1 125	18.4
鰥／寡 Widowed	10	0.5	63	1.0
總計[§] Total[§]	1 901	100.0	6 109	100.0

註釋：# 佔各相關性別及首次／曾被呈報組別內被呈報已婚／同居及伴侶有／否吸毒的吸毒者的百分比。

Notes: As a proportion of reported married/cohabiting drug abusers with known information on whether partner took drugs in the respective sex and newly/previously reported groups.

§ 不包括沒有提供「婚姻狀況」的吸毒者。

Excluding drug abusers without information on "marital status".

表 2h 按年齡組別及呈報機構類別劃分的2016年首次/曾被呈報吸毒者
Table 2h Newly/previously reported drug abusers in 2016 by age group by type of reporting agency

年齡組別／呈報機構類別 ⁽¹⁾ Age group/type of reporting agency ⁽¹⁾	首次被呈報者 <u>Newly reported persons</u>		曾被呈報者 <u>Previously reported persons</u>	
	人數 No.	%	人數 No.	%
21歲以下 Aged under 21				
執法部門 Law enforcement agencies ⁽²⁾	136	38.7	45	29.8
美沙酮診所 Methadone clinics	6	1.7	9	6.0
非政府機構 Non-governmental organisations				
戒毒治療和康復服務中心／濫用精神藥物者輔導中心／戒毒輔導服務中心 <i>Drug treatment and rehabilitation centres/counselling centres for psychotropic substance abusers/centres for drug counselling</i>	112	31.9	41	27.2
青少年外展隊 Youth outreaching teams	101	28.8	62	41.1
醫院管理局轄下的物質誤用診所及其他醫院／診所 Substance Abuse Clinics under Hospital Authority, and other hospitals/clinics	11	3.1	-	-
21歲及以上 Aged 21 & over				
執法部門 Law enforcement agencies ⁽²⁾	740	47.0	2 622	43.7
美沙酮診所 Methadone clinics	172	10.9	2 720	45.3
非政府機構 Non-governmental organisations				
戒毒治療和康復服務中心／濫用精神藥物者輔導中心／戒毒輔導服務中心 <i>Drug treatment and rehabilitation centres/counselling centres for psychotropic substance abusers/centres for drug counselling</i>	579	36.7	1 516	25.3
青少年外展隊 Youth outreaching teams	46	2.9	110	1.8
醫院管理局轄下的物質誤用診所及其他醫院／診所 Substance Abuse Clinics under Hospital Authority, and other hospitals/clinics	78	4.9	154	2.6

表 2h〔續〕 按年齡組別及呈報機構類別劃分的2016年首次/曾被呈報吸毒者
Table 2h (Cont'd) Newly/previously reported drug abusers in 2016 by age group by type of reporting agency

年齡組別／呈報機構類別 ⁽¹⁾ Age group/type of reporting agency ⁽¹⁾	首次被呈報者 <u>Newly reported persons</u>		曾被呈報者 <u>Previously reported persons</u>	
	人數 No.	%	人數 No.	%
所有年齡 All ages				
執法部門 Law enforcement agencies ⁽²⁾	876	45.5	2 667	43.4
美沙酮診所 Methadone clinics	178	9.2	2 729	44.4
非政府機構 Non-governmental organisations				
戒毒治療和康復服務中心／濫用精神 藥物者輔導中心／戒毒輔導服務中心 <i>Drug treatment and rehabilitation centres/counselling centres for psychotropic substance abusers/centres for drug counselling</i>	691	35.9	1 557	25.3
青少年外展隊 Youth outreaching teams	147	7.6	172	2.8
醫院管理局轄下的物質誤用診所及其他醫 院／診所 Substance Abuse Clinics under Hospital Authority, and other hospitals/clinics	89	4.6	154	2.5

註釋：(1) 個別吸毒者在某年內可能同時被多於一個機構呈報。

Notes : An individual drug abuser may be reported by more than one agency in a given year.

(2) 數字包括香港警務處、懲教署和社會福利署轄下的感化辦事處。

Figures include Hong Kong Police Force, Correctional Services Department and Probation Offices under Social Welfare Department.

表 3a 按性別、年齡組別和常被吸食毒品種類⁽¹⁾劃分的2016年被呈報吸毒者

Table 3a Reported drug abusers in 2016 by sex by age group by common type of drugs abused⁽¹⁾

性別組別／年齡組別 Sex/age group	海洛英 <u>Heroin</u>		甲基安非他明 <u>Methamphetamine</u>		氯胺酮 <u>Ketamine</u>		三唑侖／咪達唑侖／佐匹克隆 <u>Triazolam/midazolam/zopiclone</u>		可卡因 <u>Cocaine</u>		大麻 <u>Cannabis</u>		咳藥 <u>Cough medicine</u>	
	人數 No.	%#	人數 No.	%#	人數 No.	%#	人數 No.	%#	人數 No.	%#	人數 No.	%#	人數 No.	%#
男 Male														
< 16	@	@	7	0.3	7	0.6	-	-	8	1.0	@	@	-	-
16 - 20	18	0.4	133	5.5	93	7.5	@	@	137	17.7	76	17.8	12	2.9
21 - 30	228	5.6	561	23.2	503	40.7	39	4.0	308	39.8	130	30.4	117	28.7
≥ 31	3 255	80.6	1 166	48.3	308	24.9	785	81.2	202	26.1	184	43.1	258	63.4
小計 Sub-total	3 502	86.8	1 867	77.3	911	73.7	828	85.6	655	84.6	394	92.3	387	95.1
女 Female														
< 16	-	-	14	0.6	@	@	-	-	@	@	@	@	-	-
16 - 20	@	@	63	2.6	12	1.0	@	@	24	3.1	6	1.4	@	@
21 - 30	18	0.4	207	8.6	215	17.4	12	1.2	53	6.8	8	1.9	@	@
≥ 31	515	12.8	263	10.9	93	7.5	126	13.0	37	4.8	14	3.3	14	3.4
小計 Sub-total	534	13.2	547	22.7	325	26.3	139	14.4	119	15.4	33	7.7	20	4.9
合計 Overall														
< 16	@	@	21	0.9	12	1.0	-	-	13	1.7	9	2.1	-	-
16 - 20	19	0.5	196	8.1	105	8.5	@	@	161	20.8	82	19.2	13	3.2
21 - 30	246	6.1	768	31.8	718	58.1	51	5.3	361	46.6	138	32.3	122	30.0
≥ 31	3 770	93.4	1 429	59.2	401	32.4	911	94.2	239	30.9	198	46.4	272	66.8
總計 Total	4 036	100.0	2 414	100.0	1 236	100.0	967	100.0	774	100.0	427	100.0	407	100.0
平均年齡 Mean age	47		34		28		45		28		30		35	

註釋：(1) 個別被呈報吸毒者在某年內可被呈報吸食多於一種毒品。

Notes: More than one type of drugs abused may be reported for an individual drug abuser in a given year.

佔各相關常被吸食毒品組別內所有被呈報吸毒者的百分比。

As a proportion of all reported drug abusers in the respective common drug abuser groups.

表 3b 按居住地區及常被吸食毒品種類⁽¹⁾劃分的2016年被呈報吸毒者
Table 3b Reported drug abusers in 2016 by district of residence by common type of drugs abused⁽¹⁾

居住地區 District of residence	海洛英 <u>Heroin</u>		甲基安非他明 <u>Methamphetamine</u>		氯胺酮 <u>Ketamine</u>		三唑侖/ 咪達唑侖/ 佐匹克隆 <u>Triazolam/ midazolam/ zopiclone</u>		可卡因 <u>Cocaine</u>		大麻 <u>Cannabis</u>		咳藥 <u>Cough medicine</u>	
	人數 No.	%#	人數 No.	%#	人數 No.	%#	人數 No.	%#	人數 No.	%#	人數 No.	%#	人數 No.	%#
中西區 Central & Western	16	0.4	28	1.3	17	1.5	9	1.0	8	1.2	9	2.5	7	1.9
灣仔 Wan Chai	74	2.0	21	1.0	10	0.9	20	2.2	11	1.6	@	@	@	@
東區 Eastern	167	4.4	102	4.8	67	5.9	48	5.2	31	4.5	20	5.5	31	8.2
南區 Southern	70	1.8	68	3.2	32	2.8	26	2.8	15	2.2	17	4.7	12	3.2
油尖旺 Yau Tsim Mong	494	13.0	184	8.7	38	3.3	80	8.7	41	6.0	32	8.8	28	7.4
深水埗 Sham Shui Po	649	17.1	178	8.4	62	5.4	160	17.3	42	6.1	27	7.4	17	4.5
九龍城 Kowloon City	161	4.3	82	3.9	39	3.4	28	3.0	28	4.1	12	3.3	@	@
黃大仙 Wong Tai Sin	235	6.2	125	5.9	62	5.4	52	5.6	37	5.4	13	3.6	20	5.3
觀塘 Kwun Tong	415	11.0	203	9.5	96	8.4	90	9.7	64	9.4	36	9.9	43	11.4
葵青 Kwai Tsing	240	6.3	151	7.1	131	11.5	55	6.0	68	9.9	18	4.9	32	8.5
荃灣 Tsuen Wan	143	3.8	68	3.2	37	3.3	30	3.2	36	5.3	11	3.0	6	1.6
屯門 Tuen Mun	244	6.4	192	9.0	93	8.2	63	6.8	57	8.3	25	6.8	35	9.3
元朗 Yuen Long	306	8.1	225	10.6	128	11.2	67	7.3	74	10.8	44	12.1	24	6.4
北區 North	151	4.0	113	5.3	105	9.2	57	6.2	38	5.6	13	3.6	14	3.7
大埔 Tai Po	84	2.2	107	5.0	58	5.1	44	4.8	32	4.7	10	2.7	46	12.2
沙田 Sha Tin	205	5.4	112	5.3	57	5.0	55	6.0	41	6.0	34	9.3	16	4.3
西貢 Sai Kung	76	2.0	89	4.2	52	4.6	24	2.6	47	6.9	18	4.9	10	2.7
離島 Islands	56	1.5	78	3.7	54	4.7	16	1.7	14	2.0	22	6.0	26	6.9
總計[§] Total[§]	3 786	100.0	2 126	100.0	1 138	100.0	924	100.0	684	100.0	365	100.0	376	100.0

註釋：(1) 個別被呈報吸毒者在某年內可被呈報吸食多於一種毒品。

Notes : More than one type of drugs abused may be reported for an individual drug abuser in a given year.

佔各常被吸食毒品組別內所有被呈報居住地區的吸毒者的百分比。

As a proportion of all reported drug abusers with known district of residence in the respective common drug abuser groups.

§ 不包括沒有提供「居住地區」的吸毒者。

Excluding drug abusers without information on "district of residence".

表 3c 按首次吸食相關個別毒品年齡及常被吸食毒品種類⁽¹⁾劃分的2016年被呈報吸毒者

Table 3c Reported drug abusers in 2016 by age of first abusing the respective type of drugs by common type of drugs abused⁽¹⁾

首次吸食相關個別毒品年齡 Age of first abusing the respective type of drugs	海洛英 <u>Heroin</u>		甲基安非他明 <u>Methamphetamine</u>		氯胺酮 <u>Ketamine</u>		三唑侖/ 咪達唑侖/ 佐匹克隆 <u>Triazolam/ midazolam/ zopiclone</u>		可卡因 <u>Cocaine</u>		大麻 <u>Cannabis</u>		咳藥 <u>Cough medicine</u>	
	人數 No.	%#	人數 No.	%#	人數 No.	%#	人數 No.	%#	人數 No.	%#	人數 No.	%#	人數 No.	%#
< 12	128	3.2	6	0.3	7	0.6	@	@	@	@	@	@	6	1.6
12 - 15	1 224	30.4	398	17.8	421	36.3	113	12.0	136	20.3	92	24.2	84	21.9
16 - 17	689	17.1	293	13.1	268	23.1	95	10.1	126	18.8	70	18.4	66	17.2
18 - 20	1 076	26.7	458	20.5	243	20.9	153	16.3	177	26.4	86	22.6	98	25.5
21 - 25	461	11.4	331	14.8	118	10.2	162	17.2	94	14.0	51	13.4	58	15.1
26 - 30	238	5.9	278	12.4	62	5.3	117	12.4	52	7.7	31	8.2	38	9.9
≥ 31	211	5.2	472	21.1	42	3.6	297	31.6	84	12.5	47	12.4	34	8.9
總計[§] Total[§]	4 027	100.0	2 236	100.0	1 161	100.0	940	100.0	671	100.0	380	100.0	384	100.0
首次吸食相關毒品平均年齡 Mean age of first abusing the drug	19		24		18		27		21		21		21	
吸食相關毒品的毒齡中位數 (年) Median drug history of the drug (years)	27		9		10		18		5		6		13	

註釋：(1) 個別被呈報吸毒者在某年內可被呈報吸食多於一種毒品。

Notes : More than one type of drugs abused may be reported for an individual drug abuser in a given year.

佔各常被吸食毒品組別內所有被呈報首次吸食毒品年齡的吸毒者的百分比。

As a proportion of all reported drug abusers with known age of first abuse in the respective common drug abuser groups.

§ 不包括沒有提供「首次吸食相關個別毒品年齡」的吸毒者。

Excluding drug abusers without information on "age of first abusing the respective type of drugs".

表 3d 按吸食毒品方法及常被吸食毒品種類⁽¹⁾劃分的2016年被呈報吸毒者
Table 3d Reported drug abusers in 2016 by method of taking drugs by common type of drugs abused⁽¹⁾

吸食毒品方法 ⁽²⁾ Method of taking drugs ⁽²⁾	海洛英 <u>Heroin</u>		甲基安 非他明 <u>Methamp- hetamine</u>		氯胺酮 <u>Ketamine</u>		三唑侖/ 咪達唑侖/ 佐匹克隆 <u>Triazolam/ midazolam/ zopiclone</u>		可卡因 <u>Cocaine</u>		大麻 <u>Cannabis</u>		咳藥 <u>Cough medicine</u>	
	人數 No.	%#	人數 No.	%#	人數 No.	%#	人數 No.	%#	人數 No.	%#	人數 No.	%#	人數 No.	%#
注射 Injection	1 577	39.2	10	0.4	@	@	409	42.5	6	0.8	-	-	-	-
吸入煙霧 Fume inhaling	2 380	59.1	2 053	87.0	50	4.1	267	27.7	170	22.8	57	13.6	-	-
以香煙或煙管吸食 Smoking	663	16.5	172	7.3	18	1.5	38	3.9	317	42.4	360	85.9	-	-
鼻吸 Sniffing	133	3.3	163	6.9	1 133	93.5	19	2.0	292	39.1	7	1.7	-	-
口服 Oral ingestion	44	1.1	85	3.6	37	3.1	336	34.9	24	3.2	@	@	406	100.0
總計[§] Total[§]	4 028	100.0	2 360	100.0	1 212	100.0	963	100.0	747	100.0	419	100.0	406	100.0

註釋：(1) 個別被呈報吸毒者在某年內可被呈報吸食多於一種毒品。

Notes : More than one type of drugs abused may be reported for an individual drug abuser in a given year.

(2) 就每種毒品而言，個別被呈報者在某年內可被呈報使用多於一種吸食毒品方法。

For each type of drug, more than one method of taking drugs may be reported for an individual drug abuser in a given year.

佔各常被吸食毒品組別內所有被呈報吸食毒品方法的吸毒者的百分比。

As a proportion of all reported drug abusers with known method of taking drugs in the respective common drug abuser groups.

§ 不包括沒有提供「吸食毒品方法」的吸毒者。

Excluding drug abusers without information on "method of taking drugs".

表 3e 按經濟活動身分及常被吸食毒品種類⁽¹⁾劃分的2016年被呈報吸毒者
Table 3e Reported drug abusers in 2016 by economic activity status by common type of drugs abused⁽¹⁾

經濟活動身分 Economic activity status	海洛英 Heroin		甲基安 非他明 Methamp- hetamine		氯胺酮 Ketamine		三唑侖/ 咪達唑侖/ 佐匹克隆 Triazolam/ midazolam/ zopiclone		可卡因 Cocaine		大麻 Cannabis		咳藥 Cough medicine	
	人數 No.	%#	人數 No.	%#	人數 No.	%#	人數 No.	%#	人數 No.	%#	人數 No.	%#	人數 No.	%#
全職工作人士 Full-time worker	865	23.8	597	32.7	511	49.6	183	21.9	229	38.9	135	42.7	133	39.1
散工 / 兼職工作人士 Casual/Part-time worker	368	10.1	229	12.5	167	16.2	77	9.2	104	17.7	48	15.2	49	14.4
失業人士 Unemployed	2 140	58.8	871	47.7	266	25.8	528	63.2	197	33.5	99	31.3	149	43.8
料理家務人士 Home-maker	48	1.3	51	2.8	43	4.2	27	3.2	12	2.0	@	@	@	@
學生 Student	-	-	35	1.9	20	1.9	-	-	21	3.6	25	7.9	@	@
退休人士 Retired person	207	5.7	@	@	-	-	15	1.8	@	@	-	-	-	-
其他 Others	9	0.2	39	2.1	23	2.2	@	@	24	4.1	7	2.2	@	@
總計[§] Total[§]	3 637	100.0	1 825	100.0	1 030	100.0	835	100.0	588	100.0	316	100.0	340	100.0

註釋：(1) 個別被呈報吸毒者在某年內可被呈報吸食多於一種毒品。

Notes : More than one type of drugs abused may be reported for an individual drug abuser in a given year.

佔各常被吸食毒品組別內所有被呈報經濟活動身分的吸毒者的百分比。

As a proportion of all reported drug abusers with known economic activity status in the respective common drug abuser groups.

§ 不包括沒有提供「經濟活動身分」的吸毒者。

Excluding drug abusers without information on "economic activity status".

表 3f
Table 3f

按吸食毒品地點及常被吸食毒品種類⁽¹⁾劃分的2016年被呈報吸毒者
Reported drug abusers in 2016 by locality of abusing drugs by common type of drugs abused⁽¹⁾

吸食毒品地點 Locality of abusing drugs	海洛英 <u>Heroin</u>		甲基安非他明 <u>Methamphetamine</u>		氯胺酮 <u>Ketamine</u>		三唑侖/ 咪達唑侖/ 佐匹克隆 <u>Triazolam/ midazolam/ zopiclone</u>		可卡因 <u>Cocaine</u>		大麻 <u>Cannabis</u>		咳藥 <u>Cough medicine</u>	
	人數 No.	%#	人數 No.	%#	人數 No.	%#	人數 No.	%#	人數 No.	%#	人數 No.	%#	人數 No.	%#
只在家/朋友的家 Home/friend's home only	2 260	57.5	1 079	47.5	476	42.2	428	45.4	224	30.8	135	35.0	138	37.3
在家/朋友的家及 其他地點 Home/friend's home and other localities	1 006	25.6	541	23.8	321	28.5	362	38.4	229	31.5	94	24.4	85	23.0
只在其他地點 Other localities only	663	16.9	652	28.7	330	29.3	153	16.2	274	37.7	157	40.7	147	39.7
<i>其他地點 Other localities</i>														
公眾地方如休憩地 方/公園/公廁 <i>Public area like recreation area/public park/public toilet</i>	1 614	41.1	967	42.6	456	40.5	496	52.6	322	44.3	204	52.8	163	44.1
的士高/卡拉OK <i>Disco/karaoke</i>	13	0.3	69	3.0	109	9.7	@	@	86	11.8	20	5.2	9	2.4
會所/大廈/酒店 /酒吧內舉行的非 派對場合 <i>Non-party gathering in club house/building/hotel/bar</i>	30	0.8	54	2.4	73	6.5	9	1.0	51	7.0	16	4.1	13	3.5
出租屋/渡假屋/ 出租地方 <i>Apartment/bungalow/rental area</i>	53	1.3	114	5.0	21	1.9	19	2.0	41	5.6	11	2.8	6.0	1.6
會所/大廈/酒店 /酒吧內舉行的派 對場合 <i>Party gathering in club house/building/hotel/bar</i>	15	0.4	57	2.5	68	6.0	@	@	68	9.4	27	7.0	@	@
咖啡店/網吧 <i>Coffee shop/internet café</i>	11	0.3	57	2.5	63	5.6	@	@	51	7.0	9	2.3	@	@
電子遊戲機中心 <i>Electronic game centre</i>	6	0.2	37	1.6	14	1.2	11	1.2	11	1.5	@	@	60	16.2
學校(包括 學校宿舍) <i>School (include school hostel)</i>	-	-	@	@	@	@	-	-	-	-	-	-	@	@
總計[§] Total[§]	3929	100.0	2272	100.0	1127	100.0	943	100.0	727	100.0	386	100.0	370	100.0

註釋：(1) 個別被呈報吸毒者在某年內可被呈報吸食多於一種毒品及多於一個吸食毒品地點。

Notes : More than one type of drugs abused and locality may be reported for an individual drug abuser in a given year.

佔各常被吸食毒品組別內所有被呈報吸食毒品地點的吸毒者的百分比。

As a proportion of all reported drug abusers with known localities of abusing drugs in the respective common drug abuser groups.

§ 不包括沒有提供「吸食毒品地點」的吸毒者。

Excluding drug abusers without information on "locality of abusing drugs".

表 4a 按性別及年齡組別劃分的2016年被呈報吸食海洛英及危害精神毒品者⁽¹⁾
Table 4a Reported heroin and psychotropic substance abusers⁽¹⁾ in 2016 by sex by age group

性別 / 年齡組別 Sex/age group	被呈報吸食海洛英者 <u>Reported heroin abusers</u>		被呈報吸食危害精神毒品者 <u>Reported psychotropic substance abusers</u>	
	人數 No.	% [#]	人數 No.	% [#]
男 Male				
< 12	-	-	-	-
12 - 15	@	@	21	0.4
16 - 17	@	@	90	1.7
18 - 20	15	0.4	256	5.0
21 - 30	228	5.6	1 297	25.2
31 - 40	844	20.9	1 251	24.3
41 - 50	982	24.3	763	14.8
≥ 51	1 429	35.4	422	8.2
小計 Sub-total	3 502	86.8	4 100	79.7
平均年齡 Mean age	48		35	
女 Female				
< 12	-	-	-	-
12 - 15	-	-	20	0.4
16 - 17	-	-	32	0.6
18 - 20	@	@	60	1.2
21 - 30	18	0.4	442	8.6
31 - 40	191	4.7	292	5.7
41 - 50	222	5.5	159	3.1
≥ 51	102	2.5	40	0.8
小計 Sub-total	534	13.2	1 045	20.3
平均年齡 Mean age	43		31	
合計 Overall				
< 12	-	-	-	-
12 - 15	@	@	41	0.8
16 - 17	@	@	122	2.4
18 - 20	16	0.4	316	6.1
21 - 30	246	6.1	1 739	33.8
31 - 40	1 035	25.6	1 543	30.0
41 - 50	1 204	29.8	922	17.9
≥ 51	1 531	37.9	462	9.0
總計 Total	4 036	100.0	5 145	100.0
平均年齡 Mean age	47		34	

註釋：(1) 個別被呈報吸毒者在某年內可被呈報吸食多於一種毒品。

Notes : More than one type of drugs abused may be reported for an individual drug abuser in a given year.

佔各相關吸毒者組別內所有被呈報吸毒者的百分比。

As a proportion of all reported drug abusers in the respective drug abuser groups.

表 4b 按居住地區劃分的2016年被呈報吸食海洛英及危害精神毒品者⁽¹⁾
Table 4b Reported heroin and psychotropic substance abusers⁽¹⁾ in 2016 by district of residence

居住地區 District of residence	被呈報吸食海洛英者 <u>Reported heroin abusers</u>		被呈報吸食危害精神毒品者 <u>Reported psychotropic substance abusers</u>	
	人數 No.	% [#]	人數 No.	% [#]
中西區 Central & Western	16	0.4	61	1.3
灣仔 Wan Chai	74	2.0	59	1.3
東區 Eastern	167	4.4	250	5.4
南區 Southern	70	1.8	132	2.8
油尖旺 Yau Tsim Mong	494	13.0	327	7.0
深水埗 Sham Shui Po	649	17.1	415	8.9
九龍城 Kowloon City	161	4.3	165	3.5
黃大仙 Wong Tai Sin	235	6.2	264	5.7
觀塘 Kwun Tong	415	11.0	451	9.7
葵青 Kwai Tsing	240	6.3	395	8.5
荃灣 Tsuen Wan	143	3.8	158	3.4
屯門 Tuen Mun	244	6.4	391	8.4
元朗 Yuen Long	306	8.1	443	9.5
北區 North	151	4.0	284	6.1
大埔 Tai Po	84	2.2	238	5.1
沙田 Sha Tin	205	5.4	262	5.6
西貢 Sai Kung	76	2.0	194	4.2
離島 Islands	56	1.5	165	3.5
總計[§] Total[§]	3 786	100.0	4 654	100.0

註釋：(1) 個別被呈報吸毒者在某年內可被呈報吸食多於一種毒品。

Notes: More than one type of drugs abused may be reported for an individual drug abuser in a given year.

佔各相關吸毒者組別內所有被呈報居住地區的吸毒者的百分比。

As a proportion of all reported drug abusers with known district of residence in the respective drug abuser groups.

§ 不包括沒有提供「居住地區」的吸毒者。

Excluding drug abusers without information on "district of residence".

表 4c 按現時吸食毒品原因劃分的2016年被呈報吸食海洛英及危害精神毒品者⁽¹⁾

Table 4c Reported heroin and psychotropic substance abusers⁽¹⁾ in 2016 by reason for current drug use

現時吸食毒品原因 Reason for current drug use	被呈報吸食海洛英者 <u>Reported heroin abusers</u>		被呈報吸食危害精神毒品者 <u>Reported psychotropic substance abusers</u>	
	人數 No.	% [#]	人數 No.	% [#]
避免因沒有吸食毒品而感到不適 To avoid discomfort of its absence	2 777	70.8	1 645	34.6
解悶／情緒低落／壓力 Relief of boredom/depression/stress	1 471	37.5	2 311	48.6
受到同輩朋友影響／想和同輩朋友打成一片 Peer influence/To identify with peers	1 254	31.9	1 657	34.9
出於好奇 Curiosity	615	15.7	1 202	25.3
尋求快感或官能上的滿足 To seek euphoria or sensory satisfaction	551	14.0	923	19.4
總計[§] Total [§]	3 925	100.0	4 754	100.0

註釋：(1) 個別被呈報吸毒者在某年內可被呈報多於一個現時吸食毒品原因。

Notes: More than one reason for current drug use may be reported for an individual drug abuser in a given year.

佔各相關吸毒者組別內所有被呈報現時吸食毒品原因的吸毒者的百分比。

As a proportion of all reported drug abusers with known reasons for current drug use in the respective drug abuser groups.

§ 不包括沒有提供「現時吸食毒品原因」的吸毒者。

Excluding drug abusers without information on "reason for current drug use".

藥物濫用資料中央檔案室的運作機制

Operation Mechanism of the Central Registry of Drug Abuse

引言

1. 要制定有效政策對付毒品問題，必須考慮吸食毒品情況和趨勢。香港有關當局早已明瞭這個需要，因此，政府總部禁毒處(禁毒處)於1972年成立檔案室，負責監察本港吸食毒品趨勢的轉變和吸食毒品的特性。

檔案室的工作目標

2. 檔案室的工作目標在2001年修訂如下：

- (a) 參考整體人口的特點，確定本港的吸食毒品趨勢和吸食毒品人士特性的轉變；
- (b) 編匯從各機構得來的統計數字，從而分析在某段時期被呈報的吸食毒品人士的特性，以及把不同機構所呈報的吸食毒品人士的特性互相比較對照；
- (c) 設立資料庫，以便應各方要求提供資料，監察選定組別的吸食毒品人士在某段時期的吸食毒品模式，供研究之用；

Introduction

1. Effective policy against drugs has to be formulated with reference to the drug abuse situation and trends. This need has long been recognised in Hong Kong. Therefore, the Narcotics Division (ND) of the Government Secretariat in 1972 established the CRDA that serves to monitor changes in trends and characteristics of the drug abuse situation in Hong Kong.

Objectives of the CRDA

2. The objectives of the CRDA as revised in 2001 are :

- (a) to identify trends of drug abuse and characteristics of the drug abusing population in Hong Kong, with reference to the demographic characteristics of the overall population;
- (b) to coordinate statistics from various sources for analysing the characteristics of the reported addict population at any given time, and to contrast these characteristics among abusers reported from various sources;
- (c) to provide a database which is responsive to requests for monitoring selected groups of drug abusers with regard to their drug abusing patterns over a period of time for research;

- (d) 作為一個基點，以便結合其他與毒品有關的統計系統，從中獲取資料，進而相互聯繫比較；以及
- (e) 適時提供最新的統計數字，供市民參閱。

方法

3. 檔案室所儲存有關經證實或被懷疑的吸食毒品人士的紀錄是從遍布不同界別的機構所填寫的劃一紀錄表收集得來，有關機構包括執法部門、戒毒治療和福利機構、專上院校、醫院和診所。附錄三轉載了《危險藥物條例》(第 134 章)附表四中向檔案室呈報資料的機構名單。紀錄表收集與這些機構有接觸的吸食毒品人士的社會及人口特徵及吸食毒品資料 (自 2005 年 4 月起使用的紀錄表載於附錄四)。警方和海關會就每名經證實或被懷疑吸食毒品的被捕人士，填寫紀錄表。懲教署呈報剛被還押羈留或剛收納入懲教院所的吸食毒品人士和再次吸毒囚犯的資料。戒毒治療和康復服務機構呈報初次和再次接受治療的個案。福利機構呈報經證實或懷疑吸食毒品的求助人資料。外展社工呈報向他們尋求服務的吸食毒品人士的資料。醫院和診所則會就任何有斷癮徵狀或承認吸食毒品的病人，填寫紀錄表。

- (d) to provide a basis for integrating with other drug-related statistical systems so that information in these systems can be captured and statistics related and compared; and
- (e) to provide up-to-date statistics in a timely manner for dissemination to the public.

Methodology

3. Reports on confirmed or suspected drug abusers contained in the CRDA are submitted to the CRDA via a standard record sheet by a wide network of reporting agencies comprising law enforcement agencies, treatment and welfare agencies, tertiary institutions, hospitals and clinics. A list of CRDA reporting agencies specified in the Fourth Schedule to the Dangerous Drugs Ordinance (Chapter 134) is at Appendix 3. The record sheet solicits social and demographic characteristics as well as drug-taking information on drug abusers who come into contact with those agencies (a specimen of the record sheet in use since April 2005 is at Appendix 4). The Police and the Customs and Excise Department report on every confirmed or suspected abuser arrested by them. The Correctional Services Department reports on drug abusers on remand who are taken into custody or drug abusers on their admission to correctional institutions and also on relapsed prisoners. Treatment and rehabilitation

4. 整體吸食毒品人數指在指定時期內與呈報機構接觸而又被呈報至檔案室的總人數，不論他們是否曾被呈報多於一次，亦不論他們吸食多少毒品種類。吸食某一種類毒品人數則是指在指定時期內曾服食該種毒品的總人數，不論他們只是單一吸食該種毒品或同時與其他毒品混合吸食。

5. 檔案室會核對所有印刷版紀錄表，然後把資料編成代碼，輸入電腦；連同經互聯網向檔案室呈報的電子紀錄表，所輸入的數據均會經過驗證，以確保有效。為避免同一人被重複計算，以及把首次被呈報的個案與檔案室資料庫中曾被呈報的個案區分，系統會根據被呈報者的姓名、身分證號碼、出生日期和性別等，把新輸入的資料與檔案室資料庫所儲存已知個案的資料，逐一配對。檔案室在更新資

agencies report on new and readmitted cases. Welfare agencies report when a confirmed or suspected drug abuser approaches them for assistance. Outreaching social workers report on drug abusers who come to them for services. Hospitals and clinics complete a record sheet in respect of any patient who has shown withdrawal symptoms of drug addiction or who confesses to being a drug abuser.

4. The overall number of drug abusers refers to the total number of individual persons reported to the CRDA who have come into contact with reporting agencies in the given period, irrespective of whether they were reported for more than once and the number of drugs taken. The number of drug abusers for a particular drug type, however, is defined as the total number of all individuals who had abused the drug within the given period, irrespective of whether they took it singly or concurrently with other drugs.

5. All record sheets received in paper form are checked, coded and the data are input into the computer. Together with those record sheets submitted electronically over the internet to the CRDA, the inputted data are then validated. To avoid multiple counting of the same person and enable identification of newly reported cases as against the previously reported ones in the CRDA database, the system will match data input with previously known cases in the

料庫後，就會編製統計數據。

資料保密

6. 由於呈報工作純粹出於自願，檔案室同時得到個別吸食毒品人士和呈報機構的信任至為重要。《危險藥物條例》就此授予法定保障，規定檔案室和呈報機構所備存的紀錄必須保密。此外，當局亦不時更新呈報機構向檔案室呈報資料的指引，以確保呈報程序遵守《個人資料(私隱)條例》(第 486 章)的條文。

7. 各機構向檔案室呈報的所有個人紀錄，均絕對保密，只有直接負責檔案室工作的人員才可取閱。這些人員必須遵守保密規則，而使用這些資料有極其嚴格之規定及須符合《危險藥物條例》第 VIIA 部的規定。所有發表的報告，內容純屬統計數字，並無任何資料可供識別個別吸食毒品人士的身分。這樣不僅加強了呈報機構對檔案室的信心，也為呈報機構繼續與檔案室合作並定期呈報可靠資料，提供鞏固的基礎。同時，個別吸食毒品人士也無須害怕因接受治療或其他服務而泄露身分。

database, using the name, identity card number, birth date, sex and etc. With the updated CRDA database, statistics are compiled.

Data Confidentiality

6. As reporting to the CRDA is entirely voluntary, it is essential to secure the confidence of both individual drug abusers and reporting agencies. This is achieved by conferring statutory protection to the confidentiality of all records maintained in the CRDA and its reporting agencies under the Dangerous Drugs Ordinance. Guidelines for reporting data to the CRDA have also been updated to comply with the provisions of the Personal Data (Privacy) Ordinance (Chapter 486).

7. The records of all persons reported to the CRDA are handled in strict confidence and are accessible only to those who are directly involved in the operation of the CRDA. They in turn are required to observe the rule of confidentiality. The use of such information is subject to strict regulations, and complies with legal requirements as prescribed under Part VIIA of Dangerous Drugs Ordinance. All published reports are statistical in nature and contain no information that could lead to any individual drug abuser being identified. This enhances the confidence of the reporting agencies in the CRDA and provides a firm basis for their continuous

cooperation and the regular submission of reliable information. At the same time, individual abusers are assured that their anonymity will be maintained, thus allaying any fear of being exposed when they come forward for treatment or other services.

統計資料的局限

8. 雖然呈報網絡已包括多間呈報機構，例如執法部門、戒毒治療及福利機構、專上院校、醫院和診所，但檔案室屬自願呈報系統，記錄曾與呈報機構接觸而又被這些機構呈報的吸毒者資料。基於其性質，檔案室不是計量本港在某一時間內吸毒者的確實人數，而其統計數字旨在顯示一段時間內的吸毒趨勢，但非毒品吸食情況的絕對界定。

9. 根據某一類別吸毒人士及吸食多種毒品人士的定義，將各類別的被呈報吸毒人數合計起來是沒有意義的，其總和往往多於在某指定年份內被呈報吸毒的總人數。

10. 除了基本的個人資料（例如年齡和性別外），有關個別吸食毒品人士的其他指定資料項目，會因為種種原

Data limitations

8. Although its reporting network encompasses a large number of reporting agencies such as law enforcement agencies, treatment and welfare agencies, tertiary institutions, hospitals and clinics, the CRDA is a voluntary reporting system recording the details of drug abusers who have come into contact with and have been reported by the reporting agencies. By its nature, while the CRDA does not measure the exact size of the drug abusing population in Hong Kong at any particular time, statistics derived therefrom are indicators of the trends of drug abuse over time rather than a finite definition of the situation.

9. Given the definitions of drug abusers of a particular type and multiple drug abusers, it is not meaningful to add up the number of reported drug abusers for individual drug types, the sum of which is usually larger than the overall total number of reported drug abusers in a given year.

10. Specific data items of individual abusers, other than the basic personal particulars such as age and sex, may not have

因而沒有全部向檔案室呈報。因此，本報告書只會根據檔案室所得的呈報資料作出分析，而這些資料難免未能盡錄所有情況。雖然如此，以個別資料項目而言，大部分(遠超過 90%)被呈報人士均有提供資料。下表所載為 2016 年所有呈報人士就指定資料項目有提供資料的人數及所佔百分比。

been fully provided for one reason or another. The analyses presented in this report are thus only based on the reported information available to the CRDA, which is inevitably not exhaustive. Nevertheless, information on individual data items has been provided for most, or well above 90%, of reported individuals. A table showing the numbers and proportions of individuals with known information on specific data items in 2016 is given below.

指定資料項目 Specified data items	有提供資料的人士 No. of individuals with known information	佔所有被呈報 吸毒者的百分比 % of all reported individuals
年齡/出生日期及性別 (必須呈報項目) Age/date of birth and sex (mandatory items)	8 077	100.0
吸食毒品種類 Type of drugs abused	8 030	99.4
婚姻狀況 Marital status	8 010	99.2
教育程度 Educational attainment	7 030	87.0
居住地區 District of residence	7 418	91.8
屋宇單位類型 Type of quarters	6 927	85.8
經濟活動身分 Economic activity status	6 934	85.8
曾否有犯罪紀錄 Whether previously convicted	7 606	94.2
首次吸食毒品年齡 Age of first abuse	7 790	96.4
現時吸食毒品物原因 Reason for current drug use	7 582	93.9
吸食毒品地方 Place of abusing drugs	7 899	97.8
吸食毒品地點 Locality of abusing drugs	7 620	94.3

11. 在闡釋本報告書所載的統計結果時，應注意以上各點。這些統計數字應作為反映吸食毒品趨勢的指標，而非鉅細無遺地描述吸食毒品的全面

11. In interpreting findings of the report, the above have to be taken into account. The statistics should be taken as indicators of the trends in drug abuse over time rather than

情況。雖然有關的百分比分布並非按所有被呈報人士計算出來，但仍可大致反映吸食毒品人士的一般特徵。

an absolute representation of the whole situation. The percentage distribution, though not calculated for all reported individuals, can be taken broadly to reflect the general characteristics of drug abusers.

數字修訂

Figure Revision

12. 本報告書內過往兩年的被呈報吸食毒品人士數字可能稍作調整，因而有別於以往出版的同一系列報告書所載的數字。原因是在各年份的截止收集資料日期過後，仍有機構向檔案室呈報過往吸食毒品人士的資料或更改已呈報的資料。

12. Figures for the number of drug abusers in the previous two years may have been slightly revised and are thus different from those presented in the previous issues of this series of report. It is because some agencies still submit records to the CRDA on abusers contacted within the preceding years, or revise records submitted after the cut-off time of data collection of each reference year.

用語定義 Definition of Terms

年齡：指某人在出生後所度過的完整年數。年齡是由呈報月份和年份計算得來的。

首次吸食毒品年齡：指開始吸食毒品的年齡，不論吸食的毒品種類為何。如果是指明某一種毒品的首次吸食年齡，則是指某人吸食該種毒品的首次吸食年齡。

居住地區：指被呈報吸毒人士在呈報時所知的居住地區。

吸毒者：作為呈報的準則，吸毒者是指在洽見日期前四星期內曾經服用危害或可能危害個人身體、精神健康、或其家庭和社會關係的毒品／物質的人士，而劑量或服用期超過正常的治療劑量或服用期。酒精及煙草不被列作毒品。被濫用毒品／物質大致可分為麻醉鎮痛劑及危害精神毒品。

經濟活動身分：個別人士可被分類至以下各種不同的經濟活動身分，包括：

- (i) 全職工作人士是指在呈報前七天內，有一份正式工作(即該人士持續支取工資；或已獲保證或已有既定日期返回工作崗位或所經營之業務；或正支取補償費而無須接受其他工作)且正按照一個每月有固定通常工作日數或每周／每月有固定通常工作時數的模

Age : Age is the number of complete years a person has passed since birth. It is derived from month and year of birth reported.

Age of first abuse : This refers to the age when drug abuse first started, regardless of the types of drugs taken then. If a particular type of drug is specified, it refers to the age of first abuse for such type of drug.

District of residence : This refers to the district where a reported person is known to be residing at the time of report.

Drug abuser : For the purpose of CRDA reporting, a drug abuser refers to a person who has taken drugs/substances during the four weeks before the date of contact, and the drugs/substances taken harm or threaten to harm the physical or mental health or social well-being of an individual, in doses above or for periods beyond those normally regarded as therapeutic. Alcohol and tobacco are, however, not regarded as drugs abused. The drugs/substances of abuse are broadly classified into narcotics analgesics and psychotropic substances.

Economic activity status : A person can be classified into various different economic activity status including :

- (i) *full-time worker* refers to an employee, employer or a self-employed who had formal job attachment (i.e. had continued receipt of wage, or had an assurance or an agreed date of return to job or business, or was in receipt of compensation without obligation to accept another job) and was working

- | | |
|---|--|
| <p>式工作的僱員、僱主或自僱人士；</p> | <p>under a regular pattern with fixed number of usual days of work per month or fixed number of usual hours of work per week/month during the seven days prior to the time of report;</p> |
| <p>(ii) 散工／兼職人士是指在呈報前七天內，按日工作或每周通常工作日數或每工作日／周通常工作時數是不固定的人士；</p> | <p>(ii) <i>casual/part-time worker</i> refers to a person who was working on a day-to-day basis or for whom the number of usual days of work per week or usual hours of work per working day/week was either not fixed or irregular during the seven days prior to the time of report;</p> |
| <p>(iii) 失業人士是指在呈報前七天內可隨時工作但並無為賺取薪酬而工作的人士；</p> | <p>(iii) <i>unemployed</i> refers to a person who had been available for work but had not performed any work for pay during the seven days prior to the time of report;</p> |
| <p>(iv) 料理家務人士是指照顧家庭而無收取報酬的人士；</p> | <p>(iv) <i>home-maker</i> refers to a person who looks after the home without pay;</p> |
| <p>(v) 學生是指正在求學及在呈報前七天內並無工作的人士。兼職學生應歸入工作者及不包括在此類別內；</p> | <p>(v) <i>student</i> refers to a person who is studying and was not working during the seven days prior to the time of report. Student worker should be classified as an employed person and is not included in this category;</p> |
| <p>(vi) 退休人士是指以前有工作，但現因年老而沒有繼續工作的人士；</p> | <p>(vi) <i>retired person</i> refers to a person who has worked previously but is not currently working due to old age;</p> |
| <p>(vii) 其他人士包括 (a) 無須為生計而工作的人士，及因長期患病或殘疾而不能工作的人士；及 (b) 從事非法行業人士。</p> | <p>(vii) <i>others</i> include (a) persons who do not have to work for a living and who cannot work due to permanent sickness or disablement; and (b) workers in illicit trade.</p> |

教育程度：指某人在學校或其他教育機構修讀達到的最高教育程度，不論他／她有否完成該課程。

Educational attainment : This refers to the highest level of education attained by a person in school or other educational institution, regardless of whether he/she had completed the course.

種族：有關「種族」的分類是參考不同的概念包括文化起源、國籍、膚色及語言等而制定。吸毒者的種族指由其本人報稱所屬的族裔。但若吸毒者無法自行判斷，呈報機構可憑其外貌或言談判斷，否則可查問吸毒者的國籍代替種族。

Ethnicity : The classification of ethnicity is determined with reference to a combination of concepts such as cultural origins, nationality, colour and language. The ethnicity of an abuser is determined by self-identification. If the abuser cannot determine his/her own ethnicity, reporting agency may classify the abuser according to his/her appearance or language. Otherwise, reporting agency may check the nationality of the abuser as a proxy for ethnicity.

吸食毒品地點：指吸毒者吸毒的地點，如在家、朋友的家、公眾地方如休憩地方／公園／公廁及的士高／卡拉 OK。

Locality of abusing drug : This refers to the location where a reported person abused drugs, such as home, friend's home, public areas like recreation area/public park/public toilet and disco/karaoke.

麻醉鎮痛劑：指海洛英、鴉片、嗎啡和菲仕通／美沙酮。

Narcotics analgesics : They refer to heroin, opium, morphine and physeptone/methadone.

吸食毒品地方：指香港或香港以外的地區或國家，如澳門特別行政區及中國內地-深圳。

Place of abusing drug : This refers to Hong Kong or an area or a country outside Hong Kong, such as Macao SAR and Mainland China - Shenzhen.

危害精神毒品：指迷幻劑（例如大麻）、鎮抑劑（如甲喹酮）、興奮劑（例如亞甲二氧基甲基安非他明、甲基安非他明及可卡因）、鎮靜劑（如三唑侖／咪達唑侖／佐匹克隆及安定）和其他物質，如氯胺酮、咳藥和有機溶劑等。

Psychotropic substances : They refer to hallucinogens (e.g. cannabis), depressants (e.g. methaqualone), stimulants (e.g. MDMA, methamphetamine and cocaine), tranquillizers (e.g. triazolam/midazolam/zopiclone and diazepam) and other substances such as ketamine, cough medicine and organic solvents.

被呈報吸毒者：指被呈報機構向檔案室呈報的已知或懷疑吸毒者。同一吸毒者在某指定年內接觸呈報機構而又被呈報多於一次(不論由同一機構呈報或由不同機構呈報)，亦只會作一人計算。被呈報吸食某一種類毒品人士的數目是指在某指定年內被呈報曾吸食該種毒品的人士總數，不論他們只是單一吸食該種毒品或同時與其他毒品混合吸食。檔案室從不同角度分析被呈報吸毒人士，包括：

首次被呈報者指不論吸食毒品的種類及分析的時期，該人的紀錄是首次呈報予檔案室(即是在呈報之前，檔案室從未有該名人士的紀錄)。

曾被呈報者指該人的紀錄已在以往的年份被呈報予檔案室。

吸食超過一種毒品者(或稱為吸食多種毒品者)指該人在指定期內吸食多於一種毒品，不論他／她是否只是單一吸食一種毒品或同時與其他毒品混合吸食。

某一年份被呈報吸毒人數是在同年首次被呈報及曾被呈報吸毒人數的總和。

Reported drug abuser : This refers to known or suspected drug abuser reported to the CRDA by reporting agencies. A drug abuser who has come into contact with reporting agencies within a given year and has been reported for more than once (by the same or different reporting agencies) is counted as one reported individual. The number of reported drug abusers for a particular drug type is defined as the total number of all individuals who had abused the drug within a given year, irrespective of whether they took it singly or concurrently with other drugs. Analyses of reported drug abusers are made from various perspectives including :

Newly reported person refers to a person who is known to the CRDA for the first time (i.e. no precedent reported case on him/her in the CRDA at the time of report), irrespective of the types of drugs taken and the period of analysis.

Previously reported person refers to a person who has been recorded by the CRDA before in the preceding years.

Multiple drug abuser refers to a person who is reported to have taken more than one type of drugs within the specified period, irrespective of whether the drugs were taken singly or concurrently with other drugs.

The number of reported drug abusers for a particular year is the sum of that of newly reported persons and that of previously reported persons for the same year.

《危險藥物條例》附表四的呈報機構

Reporting agencies in the Fourth Schedule to the Dangerous Drugs Ordinance

機構名稱	Name of agency
1. 香港仔街坊福利會社會服務中心	1. Aberdeen Kai-fong Welfare Association Social Service Centre
2. 浸會愛群社會服務處	2. Baptist Oi Kwan Social Service
3. 基督教巴拿巴愛心服務團有限公司	3. Barnabas Charitable Service Association Limited
4. 嘉諾撒醫院	4. Canossa Hospital (Caritas)
5. 香港明愛	5. Caritas-Hong Kong
6. 基督教家庭服務中心	6. Christian Family Service Centre
6A. 基督教新生協會有限公司	6A. Christian New Life Association Limited
7. 基督教正生會有限公司	7. Christian Zheng Sheng Association Limited
8. 珠海學院	8. Chu Hai College of Higher Education
9. 香港城市大學	9. City University of Hong Kong
10. 懲教署	10. Correctional Services Department
11. 香港海關	11. Customs and Excise Department
12. 得基輔康會有限公司	12. DACARS, Limited
13. 衛生署	13. Department of Health
14. 教育局	14. Education Bureau
15. 播道醫院	15. Evangel Hospital
15A. 榮頌團契有限公司	15A. Glorious Praise Fellowship (Hong Kong) Limited
16. 香港港安醫院	16. Hong Kong Adventist Hospital
17. 香港浸信會醫院	17. Hong Kong Baptist Hospital
18. 香港浸會大學	18. Hong Kong Baptist University
19. 港中醫院	19. Hong Kong Central Hospital
20. 香港青少年服務處	20. Hong Kong Children & Youth Services
21. 香港基督教服務處	21. Hong Kong Christian Service
22. 香港家庭福利會	22. Hong Kong Family Welfare Society
23. 香港路德會社會服務處	23. Hong Kong Lutheran Social Service
24. 香港遊樂場協會	24. Hong Kong Playground Association
25. 香港警務處	25. Hong Kong Police Force
26. 香港養和醫院有限公司	26. Hong Kong Sanatorium and Hospital Limited
26A. 香港聖公會福利協會	26A. Hong Kong Sheng Kung Hui Welfare Council
27. 香港基督教女青年會	27. Hong Kong Young Women's Christian Association
28. 醫院管理局	28. Hospital Authority
29. 香港國際社會服務社	29. International Social Service Hong Kong Branch
30. 啟勵扶青會	30. KELY Support Group
31. 基督教信義會芬蘭差會靈愛中心	31. Ling Oi Centre, Finnish Evangelical Lutheran Mission
32. 嶺南大學	32. Lingnan University
33. 明德醫院	33. Matilda and War Memorial Hospital
34. 循道愛華村服務中心	34. Methodist Epworth Village Community Centre
34A. 方舟行動有限公司	34A. Mission Ark Limited

機構名稱	Name of agency
35. 香港晨曦會	35. Operation Dawn Limited
36. 寶血醫院(明愛)	36. Precious Blood Hospital (Caritas)
37. 社會福利署	37. Social Welfare Department
38. 聖雅各福群會	38. St. James' Settlement
39. 聖保祿醫院	39. St. Paul's Hospital
40. 聖士提反會	40. St. Stephen's Society
41. 聖德肋撒醫院	41. St. Teresa's Hospital
42. 香港神託會	42. Stewards Limited
43. 香港小童群益會	43. The Boys' and Girls' Clubs Association of Hong Kong
44. 香港基督少年軍有限公司	44. The Boys' Brigade, Hong Kong Limited
45. 香港中文大學	45. The Chinese University of Hong Kong
46. 香港中華基督教青年會	46. The Chinese Young Men's Christian Association of Hong Kong
47. 基督教得生團契有限公司	47. The Christian New Being Fellowship Limited
48. 香港基督教協基會有限公司	48. The Church of United Brethren in Christ Hong Kong Limited
48A. 香港教育大學	48A. The Education University of Hong Kong
49. 基督教香港信義會	49. The Evangelical Lutheran Church of Hong Kong
50. 香港社會服務聯會	50. The Hong Kong Council of Social Service
51. 香港青年協會	51. The Hong Kong Federation of Youth Groups
53. 香港醫學會	53. The Hong Kong Medical Association
54. 香港理工大學	54. The Hong Kong Polytechnic University
55. 香港科技大學	55. The Hong Kong University of Science and Technology
56. 鄰舍輔導會	56. The Neighbourhood Advice-Action Council
57. 救世軍	57. The Salvation Army
58. 香港戒毒會	58. The Society for the Aid and Rehabilitation of Drug Abusers
59. 香港善導會	59. The Society of Rehabilitation and Crime Prevention, Hong Kong
60. 香港大學	60. The University of Hong Kong
61. 荃灣港安醫院	61. Tsuen Wan Adventist Hospital
61A. 東華三院	61A. Tung Wah Group of Hospitals
62. 沙田國際醫務中心仁安醫院	62. Sha Tin International Medical Centre Union Hospital
63. 職業訓練局	63. Vocational Training Council
64. 基督教互愛中心	64. Wu Oi Christian Centre
65. 仁愛堂有限公司	65. Yan Oi Tong Limited
66. 循道衛理楊震社會服務處	66. Yang Memorial Methodist Social Service
67. 錫安社會服務處有限公司	67. Zion Social Service Limited

藥物濫用資料中央檔案室
記錄表

填入資料後即成
機密文件

回答選擇題時，請圈出適當的答案

1. 呈報機構 辦事處/分處 灰色空格內無須填寫		2. 洽見日期 日 月 年	
3. 姓名 (中文姓名; 如非華人, 請用英文填寫) _____ _____ 姓氏 名字		4. 香港身份證號碼 (如非本港居民, 請填寫其他證件號碼) _____ 其他證件號碼 _____	
5. 性別: 1 男 2 女		7. 出生日期 日 月 年	
6. 種族: 11 華人 12 其他 (請註明) _____		12. 居住地區 11 中西區 21 油尖旺 25 觀塘 34 元朗 38 西貢 12 灣仔 22 深水埗 31 葵青 35 北區 39 離島 13 東區 23 九龍城 32 荃灣 36 大埔 99 不詳 14 南區 24 黃大仙 33 屯門 37 沙田	
8. 婚姻狀況 1 未婚 2 已婚/同居 3 鰥/寡 4 離婚/分居 9 不詳		9. 過去四星期內伴侶有否濫用藥物? 1 有 2 沒有 3 不適用 9 不詳	
10. 教育水平 (指最高學歷, 不論已完成該課程與否) 1 無受過教育/幼稚園程度 4 高中程度 (中四至中七) 2 小學程度 5 專上教育程度 3 初中程度 (中一至中三) 9 不詳		13. 在香港居住的年期 (以整年計) ____	
11. 活動狀況 1 全職 6 學生 2 散工/兼職 7 退休人士 3 從事非法行業 8 其他 (請註明) 4 失業 5 料理家務 9 不詳		14. 屋宇單位類型 1 公營租住單位 4 臨時房屋 2 資助出售單位 5 其他 (請註明) 3 私人住宅單位 9 不詳	
16. 過去四星期內濫用的物質種類		15. 有無犯罪紀錄? 1 有, 與毒品有關 5 沒有 2 有, 其他罪行 9 不詳 3 有, 與毒品有關和其他罪行 4 有, 但罪行不詳	
物質種類		通常服用的方法	通常每次的開支 (港元)
1 _____	____	____	每日/星期/月* _____ 次 _____ 首次濫用藥物年齡 _____
2 _____	____	____	每日/星期/月* _____ 次 _____ 首次濫用藥物年齡 _____
3 _____	____	____	每日/星期/月* _____ 次 _____ 首次濫用藥物年齡 _____
4 _____	____	____	每日/星期/月* _____ 次 _____ 首次濫用藥物年齡 _____
17. 過去四星期內濫用藥物的地方 (可選擇一個或以上答案) 11 香港特別行政區 21 亞洲國家 (請註明) 12 澳門特別行政區 _____ 13 中國 - 深圳 31 其他國家 (請註明) 14 中國 - 廣東省 (深圳除外) _____ 15 中國 - 其他省份 99 不詳		18. 過去四星期內濫用藥物的地點 (可選擇一個或以上答案) 11 家 16 出租屋/渡假屋/出租地方 12 朋友的家 17 的士高/卡拉OK 13 學校/宿舍 18 夜總會/網吧 14 會所/大廈/酒店/酒吧內舉行的派對場合 19 電子遊戲機中心 15 會所/大廈/酒店/酒吧內舉行的非派對場合 20 電影院/劇院 21 休憩地方/公園/公廁 22 其他 (請註明) _____	
19. 報稱現時濫用藥物的原因 (可選擇一個或以上答案) 1 出於好奇 4 自行治理疾病 7 受到伴侶影響 9 不詳 2 受到同輩朋友影響/想和同輩打成一片 5 避開因沒有服食藥物而感到不適 8 其他 (請註明) 3 解悶/情緒低落/壓力 6 尋求快感或官能上的滿足 _____			
其他附加資料:		本欄無須填寫	
個案參考編號: _____ 填報人: _____ 聯絡電話: _____		登記號碼	

**CENTRAL REGISTRY OF DRUG ABUSE
RECORD SHEET**

CONFIDENTIAL
when entered with data


Please circle appropriate answer for multiple choice questions

<p>1. Reporting Agency Office/Branch Leave shaded boxes in blank</p> <div style="border: 1px solid black; width: 100px; height: 20px; background-color: #cccccc; margin: 5px 0;"></div>	<p>2. Date of Contact</p> <table style="width:100%; text-align: center;"> <tr> <td style="border: 1px solid black; width: 30px; height: 20px;"></td> <td style="border: 1px solid black; width: 30px; height: 20px;"></td> <td style="border: 1px solid black; width: 30px; height: 20px;"></td> <td style="border: 1px solid black; width: 30px; height: 20px;"></td> </tr> <tr> <td>day</td> <td>month</td> <td colspan="2">year</td> </tr> </table>					day	month	year																										
day	month	year																																
<p>3. Name (in Chinese characters; if non-Chinese, in English)</p> <p>_____</p> <p style="text-align: center;">Last name given name</p>	<p>4. HKID Card No. (for non-Hong Kong resident, please quote other document number)</p> <table style="width:100%; text-align: center;"> <tr> <td style="border: 1px solid black; width: 30px; height: 20px;"></td> <td style="border: 1px solid black; width: 30px; height: 20px;"></td> <td style="border: 1px solid black; width: 30px; height: 20px;"></td> <td style="border: 1px solid black; width: 30px; height: 20px;"></td> <td style="border: 1px solid black; width: 30px; height: 20px;"></td> <td style="border: 1px solid black; width: 30px; height: 20px;"></td> <td style="border: 1px solid black; width: 30px; height: 20px;"></td> <td style="border: 1px solid black; width: 30px; height: 20px;"></td> <td style="border: 1px solid black; width: 30px; height: 20px;"></td> <td style="border: 1px solid black; width: 30px; height: 20px;"></td> <td style="border: 1px solid black; width: 30px; height: 20px;"></td> </tr> <tr> <td colspan="11">Other document number _____</td> </tr> </table>												Other document number _____																					
Other document number _____																																		
<p>5. Sex: 1 Male 2 Female</p> <p>6. Ethnicity: 11 Chinese 12 Other (please specify)</p> <p>_____</p>	<p>7. Date of Birth</p> <table style="width:100%; text-align: center;"> <tr> <td style="border: 1px solid black; width: 30px; height: 20px;"></td> <td style="border: 1px solid black; width: 30px; height: 20px;"></td> <td style="border: 1px solid black; width: 30px; height: 20px;"></td> <td style="border: 1px solid black; width: 30px; height: 20px;"></td> <td style="border: 1px solid black; width: 30px; height: 20px;"></td> <td style="border: 1px solid black; width: 30px; height: 20px;"></td> </tr> <tr> <td>day</td> <td>month</td> <td colspan="4">year</td> </tr> </table>							day	month	year																								
day	month	year																																
<p>8. Marital Status</p> <p>1 Never married 2 Married/Cohabiting</p> <p>3 Widowed 4 Divorced/Separated 9 Unknown</p>	<p>12. District of Residence</p> <table style="width:100%; font-size: small;"> <tr> <td>11 Central & Western</td> <td>21 Yau Tsim Mong</td> <td>25 Kwun Tong</td> <td>34 Yuen Long</td> <td>38 Sai Kung</td> </tr> <tr> <td>12 Wan Chai</td> <td>22 Sham Shui Po</td> <td>31 Kwai Tsing</td> <td>35 North</td> <td>39 Islands</td> </tr> <tr> <td>13 Eastern</td> <td>23 Kowloon City</td> <td>32 Tsuen Wan</td> <td>36 Tai Po</td> <td>99 Unknown</td> </tr> <tr> <td>14 Southern</td> <td>24 Wong Tai Sin</td> <td>33 Tuen Mun</td> <td>37 Sha Tin</td> <td></td> </tr> </table>	11 Central & Western	21 Yau Tsim Mong	25 Kwun Tong	34 Yuen Long	38 Sai Kung	12 Wan Chai	22 Sham Shui Po	31 Kwai Tsing	35 North	39 Islands	13 Eastern	23 Kowloon City	32 Tsuen Wan	36 Tai Po	99 Unknown	14 Southern	24 Wong Tai Sin	33 Tuen Mun	37 Sha Tin														
11 Central & Western	21 Yau Tsim Mong	25 Kwun Tong	34 Yuen Long	38 Sai Kung																														
12 Wan Chai	22 Sham Shui Po	31 Kwai Tsing	35 North	39 Islands																														
13 Eastern	23 Kowloon City	32 Tsuen Wan	36 Tai Po	99 Unknown																														
14 Southern	24 Wong Tai Sin	33 Tuen Mun	37 Sha Tin																															
<p>9. Did your partner take drugs in the last four weeks?</p> <p>1 Yes 2 No 3 Not applicable 9 Unknown</p>	<p>13. Years of Residence in Hong Kong (in complete years)</p> <table style="width:100%; text-align: center;"> <tr> <td style="border: 1px solid black; width: 30px; height: 20px;"></td> <td style="border: 1px solid black; width: 30px; height: 20px;"></td> </tr> </table>																																	
<p>10. Educational Attainment (the highest level attained, regardless if the course was completed or not)</p> <table style="width:100%; font-size: small;"> <tr> <td>1 No schooling/Kindergarten</td> <td>4 Upper secondary (S4-S7)</td> </tr> <tr> <td>2 Primary</td> <td>5 Tertiary</td> </tr> <tr> <td>3 Lower secondary (S1-S3)</td> <td>9 Unknown</td> </tr> </table>	1 No schooling/Kindergarten	4 Upper secondary (S4-S7)	2 Primary	5 Tertiary	3 Lower secondary (S1-S3)	9 Unknown	<p>14. Type of Quarters</p> <table style="width:100%; font-size: small;"> <tr> <td>1 Public rental flats</td> <td>4 Temporary housing</td> </tr> <tr> <td>2 Subsidized sale flats</td> <td>5 Other (please specify) _____</td> </tr> <tr> <td>3 Private residential flats</td> <td>9 Unknown</td> </tr> </table>	1 Public rental flats	4 Temporary housing	2 Subsidized sale flats	5 Other (please specify) _____	3 Private residential flats	9 Unknown																					
1 No schooling/Kindergarten	4 Upper secondary (S4-S7)																																	
2 Primary	5 Tertiary																																	
3 Lower secondary (S1-S3)	9 Unknown																																	
1 Public rental flats	4 Temporary housing																																	
2 Subsidized sale flats	5 Other (please specify) _____																																	
3 Private residential flats	9 Unknown																																	
<p>11. Activity Status</p> <table style="width:100%; font-size: small;"> <tr> <td>1 Full-time worker</td> <td>6 Student</td> </tr> <tr> <td>2 Casual/Part-time worker</td> <td>7 Retired</td> </tr> <tr> <td>3 Worker in illicit trade</td> <td>8 Other (please specify) _____</td> </tr> <tr> <td>4 Unemployed</td> <td></td> </tr> <tr> <td>5 Home-maker</td> <td>9 Unknown</td> </tr> </table>	1 Full-time worker	6 Student	2 Casual/Part-time worker	7 Retired	3 Worker in illicit trade	8 Other (please specify) _____	4 Unemployed		5 Home-maker	9 Unknown	<p>15. Whether previously convicted?</p> <table style="width:100%; font-size: small;"> <tr> <td>1 Yes, drug-related offences</td> <td>5 No</td> </tr> <tr> <td>2 Yes, other offences</td> <td>9 Unknown</td> </tr> <tr> <td>3 Yes, both drug-related and other offences</td> <td></td> </tr> <tr> <td>4 Yes, offences unknown</td> <td></td> </tr> </table>	1 Yes, drug-related offences	5 No	2 Yes, other offences	9 Unknown	3 Yes, both drug-related and other offences		4 Yes, offences unknown																
1 Full-time worker	6 Student																																	
2 Casual/Part-time worker	7 Retired																																	
3 Worker in illicit trade	8 Other (please specify) _____																																	
4 Unemployed																																		
5 Home-maker	9 Unknown																																	
1 Yes, drug-related offences	5 No																																	
2 Yes, other offences	9 Unknown																																	
3 Yes, both drug-related and other offences																																		
4 Yes, offences unknown																																		
<p>16. Type of substances abused in the last four weeks</p> <table style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; border-bottom: 1px solid black;">Type of substances</th> <th style="text-align: center; border-bottom: 1px solid black;">Usual method of taking</th> <th style="text-align: center; border-bottom: 1px solid black;">Usual expenditure for each taking (HK\$)</th> <th style="text-align: center; border-bottom: 1px solid black;">Frequency of taking (* Please circle as appropriate)</th> <th style="text-align: center; border-bottom: 1px solid black;">Age of first abuse</th> </tr> </thead> <tbody> <tr> <td style="border-bottom: 1px solid black;">1 _____</td> <td style="border-bottom: 1px solid black;"><div style="border: 1px solid black; width: 30px; height: 20px; background-color: #cccccc;"></div></td> <td style="border-bottom: 1px solid black;"><div style="border: 1px solid black; width: 30px; height: 20px; background-color: #cccccc;"></div></td> <td style="border-bottom: 1px solid black;"><table style="width:100%; text-align: center;"><tr><td style="border: 1px solid black; width: 30px; height: 20px;"></td><td style="border: 1px solid black; width: 30px; height: 20px;"></td></tr></table>times per day/week/month*</td> <td style="border-bottom: 1px solid black;"><div style="border: 1px solid black; width: 30px; height: 20px; background-color: #cccccc;"></div></td> </tr> <tr> <td style="border-bottom: 1px solid black;">2 _____</td> <td style="border-bottom: 1px solid black;"><div style="border: 1px solid black; width: 30px; height: 20px; background-color: #cccccc;"></div></td> <td style="border-bottom: 1px solid black;"><div style="border: 1px solid black; width: 30px; height: 20px; background-color: #cccccc;"></div></td> <td style="border-bottom: 1px solid black;"><table style="width:100%; text-align: center;"><tr><td style="border: 1px solid black; width: 30px; height: 20px;"></td><td style="border: 1px solid black; width: 30px; height: 20px;"></td></tr></table>times per day/week/month*</td> <td style="border-bottom: 1px solid black;"><div style="border: 1px solid black; width: 30px; height: 20px; background-color: #cccccc;"></div></td> </tr> <tr> <td style="border-bottom: 1px solid black;">3 _____</td> <td style="border-bottom: 1px solid black;"><div style="border: 1px solid black; width: 30px; height: 20px; background-color: #cccccc;"></div></td> <td style="border-bottom: 1px solid black;"><div style="border: 1px solid black; width: 30px; height: 20px; background-color: #cccccc;"></div></td> <td style="border-bottom: 1px solid black;"><table style="width:100%; text-align: center;"><tr><td style="border: 1px solid black; width: 30px; height: 20px;"></td><td style="border: 1px solid black; width: 30px; height: 20px;"></td></tr></table>times per day/week/month*</td> <td style="border-bottom: 1px solid black;"><div style="border: 1px solid black; width: 30px; height: 20px; background-color: #cccccc;"></div></td> </tr> <tr> <td style="border-bottom: 1px solid black;">4 _____</td> <td style="border-bottom: 1px solid black;"><div style="border: 1px solid black; width: 30px; height: 20px; background-color: #cccccc;"></div></td> <td style="border-bottom: 1px solid black;"><div style="border: 1px solid black; width: 30px; height: 20px; background-color: #cccccc;"></div></td> <td style="border-bottom: 1px solid black;"><table style="width:100%; text-align: center;"><tr><td style="border: 1px solid black; width: 30px; height: 20px;"></td><td style="border: 1px solid black; width: 30px; height: 20px;"></td></tr></table>times per day/week/month*</td> <td style="border-bottom: 1px solid black;"><div style="border: 1px solid black; width: 30px; height: 20px; background-color: #cccccc;"></div></td> </tr> </tbody> </table>		Type of substances	Usual method of taking	Usual expenditure for each taking (HK\$)	Frequency of taking (* Please circle as appropriate)	Age of first abuse	1 _____	<div style="border: 1px solid black; width: 30px; height: 20px; background-color: #cccccc;"></div>	<div style="border: 1px solid black; width: 30px; height: 20px; background-color: #cccccc;"></div>	<table style="width:100%; text-align: center;"><tr><td style="border: 1px solid black; width: 30px; height: 20px;"></td><td style="border: 1px solid black; width: 30px; height: 20px;"></td></tr></table> times per day/week/month*			<div style="border: 1px solid black; width: 30px; height: 20px; background-color: #cccccc;"></div>	2 _____	<div style="border: 1px solid black; width: 30px; height: 20px; background-color: #cccccc;"></div>	<div style="border: 1px solid black; width: 30px; height: 20px; background-color: #cccccc;"></div>	<table style="width:100%; text-align: center;"><tr><td style="border: 1px solid black; width: 30px; height: 20px;"></td><td style="border: 1px solid black; width: 30px; height: 20px;"></td></tr></table> times per day/week/month*			<div style="border: 1px solid black; width: 30px; height: 20px; background-color: #cccccc;"></div>	3 _____	<div style="border: 1px solid black; width: 30px; height: 20px; background-color: #cccccc;"></div>	<div style="border: 1px solid black; width: 30px; height: 20px; background-color: #cccccc;"></div>	<table style="width:100%; text-align: center;"><tr><td style="border: 1px solid black; width: 30px; height: 20px;"></td><td style="border: 1px solid black; width: 30px; height: 20px;"></td></tr></table> times per day/week/month*			<div style="border: 1px solid black; width: 30px; height: 20px; background-color: #cccccc;"></div>	4 _____	<div style="border: 1px solid black; width: 30px; height: 20px; background-color: #cccccc;"></div>	<div style="border: 1px solid black; width: 30px; height: 20px; background-color: #cccccc;"></div>	<table style="width:100%; text-align: center;"><tr><td style="border: 1px solid black; width: 30px; height: 20px;"></td><td style="border: 1px solid black; width: 30px; height: 20px;"></td></tr></table> times per day/week/month*			<div style="border: 1px solid black; width: 30px; height: 20px; background-color: #cccccc;"></div>
Type of substances	Usual method of taking	Usual expenditure for each taking (HK\$)	Frequency of taking (* Please circle as appropriate)	Age of first abuse																														
1 _____	<div style="border: 1px solid black; width: 30px; height: 20px; background-color: #cccccc;"></div>	<div style="border: 1px solid black; width: 30px; height: 20px; background-color: #cccccc;"></div>	<table style="width:100%; text-align: center;"><tr><td style="border: 1px solid black; width: 30px; height: 20px;"></td><td style="border: 1px solid black; width: 30px; height: 20px;"></td></tr></table> times per day/week/month*			<div style="border: 1px solid black; width: 30px; height: 20px; background-color: #cccccc;"></div>																												
2 _____	<div style="border: 1px solid black; width: 30px; height: 20px; background-color: #cccccc;"></div>	<div style="border: 1px solid black; width: 30px; height: 20px; background-color: #cccccc;"></div>	<table style="width:100%; text-align: center;"><tr><td style="border: 1px solid black; width: 30px; height: 20px;"></td><td style="border: 1px solid black; width: 30px; height: 20px;"></td></tr></table> times per day/week/month*			<div style="border: 1px solid black; width: 30px; height: 20px; background-color: #cccccc;"></div>																												
3 _____	<div style="border: 1px solid black; width: 30px; height: 20px; background-color: #cccccc;"></div>	<div style="border: 1px solid black; width: 30px; height: 20px; background-color: #cccccc;"></div>	<table style="width:100%; text-align: center;"><tr><td style="border: 1px solid black; width: 30px; height: 20px;"></td><td style="border: 1px solid black; width: 30px; height: 20px;"></td></tr></table> times per day/week/month*			<div style="border: 1px solid black; width: 30px; height: 20px; background-color: #cccccc;"></div>																												
4 _____	<div style="border: 1px solid black; width: 30px; height: 20px; background-color: #cccccc;"></div>	<div style="border: 1px solid black; width: 30px; height: 20px; background-color: #cccccc;"></div>	<table style="width:100%; text-align: center;"><tr><td style="border: 1px solid black; width: 30px; height: 20px;"></td><td style="border: 1px solid black; width: 30px; height: 20px;"></td></tr></table> times per day/week/month*			<div style="border: 1px solid black; width: 30px; height: 20px; background-color: #cccccc;"></div>																												
<p>17. Place of abusing drugs in the last four weeks (one or more answers)</p> <table style="width:100%; font-size: small;"> <tr> <td>11 Hong Kong SAR</td> <td>21 Asian countries (please specify) _____</td> </tr> <tr> <td>12 Macau SAR</td> <td></td> </tr> <tr> <td>13 Mainland of China - Shenzhen</td> <td>31 Other countries (please specify) _____</td> </tr> <tr> <td>14 Mainland of China - Guangdong Province (other than Shenzhen)</td> <td>99 Unknown</td> </tr> <tr> <td>15 Mainland of China - other province</td> <td></td> </tr> </table>	11 Hong Kong SAR	21 Asian countries (please specify) _____	12 Macau SAR		13 Mainland of China - Shenzhen	31 Other countries (please specify) _____	14 Mainland of China - Guangdong Province (other than Shenzhen)	99 Unknown	15 Mainland of China - other province		<p>18. Locality of abusing drugs in the last four weeks (one or more answers)</p> <table style="width:100%; font-size: small;"> <tr> <td>11 Home</td> <td>16 Apartment/Bungalow/Rental area</td> </tr> <tr> <td>12 Friend's home</td> <td>17 Disco/Karaoke</td> </tr> <tr> <td>13 School/Hostel</td> <td>18 Night club/Internet Café</td> </tr> <tr> <td>14 Party gathering in club house/building/hotel/bar</td> <td>19 Electronic game centre</td> </tr> <tr> <td>15 Non-party gathering in club house/building/hotel/bar</td> <td>20 Cinema/Theatre</td> </tr> <tr> <td></td> <td>21 Recreation area/Public garden/Public toilet</td> </tr> <tr> <td></td> <td>22 Others (please specify) _____</td> </tr> </table>	11 Home	16 Apartment/Bungalow/Rental area	12 Friend's home	17 Disco/Karaoke	13 School/Hostel	18 Night club/Internet Café	14 Party gathering in club house/building/hotel/bar	19 Electronic game centre	15 Non-party gathering in club house/building/hotel/bar	20 Cinema/Theatre		21 Recreation area/Public garden/Public toilet		22 Others (please specify) _____									
11 Hong Kong SAR	21 Asian countries (please specify) _____																																	
12 Macau SAR																																		
13 Mainland of China - Shenzhen	31 Other countries (please specify) _____																																	
14 Mainland of China - Guangdong Province (other than Shenzhen)	99 Unknown																																	
15 Mainland of China - other province																																		
11 Home	16 Apartment/Bungalow/Rental area																																	
12 Friend's home	17 Disco/Karaoke																																	
13 School/Hostel	18 Night club/Internet Café																																	
14 Party gathering in club house/building/hotel/bar	19 Electronic game centre																																	
15 Non-party gathering in club house/building/hotel/bar	20 Cinema/Theatre																																	
	21 Recreation area/Public garden/Public toilet																																	
	22 Others (please specify) _____																																	
<p>19. Reason(s) for current drug use (one or more answers)</p> <table style="width:100%; font-size: small;"> <tr> <td>1 Curiosity</td> <td>4 For self-medication</td> <td>7 Under influence of the partner</td> <td>9 Unknown</td> </tr> <tr> <td>2 Peer influence/To identify with peers</td> <td>5 Avoid discomfort of its absence</td> <td>8 Other reason (please specify) _____</td> <td></td> </tr> <tr> <td>3 Relief of boredom/depression/stress</td> <td>6 To seek euphoria or sensory satisfaction</td> <td></td> <td></td> </tr> </table>		1 Curiosity	4 For self-medication	7 Under influence of the partner	9 Unknown	2 Peer influence/To identify with peers	5 Avoid discomfort of its absence	8 Other reason (please specify) _____		3 Relief of boredom/depression/stress	6 To seek euphoria or sensory satisfaction																							
1 Curiosity	4 For self-medication	7 Under influence of the partner	9 Unknown																															
2 Peer influence/To identify with peers	5 Avoid discomfort of its absence	8 Other reason (please specify) _____																																
3 Relief of boredom/depression/stress	6 To seek euphoria or sensory satisfaction																																	

Additional information:

Case reference number : _____ Reported by: _____ Contact telephone: _____

Leave blank
Register No.



藥物濫用資料中央檔案室 第六十六號報告書

Central Registry of Drug Abuse Sixty-sixth Report

有關本刊物的查詢，請聯絡：

政府總部保安局統計組
藥物濫用資料中央檔案室

地址：中國香港金鐘道66號金鐘道政府合署高座30樓

電話：(852) 2867 107 1

圖文傳真：(852) 2537 257 5

電子郵址：sb_stat@sb.gov.hk

Enquiries about this publication can be directed to :

**The Central Registry of Drug Abuse, Statistics Unit,
Security Bureau, Government Secretariat**

Address : 30/F, High Block, Queensway Government Offices,
66 Queensway, Hong Kong, China.

Tel. No. : (852) 2867 1071

Fax. No. : (852) 2537 2575

Email : sb_stat@sb.gov.hk

