4 2024 年首次被呈報及曾被呈報吸毒者的特徵 Characteristics of Newly and Previously Reported Drug Abusers in 2024

4.1 在 2024 年 所 有 被 呈 報 的 5 068 名吸毒者中,1 784 人或 35%是 首次被呈報,而 3 284 人(65%)則曾 經被呈報。在被呈報的 21 歲以下青少年吸毒者當中,首次被呈報者的百分比為 69%,遠高於被呈報的 21 歲及以上成年吸毒者(30%)。下文比較首次被呈報及曾被呈報吸毒者的特徵。

被呈報吸毒者的資料來源

(表 2h)

- 4.2 在 2024 年,首次被呈報吸毒者的資料主要來自戒毒治療和康復服務中心/濫用精神藥物者輔導中心/戒毒輔導服務中心和執法機構,分別佔有關吸毒者的55%和23%。
- 4.3 在 2024 年,曾被呈報吸毒者的 主要資料來源是美沙酮診所及戒毒 治療和康復服務中心/濫用精神藥 物者輔導中心/戒毒輔導服務中心, 分別佔有關吸毒者的 47%和 32%。

4.1 Of all 5 068 drug abusers reported in 2024, 1 784 or 35% were newly reported and 3 284 (65%) had been previously reported. The proportion of newly reported drug abusers among reported young drug abusers aged under 21 was much higher, at 69%, as compared against 30% among reported adult drug abusers aged 21 and over. A comparison of the characteristics between newly and previously reported drug abusers is given in the ensuing paragraphs.

Sources of Reported Drug Abusers

(Table 2h)

- 4.2 For the newly reported drug abusers, the major sources of reporting in 2024 were drug treatment and rehabilitation centres/counselling centres for psychotropic substance abusers/centres for drug counselling and law enforcement agencies, taking up 55% and 23% respectively of the drug abusers concerned.
- For those previously reported drug 4.3 abusers, the major sources of reporting in 2024 were methadone clinics and drug treatment and rehabilitation centres/ for counselling centres psychotropic abusers/centres substance for drug counselling, taking up 47% and 32% respectively of the drug abusers concerned.

年齡和性別 (表 2a 及圖 4.1)

4.4 首次被呈報吸毒者和曾被呈報吸毒者的年齡分布頗為不同。首次被呈報吸毒者中,28%是在21歲以下,而曾被呈報吸毒者的相應數字則為7%。36%首次被呈報吸毒者是介乎21至35歲的年輕成年人,而83%曾被呈報吸毒者則為31歲及以上。首次被呈報吸毒者的平均年齡為31歲,相對於平均年齡為45歲的曾被呈報吸毒者較為年輕。


4.5 在性別分布方面,女性佔首次被呈報吸毒者 30%,但在曾被呈報吸毒者中所 佔的百分比則較低,只有 21%。 Age and Sex (Table 2a and Chart 4.1)

4.4 The age distribution of the newly reported drug abusers was quite different from that of the previously reported ones. While 28% of the newly reported drug abusers were aged under 21, the corresponding figure of the previously reported ones was only 7%. 36% of the newly reported drug abusers were young adults aged 21-35, while 83% of the previously reported ones were aged 31 and over. The newly reported drug abusers, at an average age of 31 years, were in general much younger than the previously reported ones at an average age of 45 years.

4.5 Regarding sex distribution, 30% of the newly reported drug abusers were females, while the respective proportion among the previously reported drug abusers was lower, only at 21%.

圖 4.1 2024 年按首次/曾被呈報吸毒者劃分的年齡分布

Chart 4.1 Age distribution of newly/previously reported drug abusers by age group, 2024



註釋: 曾被呈報吸毒者中, 12×15 歲及 16×17 歲的吸毒者分別佔少於 1% 和 2%。

Among previously reported drug abusers, those aged 12-15 and aged 16-17 accounted for less than 1% and 2% respectively.

Note:

首次吸食毒品的年龄 (表 2d)

4.6 首次被呈報的吸毒者平均在 23 歲開始吸毒,其中半數的毒齡不少 於 4.8 年。而曾被呈報吸毒者則較早 開始吸毒,平均在 18 歲開始,其中半 數在首次被呈報時的毒齡為不少於 2.6 年。

吸食的毒品種類

(表 2b 及圖 4.2)

- 4.7 在 2024 年首次被呈報吸毒者中,最常吸食的毒品種類為可卡因(30%),其次為大麻(23%)及甲基安非他明(20%)。
- 4.8 曾被呈報的吸毒者最常吸食的毒品種類則是海洛英(57%),其次為可卡因(17%)及甲基安非他明(14%)。

Age of First Abuse (Table 2d)

4.6 The newly reported drug abusers on average started to abuse drugs at the age of 23 years, and half of them had a drug abuse history of at least 4.8 years. Meanwhile, the previously reported drug abusers on average started earlier at the age of 18 years and half of them had a drug abuse history of at least 2.6 years before first being reported.

Type of Drugs Abused


(Table 2b and Chart 4.2)

- 4.7 Among the newly reported drug abusers in 2024, the most common type of drug abused was cocaine (30%), followed by cannabis (23%) and methamphetamine (20%).
- 4.8 As for the previously reported drug abusers, heroin (57%) was the dominant type of drug abused, followed by cocaine (17%) and methamphetamine (14%).

圖 4.2 2024 年首次/曾被呈報吸毒者通常吸食的毒品種類

Chart 4.2 Common types of drugs abused by newly/previously reported drug abusers, 2024

佔在相關組別內所有被呈報吸食毒品種類的吸毒者百分比 Percentage of all reported drug abusers with known drugs abused in the respective groups



註釋: 個別吸毒者在某年內可被呈報吸食多於一種毒品。

* 自 2023 年起,大麻包括四氫大麻酚、大麻二酚及合成大麻素。

現時吸食毒品原因

(表 2c)

4.9 首次被呈報吸毒者現時吸食毒品的最常見原因是「解悶/情緒低落/壓力」(58%),其次是「想和同輩朋友打成一片/受到同輩朋友影響」(33%)、「避免因沒有吸食毒品而感到不適」(20%)及「出於好奇」(20%)。

4.10 至於曾被呈報吸毒者,現時吸食毒品的最常見原因,分別是「避免因沒有吸食毒品而感到不適」(55%)、「解悶/情緒低落/壓力」(47%)和「想和同輩朋友打成一片/受到同輩

Notes: More than one type of drugs abused may be reported for an individual drug abuser in a given year.

From 2023, cannabis includes THC, CBD and synthetic cannabinoids.

Reason for Current Drug Use

(Table 2c)

4.9 For the newly reported drug abusers, the most common reason for current drug use was "to relieve boredom/depression/stress" (58%), followed by "to identify with peers/peer influence" (33%), "to avoid discomfort of its absence" (20%) and "out of curiosity" (20%).

4.10 As for the previously reported drug abusers, the most common reasons for current drug use were "to avoid discomfort of its absence" (55%), "to relieve boredom/depression/stress" (47%) and "to identify with

朋友影響」(26%)。 **經濟活動身分** (表2e)

4.11 在所有首次被呈報的吸毒者中,有28%是失業人士,26%是全職工作人士及23%是散工/兼職工作人士。在曾被呈報吸毒者中,失業人士的比重較高,達47%,另22%是全職工作人士及18%是散工/兼職工作人士及18%是散工/兼職工作人士。在首次被呈報的吸毒者中,學生的比重為13%,高於其在曾被呈報吸毒者中的比重(3%)。

教育程度 (表 2f)

4.12 首次被呈報吸毒者中,50%有初中教育,32%有高中教育及 12%有專上教育。只有7%有小學教育或以下。

4.13 曾被呈報吸毒者的教育程度相對較低,53%有初中教育,23%有高中教育,20%有小學教育或以下及4%有專上教育。

婚姻狀況 (表 2g)

4.14 在首次被呈報的吸毒者中,有67%從未結婚,而曾被呈報吸毒者中則有較少比重從未結婚,為41%。已婚和同居者合計,分別佔首次被呈報吸毒者的20%和曾被呈報吸毒者的33%,而鰥寡、離婚或分居者合計,則分別佔前者的12%和後者的25%。

peers/peer influence" (26%).

Economic Activity Status (Table 2e)

4.11 Of all newly reported drug abusers, 26% were full-time workers, 28% were unemployed and 23% were casual/part-time workers. Among the previously reported drug abusers, the proportion of the unemployed was higher, at 47%. Another 22% were full-time workers and 18% were casual/part-time workers. The proportion of students among newly reported drug abusers was 13%, higher than that among previously reported drug abusers (3%).

Educational Attainment (Table 2f)

4.12 For the newly reported drug abusers, 50% attained lower secondary, 32% upper secondary and 12% post-secondary education. Only 7% attained primary education or below.

4.13 For the previously reported drug abusers, their educational attainment was relatively lower, with 53% attaining lower secondary education, 23% upper secondary education, 20% primary education or below and 4% post-secondary education.

Marital Status (Table 2g)

4.14 67% of the newly reported drug abusers had never been married, while the respective proportion among the previously reported drug abusers was lower, at 41%. Married and cohabiting persons together took up 20% of the newly reported drug abusers and 33% of the previously reported drug

4.15 在已婚或同居的首次被呈報吸毒者中,有23%報稱其伴侶亦吸毒,而曾被呈報吸毒者有伴侶吸毒的比例則相對較低(18%)。

abusers, while the widowed, divorced, or separated together took up 12% of the former group and 25% of the latter group.

4.15 Of those married or cohabiting newly reported drug abusers, 23% reported that their partners also abused drugs, the corresponding figure for the previously reported drug abusers with drug-taking partners was lower (18%).